

WESTERN REFRIGERATION PVT. LTD.

Production Read Source

Product: WRL Portal

Version: 1.0 draft

Date: 2026-09-02

Production: <https://wrl-dashboard.vercel.app>

Internal — Handover Documentation

Status: Codebase audit 2026-09-01. VPS `.env` values must be confirmed on the host before Phase 4 CRM deletions.

VPS env flags (confirm on server)

Variable	Intended prod value	Controls
<code>READ_SUMMARY_FROM</code>	<code>postgres</code>	MIS Summary tab
<code>READ_REGISTER_FROM</code>	<code>postgres</code>	Call Register + exports
<code>READ_DISTRIBUTION_FROM</code>	<code>postgres</code>	Call Distribution (required; CRM rejected)
<code>READ_DIMS_FROM</code>	<code>postgres</code>	Office/dimension lists
<code>READ_ARCP_FROM</code>	<code>postgres</code>	ARCP claims hot table
<code>ARCP_USE_LIVE_CRM</code>	unset or <code>false</code>	Forces hybrid CRM gap-fill when true
<code>READ_CALLS_FROM</code>	<code>postgres</code> (fallback)	Global override when per-report unset

Staleness: `calls_latest_hot` lags CRM by up to ~3 min (sync daemon interval). Acceptable for reporting; not for real-time ops.

Sign-off for Phase 4: When all rows below show **Postgres** in prod and hot lag is acceptable, CRM fallback branches in MIS register/summary may be deleted.

Report → data source

Report / feature	Primary source	CRM still required?	Delete CRM branch?
MIS Summary	Postgres (<code>READ_SUMMARY_FROM</code>)	No when postgres	Yes, after sign-off
MIS Register	Postgres (<code>READ_REGISTER_FROM</code>)	No when postgres	Yes, after sign-off

Report / feature	Primary source	CRM still required?	Delete CRM branch?
MIS Accounts / BD-MIS	Postgres + client import	CRM for Cadbury subtract only	Partial — keep CRM trace paths until BD-MIS rules migrated
Call Distribution	Postgres only	No (400 if CRM)	Already postgres-only
ARCP Claims	<code>arcp_lines_hot</code> (+ hybrid CRM fill)	Yes until hot coverage complete	When <code>ARCP_USE_LIVE_CRM=false</code> stable
Cancelled Calls	<code>calls_cancelled</code>	Item-code enrich only	Keep enrich CRM call
Athena Reconciliation	<code>athena_failed_calls_*</code>	Sync ingest only	N/A (not register CRM path)
Serial / Location / Warranty	Live CRM <code>postQuery</code>	Yes	No
Attendance activity	<code>crm_attendance_details</code>	Sync ingest only	N/A
Call detail drawer	Live CRM	Yes	No
Comments / flags	Postgres portal tables	No	N/A

Local dev defaults

Without env overrides, [src/lib/read-model/flags.ts](#) defaults to `crm`. Local dev uses CRM unless `.env.local` sets `READ_*_FROM=postgres`.

Client mirrors: [src/lib/read-model/client-flags.ts](#) — collapse to server source in Phase 3.

Sync ownership (target after Phase 4)

Domain	Sync today	Target module
Calls hot	lib/read-model/incremental.ts	stays in lib (core)
Athena failures	lib/read-model/athena-reconciliation/	modules/athena-reconciliation/server/sync/
Cancelled register	lib/read-model/cancelled-call-register/	modules/cancelled-calls/server/sync/
Attendance	lib/read-model/attendance-details/	modules/attendance/server/sync/
User locations	lib/read-model/user-locations/	modules/attendance/server/sync/user-locations/
ARCP	modules/arcp-claims/server/sync/	already in module