

2] How do you manage privileges using these commands?

Ans:

1. Granting Privileges:

The GRANT command allows database administrators to assign specific privileges to users or roles, controlling their access to database objects such as tables, views, or procedures.

Steps to Grant Privileges:

Identify the privileges to assign (e.g., SELECT, INSERT, UPDATE).

Specify the database object (e.g., table name) for which the privileges are granted.

Use the TO clause to assign privileges to a specific user or role.

Example:

```
GRANT SELECT, INSERT
```

```
ON students
```

```
TO john;
```

2. Revoking Privileges:

The REVOKE command is used to withdraw privileges that were previously granted. This is essential for restricting access when users no longer require it or for security purposes.

Steps to Revoke Privileges:

Identify the privileges to remove.

Specify the database object from which the privileges should be revoked.

Use the FROM clause to specify the user or role whose privileges should be revoked.

Example:

```
REVOKE INSERT
```

```
ON students
```

```
FROM john;
```

3. Managing Privileges:

Assign Permissions: Use GRANT to ensure users have the necessary privileges to perform their tasks, such as reading data (SELECT) or modifying it (INSERT, UPDATE, DELETE).

Limit Access: Use REVOKE to restrict access, ensuring users can no longer perform unauthorized operations.

Delegating Permissions: Use the WITH GRANT OPTION in the GRANT command to allow a user to further delegate their granted privileges to other users.

Example:

```
GRANT SELECT
```

```
ON students
```

```
TO john WITH GRANT OPTION;
```

revoking All Privileges: Use REVOKE ALL to completely remove all privileges from a user.

Example:

REVOKE ALL

ON students

FROM john;