

# GE23131-Programming Using C-2024

Quiz navigation

1

2

3

Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Friday, 29 November 2024, 1:08 PM
Duration	24 days 4 hours

Question 1

Correct

Marked out of 3.00

Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.  
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size \* size. Print a Print W for white spaces and B for black spaces.

Input:

- 2
- 3

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

**Answer:** (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n;
4     scanf("%d",&n);
5     while(n--){
6         int i;
7         scanf("%d",&i);
8         for(int j=1;j<=i;j++){
9             if(j%2!=0){
10                int c=1;
11                char a = 'W';
12                while(c<=i){
13                    printf("%c",a);
14                    a=(a=='W')?'B':'W';
15                    c++;
16                }
17                printf("\n");
18            }
19        }
20        else{
21            // ...

```

```
24         printf("%c",z);
25         z=(z=='W')?'B':'W';
26         m++;
27     }
28     printf("\n");
29 }
30 }
31 }
32 }
33 }
```


	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

 [Flag question](#)

Let’s print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

## Output Format

Print the chessboard as per the given examples

## Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

**Answer:** (penalty regime: 0 %)


```
1 #include<stdio.h>
2 int main(){
3     int n;
4     scanf("%d",&n);
5     while(n--){
6         int i;
```

```
9   for(int j=1;j<=i;j++){
10   if(ch == 'W'){
11       char a='W';
12       int c =1;
13       while(c<=i){
14           printf("%c",a);
15           a=(a=='W')?'B':'W';
16           c++;
17       }
18       ch=(ch=='W')?'B':'W';
19       printf("\n");
20   }
21   else{
22       char z='B';
23       int m=1;
24       while(m<=i){
25           printf("%c",z);
26           z=(z=='W')?'B':'W';
27           m++;
28       }
29       ch=(ch=='w')?'B':'W';
30       printf("\n");
31   }
32   }
33   }
34 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Question **3**

Correct

Marked out of  
7.00 [Flag question](#)

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

10203010011012

\*\*4050809

\*\*\*\*607

If N= 4, then pattern will be:

1020304017018019020

\*\*50607014015016

\*\*\*\*809012013

\*\*\*\*\*10011

Constraints

$2 \leq N \leq 100$

Input Format

Output

First line print Case #i where i is the test case number  
In the subsequent line, print the pattern

Test Case 1

3  
3  
4  
5

Output

Case #1  
10203010011012  
\*\*4050809  
\*\*\*\*607  
Case #2  
1020304017018019020  
\*\*50607014015016  
\*\*\*\*809012013  
\*\*\*\*\*10011

\*\*6070809022023024025

\*\*\*\*10011012019020021

\*\*\*\*\*13014017018

\*\*\*\*\*15016

**Answer:** (penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main(){
3      int n,v,p3,c,in,i,i1,i2,t,ti;
4      scanf("%d",&t);
5      for(ti=0;ti<t;ti++){
6          v=0;
7          scanf("%d",&n);
8          printf("Case #%d\n",ti+1);
9          for(i=0;i<n;i++){
10             c=0;
11             if(i>0){
12                 for(i1=0;i1<i;i1++){
13                     printf("**");
14                 }
15             }
16             for(i1=i;i1<n;i1++){
17                 if(i>0) c++;
18                 printf("%d0",++v);
19             }
20             if(i==0){
21                 p3=v+(v*(v-1))+1;
22                 in=p3;
23             }
24             in=in-c;
25             p3=in;
26             for(i2=i;i2<n;i2++){
27                 printf("%d",p3++);
28                 if(i2!=n-1) printf("0");
29             }printf("\n");
30         }
31     }

```



	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓

Finish review