

in

← Server: 127.0.0.1 » Database: vishwa » Table: users

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Operations

Track

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 id	int(10)		UNSIGNED	Yes	NULL			Change Drop More
<input type="checkbox"/>	2 name	varchar(150)	utf8mb4_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	3 PASSWORD	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	4 contact	varchar(40)	utf8mb4_general_ci		Yes	NULL			Change Drop More

☐ Check all

With selected:

Browse

Change

Drop

Primary

Unique

Index

Spatial

Fulltext

Add to central columns

Remove from central columns

Print

Propose table structure

Track table

Move columns

Normalize

Add

column(s)

Go

Indexes

No index defined!

Console

Bookmarks Opt

```
>CREATE TABLE users( id int unsigned, name varchar(150), PASSWORD varchar(100), contact varchar(15) );
>SELECT * FROM `users`
>ALTER TABLE users MODIFY contact VARCHAR(40);
>SELECT * FROM `users`
```

in

← Server: 127.0.0.1 » Database: vishwa » Table: users

[Browse](#) [Structure](#) [SQL](#) [Search](#) [Insert](#) [Export](#) [Import](#) [Privileges](#) [Operations](#) [Track](#)

[Table structure](#) [Relation view](#)

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	id	int(10)		UNSIGNED	Yes	NULL			Change Drop More
<input type="checkbox"/>	2	PASSWORD	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	3	contact	varchar(40)	utf8mb4_general_ci		Yes	NULL			Change Drop More

↑ ☐ Check all With selected: [Browse](#) [Change](#) [Drop](#) [Primary](#) [Unique](#) [Index](#) [Spatial](#) [F](#)
[Add to central columns](#) [Remove from central columns](#)

[Print](#) [Propose table structure](#) [Track table](#) [Move columns](#) [Normalize](#)

[Add](#) column(s) [Go](#)

[Indexes](#)

⚠ No index defined!

Create an index on columns [Go](#)

[Console](#) [Bookmarks](#) [Opt](#)

```
> SELECT * FROM `users`  
> SELECT * FROM `users`  
> ALTER TABLE users DROP name;  
>
```



in

← Server: 127.0.0.1 » Database: vishwa

Structure SQL Search Query Export Import Operations Privileges Routines Events

Run SQL query/queries on database vishwa: ?

```
1 CREATE TABLE users(  
2  
3     id int unsigned,  
4     name varchar(150),  
5     PASSWORD varchar(100),  
6     contact varchar(15)  
7 );  
8  
9
```

Clear

Format

Get auto-saved query

☐ Bind parameters ?

■ Console

Bookmarks Opt


Press Ctrl+Enter to execute query

> SELECT * FROM `persons`

> SELECT * FROM `persons`

> SELECT * FROM `ashok`





Show query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0005 seconds.)

```
ALTER TABLE users MODIFY contact VARCHAR(40);
```

[[Edit inline](#)] [[Edit](#)] [[Create PHP code](#)]

Console

Bookmarks

```
> CREATE TABLE users( id int unsigned, name varchar(150), PASSWORD varchar(100), contact varchar(15) );  
> SELECT * FROM `users`  
> ALTER TABLE users MODIFY contact VARCHAR(40);  
>
```