

(6)

Model Lab

ITA1412

Vishwatej.V

A2321124

- 1) **Packet Analyser Tool:** A network administrator has packet data from an unauthorized laboratory network and needs to identify protocols and examine communication details.

Aim:- To analyze network packets using a packet analyzer tool (Wireshark), identify different protocols and examine communication details such as source destination IP address and packet information.

Procedure:-

1. Open Wireshark in Kali Linux.
2. Select the active network interface such as eth0 or wlan0.
3. Start capturing packets.
4. Generate some network by opening a website.
5. Stop the packet capture and examine.
6. Apply protocol filters then observe the source IP.

Commands:-

Wireshark

Ping google.com

icmp

dns

tcp

http

Input:-

Ping google.com

Output:-

No	Source	Destination	Protocol	Length
1	192.168.1.10	8.8.8.8	ICMP	84
2	8.8.8.8	192.168.1.10	ICMP	84

8

Result:- Thus network traffic was successfully captured and analyzed using Wireshark and the protocols and communication details were identified.

2) Uptime, date and mv commands:

Aim:- To use the uptime, date and mv commands in Kali Linux to determine system uptime display the current date and time and move a file from one location to another.

Procedure:-

1. Open Kali Linux terminal
2. Execute the uptime command to check how long the system has been running.
3. Execute the date command to display the date and time
4. Create a sample file using the touch command
5. Use the mv command to move the file to another location
6. Verify the operation using ls.

Commands:-

```
uptime
date
touch test.txt
mkdir backup
mv test.txt backup/
ls backup
```

Input:-

```
$ uptime
$ date
$ touch test.txt
$ mkdir backup
$ mv test.txt backup/
```

Output:-

```
09:45:21 up 2 hours, 15 min.
1 user, 1 load average: 0.20, 0.15
```

```
Mon Aug 31 09:45:30 IST 2026
```

```
test.txt
```

Result:-

Thus the program is successfully executed.

3) Iscat and mkdir commands:

Aim: To create a project directory, list its contents, and display the contents of a text file using the mkdir, ls and cat commands in Kali Linux.

Procedure:-

1. Open the Kali Linux terminal.
2. Create a new directory using mkdir.
3. Navigate into the directory using cd.
4. Create a text file.
5. Add some text to the file.
6. Use ls to display the files in the directory.
7. Use cat to display the contents of the text file.

Commands:-

mkdir project

cd project

echo "Ethical Hacking Lab" > notes.txt

ls

cat notes.txt

Input:-

==

\$ mkdir project

\$ cd project

\$ echo "Ethical Hacking Lab" > notes.txt

\$ ls

\$ cat notes.txt

Result:-

==

Output:-

notes.txt

Ethical Hacking Lab

Thus the Project is successfully executed.

4. Windows OS Commands Execution:-

Aim:- To execute basic windows networking commands such as ping, tracer, ipconfig, and netstat to test connect, trace the network route, inspect network configuration, and examine active network connections.

Procedure:-

1. Open command prompt in windows.
2. Use ping to test connectivity to a destination.
3. Use tracer to determine the route taken by packets.
4. Use ipconfig to view IP configuration.
5. Use netstat to display active network connections.
6. Observe and record the result.

Commands:-

ping google.com

tracert google.com

ipconfig

netstat

Input:-

C:\> ping google.com

C:\> tracert google.com

C:\> ipconfig

C:\> netstat

Output:-

Pinging google.com

IP Address:

Active connections

Tracing route to google.com

Result:-

Thus the program executed successfully.