Mental Health and Access to Care Survey 2022

Public Use Microdata File (PUMF)

Statistics Canada Statistique Canada

Canada

Table of Contents

Variable	Position	Description	Page
PUMFID	001-006	Randomly generated sequence number for the PUMF	13
GEODVPSZ	007-007	Population centre or rural area classification - (D)	13
DHHGMS	008-009	Marital status (grouped)	13
DHHGAGE	010-011	Age (grouped)	14
GENDER	012-012	Gender (2)	14
GEN_01	013-013	Self-perceived health	14
GEN_02A	014-014	Self-perceived health compared to one year ago	15
GEN_08B	015-015	Self-perceived mental health	15
GEN_08C	016-016	Self-perceived mental health compared to one year ago	16
GEN_02A1	017-017	Frequency - trouble sleeping	16
GEN_02B	018-019	Satisfaction with life in general - 11 point scale	17
GEN_07	020-020	Perceived life stress	17
GEN_08	021-021	Worked at job or business	18
GEN_09	022-022	Self-perceived work stress	18
GEN_10	023-023	Sense of belonging to local community	19
GENDHDI	024-024	Perceived health - (D)	19
GENGSWL	025-025	Satisfaction with life in general - (G)	20
SCR_21	026-026	Screener: felt sad/empty/depressed for several days - life	20
SCR_22	027-027	Screener: was very discouraged several days or longer - life	20
SCR_23	028-028	Screener: lost interest in things for several days - life	21
SCR_24	029-029	Screener: had mania-like period lasting several days - life	21
SCR_25A	030-030	Screener: very irritable/grumpy/ for several days - life	22
SCR_25B	031-031	Screener: so irritable started arguments/shouted/... - life	22
SCR_26A	032-032	Screener: worried about things more than most people - life	23
SCR_26B	033-033	Screener: more nervous/anxious than most people - life	23
SCR_26C	034-034	Screener: 6 months when anxious/worried most days - life	23
SCR_29A	035-035	Screener: intense fear or shyness with people - life	24
SCR_29B	036-036	Screener: intense fear or shyness in front of a group - life	24
SCR_29C	037-037	Screener: upset or nervousness in front of a group - life	25
SCR_29D	038-038	Screener: stayed away because of fear in front of a group - life	25
SCR_29E	039-039	Screener: think the fear was much stronger than it should have been	25
SCRDMEN	040-040	Self-rated Mental Health - (D)	26
SCRDDEP	041-041	Screener - Depression (F)	26
SCRDMIA	042-042	Screener - Mania (F)	27
SCRDGAD	043-043	Screener - Generalized Anxiety Disorder (F)	27
SCRDSOP	044-044	Screener - Social Phobia (F)	27
CCC_031	045-045	Has asthma	28
CCC_051	046-046	Has arthritis	28
CCC_061	047-047	Has back problems excluding fibromyalgia and arthritis	29
CCC_062	048-048	Has fibromyalgia	29
CCC_071	049-049	Has high blood pressure	30
CCC_072	050-050	Ever diagnosed with high blood pressure	30
CCC_081	051-051	Has migraine headaches	30
CCC_091	052-052	Has chronic bronchitis / emphysema / COPD	31
CCC_101	053-053	Has diabetes	31
CCC_121	054-054	Has heart disease	32
CCC_131	055-055	Has cancer	32
CCC_132	056-056	Ever had cancer	33
CCC_171A	057-057	Has bowel disorder / Crohn's Disease / ulcerative colitis	33
CCC_251	058-058	Has chronic fatigue syndrome	33
CCC_261	059-059	Suffers from multiple chemical sensitivities	34
CCC_280A	060-060	Has a mood disorder	34
CCC280BA	061-061	Has mood disorder - depression	35
CCCG28AE	062-062	Has mood disorder - other (grouped)	35
CCC_290A	063-063	Has an anxiety disorder	36
CCC290BA	064-064	Has an anxiety disorder - phobia	36
CCC290BB	065-065	Has an anxiety disorder - obsessive-compulsive disorder	36
CCC290BC	066-066	Has an anxiety disorder - panic disorder	37

CCC290BD	067-067	Has an anxiety disorder - other	37
CCC_311	068-068	Has post-traumatic stress disorder	38
CCC_331	069-069	Has a learning disability	38
CCC_332	070-070	Has Attention Deficit Disorder	38
CCCG901	071-071	Has other long-term physical or mental health condition (grouped)	39
CCCF1	072-072	Has a chronic condition - (F)	39
CCCDHBP	073-073	Has or previously diagnosed with high blood pressure (D)	40
CCCDCNCR	074-074	Has or previously diagnosed with cancer (D)	40
CCCDSCZO	075-075	Has or previously diagnosed with schizophrenia (D)	40
CCCDPSYC	076-076	Has or previously diagnosed with psychosis (D)	41
HUPDPAD	077-077	Pain (function code) - (D)	41
PHSFPPA	078-078	Flag: moderate/vigorous physical activity - 7 days (F)	42
IM_10L	079-079	COVID-19 impacts - Physical health problems	42
IM_10M	080-080	COVID-19 impacts - Relationships challenges with household members	42
IM_10O	081-081	COVID-19 impacts - None	43
IM_10AB	082-082	COVID-19 impacts - Loss of job or income, Financial difficulties	43
IM_10DE	083-083	COVID-19 impacts - Accessing medication/health care services difficult	43
IM_10FG	084-084	COVID-19 impacts - Diagnosed with COVID-19, Hospitalized due COVID-19	44
IM_10HI	085-085	COVID-19 impacts - Severe illness of a loved one, Death of a loved one	44
IM_10JK	086-086	COVID-19 impacts - Feelings loneliness/isolation, Emotional distress	45
IM_10CN	087-087	COVID-19 impacts - Other	45
PMH_01	088-089	Pos ment hlth - happy - freq 1 mo	45
PMH_02	090-091	Pos ment hlth - interested in life - freq 1 mo	46
PMH_03	092-093	Pos ment hlth - satisfied with life - freq 1 m	46
PMH_04	094-095	Pos ment hlth - had somethng to contribut to soc - freq 1 mo	47
PMH_05	096-097	Pos ment hlth - belong to a community - freq 1 mo	47
PMH_06	098-099	Pos ment hlth - society becoming a better place - freq 1 mo	48
PMH_07	100-101	Pos ment hlth - people basically good - freq 1 mo	48
PMH_08	102-103	Pos ment hlth - society makes sense - freq 1 mo	49
PMH_09	104-105	Pos ment hlth - liked most parts of personality - freq 1 mo	49
PMH_10	106-107	Pos ment hlth - good at managing daily life - freq 1 mo	50
PMH_11	108-109	Pos ment hlth - have warm/trusting relationships - freq 1 mo	50
PMH_12	110-111	Pos ment hlth - challenged to become better - freq 1 mo	51
PMH_13	112-113	Pos ment hlth - confident to express opinions - freq 1 mo	51
PMH_14	114-115	Pos ment hlth - life has meaning - freq 1 mo	52
PMHDHEM	116-116	High emotional well-being - (D)	52
PMHDLEM	117-117	Low emotional well-being - (D)	53
PMHDHFU	118-118	High positive functioning - (D)	53
PMHDLFU	119-119	Low positive functioning - (D)	53
PMHDCLA	120-120	Positive mental health - classification - (D)	54
PMHDSCR	121-122	Positive mental health - continuous score - (D)	54
STS_1	123-123	Self-perceived ability to handle unexpected problem	55
STS_2	124-124	Self-perceived ability to handle day-to-day demands	55
STS_3	125-126	Most important source of feelings of stress	56
STS_4	127-127	Can count on people / deal with stress	56
STS_5	128-128	Perceived personal ability to deal with stress	57
DIS_01A	129-129	Freq/distress: felt tired out - past month	57
DIS_01B	130-130	Freq/distress: felt nervous - past month	58
DIS_01C	131-131	Freq/distress: so nervous nothing calms down - past month	58
DIS_01D	132-132	Freq/distress: felt hopeless - past month	59
DIS_01E	133-133	Freq/distress: felt restless / fidgety - past month	59
DIS_01F	134-134	Freq/distress: could not sit still - past month	60
DIS_01G	135-135	Freq/distress: felt sad / depressed - past month	60
DIS_01H	136-136	Freq/distress: depressed/nothing cheers - past month	61
DIS_01I	137-137	Freq/distress: felt everything effort - past month	61
DIS_01J	138-138	Freq/distress: felt worthless - past month	62
DIS_01K	139-139	Freq/distress: occurrence of feelings - past month	62
DIS_01L	140-140	Degree of higher occurrence of feelings - past month	63
DIS_01M	141-141	Degree of lower occurrence of feelings - past month	63
DIS_01N	142-142	Interference - feelings in life / activities - past month	64
DISDK6	143-144	Distress scale - K6 - past month - (D)	64
DISDDSX	145-146	Distress scale - K10 - past month - (D)	65
DISDCHR	147-148	Chronicity of distress/impairment scale - past month (D)	65

SUI_01	149-149	Suicide - ideation during worst / bad episode	65
SUI_02	150-150	Suicide - ideation - life	66
SUI_03	151-151	Suicide - ideation - 12 mo	66
DEP_72	152-152	Depression - consulted MD/other professional - life	67
DEP_86	153-153	Depression - professional treatment - 12 m	67
DEP_87	154-154	Depression - hospitalized overnight - life	68
DEPDDPS	155-155	Major Depressive Episode - Algorithm - life - (D)	68
DEPGREC	156-157	Major depressive episode - Recency Age (grouped)	69
DEPGPER	158-159	Major depressive episode - Persistence (grouped)	69
DEPDDY	160-160	Major Depressive Episode - Algorithm - 12 m - (D)	70
DEPFSLT	161-161	Flag: Suicide - thought - life - (F)	70
DEPFSYT	162-162	Flag: Suicide - thought - 12 m - (F)	71
DEPFINT	163-163	Flag: Depression - Interference - 12 m - (F)	71
DEPDINT	164-167	Depression - Interference - Mean - 12 m - (D)	71
MIA_33	168-168	Mania - consulted MD/other professional - life	72
MIA_47	169-169	Mania - professional treatment - 12 m	72
MIADEPS	170-170	Mania - 2002 Algorithm - life - (D)	73
MIAGREC	171-172	Mania - Recency Age (grouped)	73
MIAGPER	173-174	Mania - Persistence (grouped)	74
MIADEY	175-175	Mania - 2002 Algorithm - 12 m - (D)	74
MIADINT	176-179	Mania - Interference - Mean - 12 m - (D)	75
MIAFINT	180-180	Flag: Mania - Interference - 12 m - (F)	75
HYPDL	181-181	Hypomania - Algorithm - life - (D)	76
HYPDEY	182-182	Hypomania - Algorithm - 12 m - (D)	76
HYPFINT	183-183	Flag: Hypomania - Interference - 12 m - (F)	77
HYPDINT	184-187	Hypomania - Interference - Mean - 12 m - (D)	77
BIPD1	188-188	Bipolar I - Algorithm - life - (D)	78
BIPD2	189-189	Bipolar II - Algorithm - life - (D)	78
BIPD1Y	190-190	Bipolar I - Algorithm - 12 m - (D)	78
BIPD2Y	191-191	Bipolar II - Algorithm - 12 m - (D)	79
BIPDL	192-192	Bipolar Disorder - Algorithm - life - (D)	79
BIPDY	193-193	Bipolar Disorder - Algorithm - 12 m - (D)	79
BIPDINT1	194-197	Bipolar I - Interference - Mean - (D)	80
BIPDINT2	198-201	Bipolar II - Interference - Mean - (D)	80
BIPDINT	202-205	Bipolar Disorder - Interference - Mean - (D)	80
BIPFINT1	206-206	Flag: Bipolar I - Interference - (F)	81
BIPFINT2	207-207	Flag: Bipolar II - Interference - (F)	81
BIPFINT	208-208	Flag: Bipolar Disorder - Interference - (F)	82
GAD_44	209-209	Gen anx dis - consulted MD/other professional - life	82
GAD_58	210-210	Gen anx dis - professional treatment - 12 m	83
GAD_59	211-211	Gen anx dis - hospitalized overnight - life	83
GADDGDS	212-212	Generalized anxiety disorder - algorithm - life - (D)	83
GADGREC	213-214	Gen anx dis - Recency Age (grouped)	84
GADDDY	215-215	Generalized anxiety disorder - algorithm - 12 m - (D)	84
GADDINT	216-219	Generalized anxiety disorder - Interference - Mean -12 m (D)	85
GADFINT	220-220	Generalized anxiety disorder - Interference - 12 m - (F)	85
SOPDA1	221-221	Social Phobia - Criterion A, Part 1 - life - (D)	85
SOPDA2	222-222	Social Phobia - Criterion A, Part 2 - life - (D)	86
SOPDA	223-223	Social Phobia - Criterion A (Parts 1, 2 Combined) - life - (D)	86
SOPDB	224-224	Social Phobia - Criterion B - life - (D)	87
SOPDC	225-225	Social Phobia - Criterion C - life - (D)	87
SOPDD1	226-226	Social Phobia - Criterion D, Part 1 - life - (D)	88
SOPD09	227-227	Social Phobia - Symptoms of anxiety or panic - (D)	88
SOPDD2	228-228	Social Phobia - Criterion D, Part 2 - life - (D)	89
SOPDD	229-229	Social Phobia - Criterion D (Parts 1, 2 combined) - life - (D)	89
SOPD215	230-230	Social Phobia - Interference - work/social - (D)	90
SOPDE	231-231	Social Phobia - Criterion E - life - (D)	90
SOPD02	232-232	Social Phobia - Algorithm - life - (D)	91
SOPDREC	233-235	Social Phobia - Most recent episode - age - (D)	91
SOPDYA	236-236	Social Phobia - Criterion A - 12 m - (D)	92
SOPDYB	237-237	Social Phobia - Criterion B - 12 m - (D)	92
SOPDYC	238-238	Social Phobia - Criterion C - 12 m - (D)	93
SOPDPY	239-239	Social Phobia - Algorithm - 12 m - (D)	93

SOPDINT	240-243	Social Phobia - Interference - Mean - 12 m - (D)	94
SOPFINT	244-244	Flag: Social Phobia - Interference - 12 m - (F)	94
SMK_201A	245-245	Smoked 100 or more cigarettes - life	95
SMK_201B	246-246	Ever smoked whole cigarette	95
SMKG01C	247-248	Age smoked first whole cigarette (grouped)	95
SMK_202	249-249	Type of smoker	96
SMKG203	250-251	Age started smoking daily - (daily smoker) (grouped)	96
SMK_204	252-254	Number of cigarettes smoked per day (daily smoker)	97
SMK_205B	255-257	Number of cigarettes smoked per day (occasional smoker)	97
SMK_205C	258-259	Number of days - smoked 1 cigarette or more (occ. smoker)	98
SMK_205D	260-260	Ever smoked cigarettes daily	98
SMK_206A	261-261	Stopped smoking - when (was never a daily smoker)	99
SMKG06C	262-263	Number of years since stopped smoking (grouped)	99
SMKG207	264-265	Age started smoking daily -former daily smoker (grouped)	99
SMK_208	266-268	Number of cigarettes smoked per day (former daily smoker)	100
SMK_209A	269-269	Stopped smoking daily - when stopped (former daily smoker)	100
SMKG10C	270-271	Nbr of yrs since stopped smoking daily, former smoker (grouped)	101
SMK_210A	272-272	Quit smoking completely (former daily smoker)	101
SMKG210B	273-273	Stopped smoking completely - when (former daily smoker) (grouped)	102
SMKG09C	274-275	Number of years since stopped smoking (daily, grouped)	102
SMKDSTY	276-277	Type of smoker - (D)	103
SMKGSTP	278-279	Number of years since stopped smoking completely (grouped)	103
SMKDYCS	280-282	Number of years smoked (current daily smokers) - (D)	104
AUD_01	283-283	Drank alcohol in past 12 months	104
AUD_02	284-285	Alcohol consumption - frequency - 12 m	105
AUD_03	286-287	Having 5 or more drinks - frequency - 12 m	105
AUD_04	288-288	Ever had a drink - life	105
AUD_05	289-289	Drank 12 or more drinks - frequency - 12 m	106
AUDG06	290-291	Number of drinks per day - 12 m (grouped)	106
AUD_08	292-292	Drank more in earlier year than past 12 months	107
AUD_10	293-294	Alcohol consumption - years when drank most - frequency	107
AUDG11	295-296	Drinks per day - years when drank most (grouped)	108
AUD_39	297-297	Alcohol - consulted MD/other professional - life	108
AUDDTTM	298-298	Alcohol - Type of drinker - 12 m - (D)	109
AUDFWDY	299-299	Flag: Ever drank more than in past 12 months (F)	109
AUDDWDY	300-300	Alcohol - Type of drinker - year most frequent drinking (D)	110
AUDDLD	301-301	Alcohol dependence - Algorithm - life - (D)	110
AUDDYD	302-302	Alcohol dependence - Algorithm - 12 m - (D)	110
AUDDLA	303-303	Alcohol abuse - Algorithm - life - (D)	111
AUDDYA	304-304	Alcohol abuse - Algorithm - 12 m - (D)	111
AUDDL	305-305	Alcohol abuse or dependence - Algorithm - life - (D)	112
AUDDY	306-306	Alcohol abuse or dependence - Algorithm - 12 m - (D)	112
AUDFINT	307-307	Flag: Alcohol - Interference - 12 m - (F)	112
AUDDINT	308-311	Alcohol - Interference - Mean - 12 m - (D)	113
SUD_87	312-312	Drugs - Help received - Talked to a professional - life	113
SUDFLTU	313-313	Sedative - used nonmedically - life - (F)	114
SUDFLSU	314-314	Stimulant - used nonmedically - life - (F)	114
SUDFLAU	315-315	Analgesics - nonmedical use - life - (F)	114
SUDFLCA	316-316	Cannabis - used (incl one time) - life - (F)	115
SUDFLCM	317-317	Cannabis - used (excl one time) - life - (F)	115
SUDFYCM	318-318	Cannabis - used (excl one time) - 12 m - (F)	115
SUDGLOTH	319-319	Any other drug use - Lifetime (grouped)	116
SUDDLAI	320-320	Any drug use (incl one time cann) - life - (D)	116
SUDDLAE	321-321	Any drug use (excl one time cann) - life (D)	117
SUDDLID	322-322	Any drug use (excl cann use) - life - (D)	117
SUDDYAI	323-323	Any drug use (incl one time cann) - 12 m (D)	117
SUDDYAE	324-324	Any drug use (excl one time cann) - 12 m (D)	118
SUDDYID	325-325	Any drug use (excl cann use) - 12 m (D)	118
SUDDLCD	326-326	Cannabis dependence - Algorithm - life - (D)	119
SUDDYCD	327-327	Cannabis dependence - Algorithm - 12 m - (D)	119
SUDDLOD	328-328	Drug dependence (excl cann) - Algorithm - life - (D)	119
SUDDYOD	329-329	Drug dependence (excl cann) - Algorithm - 12 m - (D)	120
SUDDLCA	330-330	Cannabis abuse - Algorithm - life - (D)	120

SUDDYCA	331-331	Cannabis abuse - Algorithm - 12 m - (D)	120
SUDDLOA	332-332	Drug abuse (excl cann) - Algorithm - life - (D)	121
SUDDYOA	333-333	Drug abuse (excl cann) - Algorithm - 12 m - (D)	121
SUDDLC	334-334	Cannabis abuse or dependence - life - (D)	122
SUDDYC	335-335	Cannabis abuse or dependence - 12 m - (D)	122
SUDDLO	336-336	Drug abuse or dependence (excl cann) - life - (D)	122
SUDDYO	337-337	Drug abuse or dependence (excl cann) - 12 m - (D)	123
SUDDL	338-338	Drug abuse or dependence (including cann) - life - (D)	123
SUDDY	339-339	Drug abuse or dependence (including cann) - 12 m - (D)	124
SUDFINT	340-340	Substance use - Interference - 12 m - (F)	124
SUDDINT	341-344	Substance use - Interference - Mean - 12 m (D)	124
MHPFL	345-345	Any selected disorder (mental or substance) - life (F)	125
MHPFLM	346-346	Any mood disorder - life - (F)	125
MHPFLA	347-347	Any anxiety disorder - life - (F)	126
MHPFLSA	348-348	Any substance use disorder (alcohol/drug) - life - (F)	126
MHPFY	349-349	Any selected disorder (mental/substance) - 12 m - (F)	126
MHPFYM	350-350	Any mood disorder - 12 m - (F)	127
MHPFYA	351-351	Any anxiety disorder - 12 m - (F)	127
MHPFYSA	352-352	Any substance use disorder (alcohol/drug) - 12 m - (F)	128
MHPFINT	353-353	Any selected disorder (mental/subst) - Interfere -12 m (F)	128
DASG01	354-354	Difficulty - standing for long periods - 30 d (grouped)	129
DASG02	355-355	Difficulty - household responsibilities - 30 d (grouped)	129
DAS_04	356-357	Difficulty - joining in community activities - 30 d	129
DAS_05	358-358	Emotionally affected by health problems - 30 d	130
DAS_06	359-359	Difficulty - concentrating - 30 d	130
DAS_07	360-360	Difficulty - walking long distance - 30 d	131
DAS_10	361-361	Difficulty - dealing with people you do not know - 30 d	131
DAS_11	362-362	Difficulty - maintaining a friendship - 30 d	132
DAS_12	363-364	Difficulty - day to day work/school - 30 d	132
DAS_13	365-365	Interference - difficulties - 30 days	133
DASGSCR	366-367	WHO Disability Assessment Schedule 2.0 (grouped)	133
SR1_001	368-368	Hospitalized for mental health/alcohol/drug - 12 m	134
SR1_004A	369-369	Consulted for mental health/alc/drugs - psychiatrist - 12 m	134
SR1_004B	370-370	Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m	135
SR1_004C	371-371	Consulted for mental health/alc/drugs - psychologist - 12 m	135
SR1_004D	372-372	Consulted for ment hlth/alc/drugs - nurse - 12 m	136
SR1_004E	373-373	Consulted social worker or counsellor - 12 months	136
SR1_004F	374-374	Consulted for ment hlth/alc/drugs - family member - 12 m	136
SR1_004G	375-375	Consulted for ment hlth/alc/drugs - friend - 12 m	137
SR1_004H	376-376	Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m	137
SR1_004I	377-377	Consulted for ment hlth/alc/drugs - other - 12 m	138
SR1_004J	378-378	Consulted for ment hlth/alc/drugs - none - 12 m	138
SR1_10AA	379-379	Talked with psychiatrist - in person	139
SR1_10AB	380-380	Talked with psychiatrist - over the phone	139
SR1_10AC	381-381	Talked with psychiatrist - using video	139
SR1_10AD	382-382	Talked with psychiatrist - text message	140
SR1G010	383-383	Number of times consulted psychiatrist - 12 mo (grouped)	140
SR1_012	384-384	Perceived level of help received - psychiatrist	140
SR1_013	385-385	Stopped seeing this professional - psychiatrist	141
SR1_014A	386-386	Reason stopped - psychia - felt better	141
SR1_014B	387-387	Reason stopped - psychia - completed recommended treatment	142
SR1_014C	388-388	Reason stopped - psychia - thought it was not helping	142
SR1_014D	389-389	Reason stopped - psychia - problem get better without help	142
SR1_014E	390-390	Reason stopped - psychia - couldn't afford to pay	143
SR1_014G	391-391	Reason stopped - psychia - solve the problem without help	143
SR1_014H	392-392	Reason stopped - psychia - prob like transport/ childcare	144
SR1_014I	393-393	Reason stopped - psychia - service/prog no longer available	144
SR1_014J	394-394	Reason stopped - psychia - not comfortable w prof approach	144
SR1_014L	395-395	Reason stopped - psychia - other reason	145
SR1_20AA	396-396	Talked with family doctor - in person	145
SR1_20AB	397-397	Talked with family doctor - over the phone	146
SR1_20AC	398-398	Talked with family doctor - using video	146
SR1_20AD	399-399	Talked with family doctor - text message	147

SR1G020	400-400	Number of times consulted family doctor - 12 mo (grouped)	147
SR1_022	401-401	Perceived level of help received from prof. - family doctor	147
SR1_023	402-402	Stopped seeing prof. - family doctor	148
SR1_024A	403-403	Reason stopped - dr - felt better	148
SR1_024B	404-404	Reason stopped - dr - completed the recommended treatment	149
SR1_024C	405-405	Reason stopped - dr - thought it was not helping	149
SR1_024D	406-406	Reason stopped - dr - problem would get better without help	150
SR1_024E	407-407	Reason stopped - dr - couldn't afford to pay	150
SR1_024F	408-408	Reason stopped - dr - too embarrassed to see professional	150
SR1_024G	409-409	Reason stopped - dr - solve the problem without help	151
SR1_024H	410-410	Reason stopped - dr - probs like transportation/ childcare	151
SR1_024I	411-411	Reason stopped - dr - service / program no longer available	152
SR1_024J	412-412	Reason stopped - dr - not comfortable with prof. approach	152
SR1_024K	413-413	Reason stopped - dr - discrimination or unfair treatment	153
SR1_024L	414-414	Reason stopped - dr - other reason	153
SR1_30AA	415-415	Talked with psychologist - in person	153
SR1_30AB	416-416	Talked with psychologist - over the phone	154
SR1_30AC	417-417	Talked with psychologist - using video	154
SR1_30AD	418-418	Talked with psychologist - text message	155
SR1G030	419-419	Number of times consulted psychologist - 12 mo (grouped)	155
SR1_032	420-420	Perceived level of help received - psychologist	155
SR1_033	421-421	Stopped seeing this professional - psychologist	156
SR1_034A	422-422	Reason stopped - psychol - felt better	156
SR1_034B	423-423	Reason stopped - psychol - completed recommended treatment	157
SR1_034C	424-424	Reason stopped - psychol - thought it was not helping	157
SR1_034D	425-425	Reason stopped - psychol - problem would get better	157
SR1_034E	426-426	Reason stopped - psychol - couldn't afford to pay	158
SR1_034F	427-427	Reason stopped - psychol - embarrassed to see professional	158
SR1_034G	428-428	Reason stopped - psychol - solve the problem without help	159
SR1_034H	429-429	Reason stopped - psychol - probs - transportation/ childcare	159
SR1_034I	430-430	Reason stopped - psychol - service/prog no longer available	159
SR1_034J	431-431	Reason stopped - psychol - not comfort. with prof. approach	160
SR1_034K	432-432	Reason stopped - psychol - discrimination/unfair treatment	160
SR1_034L	433-433	Reason stopped - psychol - other reason	161
SR1_40AA	434-434	Talked with nurse - in person	161
SR1_40AB	435-435	Talked with nurse - over the phone	161
SR1_40AC	436-436	Talked with nurse - using video	162
SR1G040	437-437	Number of times consulted nurse - 12 mo (grouped)	162
SR1_042	438-438	Perceived level of help received from prof. - nurse	163
SR1_043	439-439	Stopped seeing this professional - nurse	163
SR1_044A	440-440	Reason stopped - nurse - felt better	164
SR1_044B	441-441	Reason stopped - nurse - completed the recommended treatment	164
SR1_044C	442-442	Reason stopped - nurse - thought it was not helping	164
SR1_044D	443-443	Reason stopped - nurse - prob would get better without help	165
SR1_044E	444-444	Reason stopped - nurse - couldn't afford to pay	165
SR1_044F	445-445	Reason stopped - nurse - too embarrassed to see professional	166
SR1_044G	446-446	Reason stopped - nurse - solve the problem without prof help	166
SR1_044H	447-447	Reason stopped - nurse - prob like transportation/ childcare	166
SR1_044I	448-448	Reason stopped - nurse - service/program no longer available	167
SR1_044J	449-449	Reason stopped - nurse - not comfortable with prof. approach	167
SR1_044K	450-450	Reason stopped - nurse - discrimination or unfair treatment	168
SR1_044L	451-451	Reason stopped - nurse - other reason	168
SR1_50AA	452-452	Talked with social worker - in person	168
SR1_50AB	453-453	Talked with social worker - over the phone	169
SR1_50AC	454-454	Talked with social worker - using video	169
SR1_50AD	455-455	Talked with social worker - text message	170
SR1G050	456-456	Number of times consulted social worker - 12 mo (grouped)	170
SR1_052	457-457	Perceived level of help received from prof. - social worker	170
SR1_053	458-458	Stopped seeing this professional/social worker	171
SR1_054A	459-459	Reason stopped - sw - felt better	171
SR1_054B	460-460	Reason stopped - sw - completed the recommended treatment	172
SR1_054C	461-461	Reason stopped - sw - thought it was not helping	172
SR1_054D	462-462	Reason stopped - sw - problem would get better without help	173

SR1_054E	463-463	Reason stopped - sw - couldn't afford to pay	173
SR1_054F	464-464	Reason stopped - sw - too embarrassed to see professional	173
SR1_054G	465-465	Reason stopped - sw - solve the problem without help	174
SR1_054H	466-466	Reason stopped - sw - probs like transportation/ childcare	174
SR1_054I	467-467	Reason stopped - sw - service / program no longer available	175
SR1_054J	468-468	Reason stopped - sw - not comfortable with prof. approach	175
SR1_054K	469-469	Reason stopped - sw - discrimination or unfair treatment	175
SR1_054L	470-470	Reason stopped - sw - other reason	176
SR1_60AA	471-471	Talked with family member - in person	176
SR1_60AB	472-472	Talked with family member - over the phone	177
SR1_60AC	473-473	Talked with family member - using video	177
SR1_60AD	474-474	Talked with family member - text message	177
SR1G060	475-475	Number of times consulted family member - 12 mo (grouped)	178
SR1_062	476-476	Perceived level of help received - family member	178
SR1_70AA	477-477	Talked with friend - in person	179
SR1_70AB	478-478	Talked with friend - over the phone	179
SR1_70AC	479-479	Talked with friend - using video	179
SR1_70AD	480-480	Talked with friend - text message	180
SR1G070	481-481	Number of times consulted friend - 12 mo (grouped)	180
SR1_072	482-482	Perceived level of help received - friend	181
SR1_80AA	483-483	Talked with co-worker or supervisor - in person	181
SR1_80AB	484-484	Talked with co-worker or supervisor - over the phone	182
SR1_80AC	485-485	Talked with co-worker or supervisor - using video	182
SR1_80AD	486-486	Talked with co-worker or supervisor - text message	182
SR1G080	487-487	Number of times consulted co-worker or supervisor - 12 mo (grouped)	183
SR1_082	488-488	Perceived level of help received - co-work/supervisor	183
SR1100AA	489-489	Talked with other people - in person	184
SR1100AB	490-490	Talked with other people - over the phone	184
SR1100AC	491-491	Talked with other people - using video	185
SR1100AD	492-492	Talked with other people - text message	185
SR1G100	493-493	Number of times consulted other person - 12 mo (grouped)	185
SR1_102	494-494	Perceived level of help received - other person	186
SR1_110	495-495	Received help or services from employer - 12 months	186
SR1_111	496-496	Used Internet for info/help/support - 12 m	187
SR1_112A	497-497	Used Internet - learn about symptoms	187
SR1_112B	498-498	Used Internet - to find out where to get help	188
SR1_112C	499-499	Used Internet - discuss with other people	188
SR1_112D	500-500	Used Internet - to get online therapy	188
SR1_112E	501-501	Used Internet - other	189
SR1_113	502-502	Self-help group - help with problems - 12 months	189
SR1_114A	503-503	Self-help group type - emotional or mental health	190
SR1_114B	504-504	Self-help group type - alcohol or drug use	190
SR1_114C	505-505	Self-help group type - other	191
SR1G115	506-506	Nbr of times went to meeting of self-help group - 12 months (grouped)	191
SR1_116	507-507	Used telephone helpline for mental health - 12 months	191
SR1G117	508-508	Number of times used telephone helpline - 12 mo (grouped)	192
SR1_118	509-509	Needed help for emotions but didn't receive it - 12 months	192
SR1G119	510-510	Amount spent on mental health services/products - 12 m (grouped)	193
SR1_121	511-511	Prejudice / discrimination - mental health	193
SR1_122	512-512	Prejudice / discrimination - personal characteristics	194
SR1FPRU	513-513	Consultation/services used - professional - 12 m (F)	194
SR1FNPU	514-514	Consultation/services used - non-professional - 12 m (F)	195
SR1DYPRT	515-515	Number of types - professionals consulted - 12 m (D)	195
SR1DYNPT	516-517	Number of types - non-professionals consulted - 12 m (D)	195
SR1GPRO1	518-518	Hours of consultation - psychiatrist - 12 m (grouped)	196
SR1GPRO2	519-519	Hours of consultation - family doctor - 12 m (grouped)	196
SR1GPRO3	520-520	Hours of consultation - psychologist - 12 m (grouped)	196
SR1GPRO4	521-521	Hours of consultation - nurse - 12 m (grouped)	197
SR1GPRO5	522-522	Hours of consultation - social worker/counsellor - 12 m (grouped)	197
SR1GPROT	523-523	Hours of consultation - all professionals - 12 m (grouped)	198
MED_01	524-524	Medication for emotions/mental health/alcohol/drug - 12 m	198
MEDGTNUM	525-525	Num med taken for emot/mental health/alcohol/drug - 2 days (grouped)	199
MED_05	526-526	Insurance that covers all/part of cost of prescription	199

MED_06	527-527	Used other health products for mental health - 12 m	199
PNC_01A	528-528	Received help - information	200
PNC_01B	529-529	Received help - medication	200
PNC_01C	530-530	Received help - counselling or therapy	201
PNC_01D	531-531	Received help - other	201
PNC_01E	532-532	Received help - none	202
PNC_02A	533-533	Received - as much help as needed	202
PNC_02BA	534-534	Needed more help - information	202
PNC_02BB	535-535	Needed more help - medication	203
PNC_02BC	536-536	Needed more help - counselling or therapy	203
PNC_02BD	537-537	Needed more help - other	204
PNC_03AA	538-538	Why no more information / self managed	204
PNC_03AB	539-539	Why no more information / don’t know how/where	205
PNC_03AC	540-540	Why no more information / too busy	205
PNC_03AD	541-541	Why no more information / job interfered	206
PNC_03AE	542-542	Why no more information / not readily available	206
PNC_03AF	543-543	Why no more information / no confidence in system	206
PNC_03AG	544-544	Why no more information / unaffordable	207
PNC_03AH	545-545	Why no more information / insurance not cover	207
PNC_03AI	546-546	Why no more information / afraid of others opinion	208
PNC_03AK	547-547	Why no more information / help is ongoing	208
PNC_03AL	548-548	Why no more information / other specify	209
PNC_03BA	549-549	Why no more medication / self managed	209
PNC_03BB	550-550	Why no more medication / don’t know how/where	209
PNC_03BC	551-551	Why no more medication / too busy	210
PNC_03BD	552-552	Why no more medication / job interfered	210
PNC_03BE	553-553	Why no more medication / not readily available	211
PNC_03BF	554-554	Why no more medication / no confidence in system	211
PNC_03BG	555-555	Why no more medication / unaffordable	212
PNC_03BH	556-556	Why no more medication / insurance not cover	212
PNC_03BI	557-557	Why no more medication / afraid of others opinion	213
PNC_03BJ	558-558	Why no more medication / language problems	213
PNC_03BK	559-559	Why no more medication / help is ongoing	213
PNC_03BL	560-560	Why no more medication / other specify	214
PNC_03CA	561-561	Why no more counselling / self managed	214
PNC_03CB	562-562	Why no more counselling / don’t know how/where	215
PNC_03CC	563-563	Why no more counselling / too busy	215
PNC_03CD	564-564	Why no more counselling / job interfered	216
PNC_03CE	565-565	Why no more counselling / not readily available	216
PNC_03CF	566-566	Why no more counselling / no confidence in system	217
PNC_03CG	567-567	Why no more counselling / unaffordable	217
PNC_03CH	568-568	Why no more counselling / insurance not cover	218
PNC_03CI	569-569	Why no more counselling / afraid of others opinion	218
PNC_03CK	570-570	Why no more counselling / help is ongoing	218
PNC_03CL	571-571	Why no more counselling / other specify	219
PNC_03DG	572-572	Why no more - other / unaffordable	219
PNC_04A	573-573	Help needed but not received	220
PNC_04BA	574-574	Help needed & not received - information	220
PNC_04BB	575-575	Help needed & not received - medication	221
PNC_04BC	576-576	Help needed & not received - counselling or therapy	221
PNC_05BA	577-577	Why no information / self managed	222
PNC_05BB	578-578	Why no information / don’t know how/where	222
PNC_05BC	579-579	Why no information / too busy	223
PNC_05BD	580-580	Why no information / job interfered	223
PNC_05BE	581-581	Why no information / not readily available	224
PNC_05BF	582-582	Why no information / no confidence in system	224
PNC_05BG	583-583	Why no information / unaffordable	224
PNC_05BH	584-584	Why no information / insurance not cover	225
PNC_05BI	585-585	Why no information / afraid of others opinion	225
PNC_05BL	586-586	Why no information / other specify	226
PNC_05CA	587-587	Why no medication / self managed	226
PNC_05CB	588-588	Why no medication / don’t know how/where	227
PNC_05CC	589-589	Why no medication / too busy	227

PNC_05CE	590-590	Why no medication / not readily available	228
PNC_05CF	591-591	Why no medication / no confidence in system	228
PNC_05CG	592-592	Why no medication / unaffordable	228
PNC_05CH	593-593	Why no medication / insurance not cover	229
PNC_05CI	594-594	Why no medication / afraid of others opinion	229
PNC_05CL	595-595	Why no medication / other specify	230
PNC_05DA	596-596	Why no counselling / self managed	230
PNC_05DB	597-597	Why no counselling / don't know how/where	231
PNC_05DC	598-598	Why no counselling / too busy	231
PNC_05DD	599-599	Why no counselling / job interfered	231
PNC_05DE	600-600	Why no counselling / not readily available	232
PNC_05DF	601-601	Why no counselling / no confidence in system	232
PNC_05DG	602-602	Why no counselling / unaffordable	233
PNC_05DH	603-603	Why no counselling / insurance not cover	233
PNC_05DI	604-604	Why no counselling / afraid of others opinion	234
PNC_05DL	605-605	Why no counselling / other specify	234
PNCG5D4D	606-607	Why preferred to self manage / counselling (grouped)	235
PNCFH12	608-608	Flag: Help received - past 12 months (F)	235
PNCDHCT	609-609	Number of types of help received - past 12 months - (D)	235
PNCDPNI	610-610	Perceived need for information - past 12 months (D)	236
PNCDPNM	611-611	Perceived need for medication - past 12 months (D)	236
PNCDPNC	612-612	Perceived need for counselling - past 12 months (D)	237
PNCDPNO	613-613	Perceived need for other help - past 12 months (D)	237
PNCDNEED	614-614	Overall perceived need in past 12 Months - (D)	237
MHE_05A	615-615	Received mental health treatment - life	238
MHE_05B	616-616	Received mental health treatment - 12 m	238
MHE_06	617-617	Perceived prejudice/discrimination due to mental health -12m	239
MHE_06A	618-620	Impact - mental health prej/discrimin - family relationships	239
MHE_06B	621-623	Impact - mental health prej/discrim - romantic life	240
MHE_06C	624-626	Impact - mental health prej/discrim - work/school	240
MHE_06D	627-629	Impact - mental health prej/discrim - financial situation	241
MHE_06E	630-632	Impact - mental health prej/discrim - housing	241
MHE_06F	633-635	Impact - mental health prej/discrim - health care/physical	242
FMI_01A	636-636	Family member - mental health/alcohol/drug problems	242
FMI_02	637-637	Life affected by family member's problem	242
SPS_01	638-638	Has people to depend on	243
SPS_02	639-639	Has people who enjoy the same activities	243
SPS_03	640-640	Has close relationships	244
SPS_04	641-641	Has someone to talk to about important decisions	244
SPS_05	642-642	Has relationships that recognize competence/skill	245
SPS_06	643-643	Has trustworthy person for advice	245
SPS_07	644-644	Feel part of a group who shared attitudes/beliefs	245
SPS_08	645-645	Has strong emotional bond	246
SPS_09	646-646	Has people who admire talents/abilities	246
SPS_10	647-647	Has people to count on in emergency	247
SPSDCON	648-649	Social Provisions Scale - overall score - (D)	247
SPSDATT	650-650	Social Provisions Scale - attachment - (D)	248
SPSDGUI	651-651	Social Provisions Scale - guidance - (D)	248
SPSDALL	652-652	Social Provisions Scale - reliable alliance - (D)	248
SPSDINT	653-653	Social Provisions Scale - social integration - (D)	249
SPSDWOR	654-654	Social Provisions Scale - reassurance of worth (D)	249
NSI_01	655-655	Negative social interactions - detrimental to well-being	250
NSI_02	656-656	Negative social interactions - made too many demands	250
NSI_03	657-657	Negative social interactions - critical of behaviour	251
NSI_04	658-658	Negative social interactions - thoughtless/inconsiderate	251
NSI_05	659-659	Negative social interactions - angry/upset	251
NSIDSC	660-661	Negative social interactions - scale - (D)	252
CEX_01	662-662	Num of times - saw/heard parent hit other adult in your home	252
CEX_02	663-663	Num of times - slapped/hit/spanked	253
CEX_03	664-664	Num of times - pushed/grabbed/shoved/threw things at you	253
CEX_04	665-665	Num of times - physically attacked	254
CEX_05	666-666	Num of times - forced unwanted sexual activity	254
CEX_06	667-667	Num of times - sexual touching	255

CEX_07	668-668	Saw/talked w child protection organization	255
CEXDNUM	669-670	Number of types of childhood maltreatment experienced (D)	256
SPI_01	671-671	Spiritual values - play important role in life	256
LMAM_01	672-672	Worked at job or business last week	256
LMAM_02	673-673	Absent from job or business last week	257
LMAMG03	674-675	Absent from job / business - reason - last week (grouped)	257
LBSDWSS	676-676	Working status last week - (D)	258
LBSGSOC	677-677	Occupation group - (grouped)	258
WST_401	678-678	Work stress - learn new things	259
WST_402	679-679	Work stress - high level of skill	259
WST_403	680-680	Work stress - freedom to decide	260
WST_404	681-681	Work stress - repetitive tasks	260
WST_405	682-682	Work stress - job hectic	261
WST_406	683-683	Work stress - free from conflicting demands	261
WST_407	684-684	Work stress - good job security	262
WST_408	685-685	Work stress - a lot of physical effort	262
WST_409	686-686	Work stress - had own job input	262
WST_410	687-688	Work stress - hostility or conflict with others	263
WST_411	689-690	Work stress - supervisor helpful	263
WST_412	691-692	Work stress - co-workers helpful	264
WST_413	693-693	Work stress - job satisfaction	264
WSTDSKI	694-695	Work stress - decision latitude/discretion - (D)	265
WSTDAUT	696-697	Work stress - decision latitude / authority - (D)	265
WSTDPSY	698-699	Work stress - psychological demands - (D)	266
WSTDJIN	700-700	Work stress - job insecurity - (D)	266
WSTDPHY	701-701	Work stress - physical exertion - (D)	267
WSTDSOC	702-703	Work stress - social support - (D)	267
WSTDJST	704-707	Work stress - job strain - (D)	268
SORLGBTS	708-708	LGBTQ2+ Status	268
SDCFIMM	709-709	Immigration - (F)	269
SDCGRES	710-710	Number of years in Canada since immigration - (grouped)	269
SDCGVVM	711-712	Visible minority group of respondent (grouped)	269
SDCDVFLA	713-713	Visible minority - (F)	270
EDU_05	714-715	Highest degree / certificate / diploma obtained	270
INCDVP19	716-717	Personal income from all sources for 2019 - Grouped	271
INCDVP20	718-719	Personal income from all sources for 2020 - Grouped	272
INCDVHH	720-721	Household income from all sources for 2020 - Grouped	272
DABTIPPE	722-723	Neighbourhood income decile before tax (in CMA/CA)	273
DNBTIPPE	724-725	Neighbourhood income decile before tax (national)	273
WTS_M	726-732	Weights - Master	274

Topical Index 275
Variable Index 287

Variable Name: PUMFID **Length:** 6.0 **Position:** 1

Question Name:

Concept: Randomly generated sequence number for the PUMF

Question Text:

Universe: All respondents

Note:

Source:

Variable Name: GEODVPSZ **Length:** 1.0 **Position:** 7

Question Name:

Concept: Population centre or rural area classification - (D)

Question Text:

Universe: All respondents

Note: Based on GEODVPC. See documentation on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Rural area (less than 1,000)	1	1,301	5,708,306	18.0
Small population centre (1,000 to 29,999)	2	876	3,533,022	11.1
Medium population centre (30,000 to 99,999)	3	709	2,838,608	9.0
Large urban population centre (100,000 or greater)	4	6,975	19,624,987	61.9
Total		9,861	31,704,923	100.0

Variable Name: DHHGMS **Length:** 2.0 **Position:** 8

Question Name:

Concept: Marital status (grouped)

Question Text:

Universe: All respondents

Note: Based on MS_01

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Married	01	4,613	14,567,930	45.9
Living common law	02	780	3,400,789	10.7
Never married (not living common law)	03	3,196	9,283,100	29.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Separated or Divorced (not living common law)	04	759	2,777,181	8.8
Widowed (not living common law)	05	457	1,487,138	4.7
Not stated	99	56	188,784	0.6
Total		9,861	31,704,923	100.0

Variable Name: DHHGAGE **Length:** 2.0 **Position:** 10

Question Name:

Concept: Age (grouped)

Question Text:

Universe: All respondents

Note: Based on DV_AGE

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
15 to 19 years	01	894	2,127,512	6.7
20 to 24 years	02	1,153	2,339,655	7.4
25 to 29 years	03	556	2,227,780	7.0
30 to 34 years	04	647	2,617,199	8.3
35 to 44 years	05	1,379	5,543,504	17.5
45 to 54 years	06	1,203	4,259,595	13.4
55 to 64 years	07	1,334	5,609,708	17.7
65 years or older	08	2,695	6,979,969	22.0
Total		9,861	31,704,923	100.0

Variable Name: GENDER **Length:** 1.0 **Position:** 12

Question Name:

Concept: Gender (2)

Question Text:

Universe: All respondents

Note: Based on GDR_010. Using random imputation methods, records associated with non-binary persons in GDR_010 were distributed to the two categories of "Men+" and "Women+".

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Men+	1	4,949	15,492,388	48.9
Women+	2	4,896	16,162,082	51.0
Not stated	9	16	50,453	0.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: GEN_01 **Length:** 1.0 **Position:** 13

Question Name: GEN_Q01

Concept: Self-perceived health

Question Text: In general, how is your health?

Would you say:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,944	5,926,475	18.7
Very good	2	3,637	11,842,007	37.4
Good	3	3,194	10,289,508	32.5
Fair	4	870	2,851,083	9.0
Poor	5	200	743,252	2.3
Don't know	7	13	42,325	0.1
Refusal	8	3	10,272	0.0
Total		9,861	31,704,923	100.0

Variable Name: GEN_02A **Length:** 1.0 **Position:** 14

Question Name: GEN_Q02A

Concept: Self-perceived health compared to one year ago

Question Text: Compared to one year ago, how would you say your health is now?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Much better now than 1 year ago	1	1,104	3,177,447	10.0
Somewhat better now (than 1 year ago)	2	1,421	4,625,593	14.6
About the same as 1 year ago	3	6,053	19,527,832	61.6
Somewhat worse now (than 1 year ago)	4	1,112	3,787,681	11.9
Much worse now (than 1 year ago)	5	144	494,237	1.6
Don't know	7	10	35,767	0.1
Refusal	8	1	3,769	0.0
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_08B **Length:** 1.0 **Position:** 15

Question Name: GEN_Q08B

Totals may not add up due to rounding.

Concept: Self-perceived mental health

Question Text: In general, how is your mental health?

Would you say:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	2,227	6,629,169	20.9
Very good	2	3,151	10,143,467	32.0
Good	3	3,047	9,989,577	31.5
Fair	4	1,164	3,997,050	12.6
Poor	5	237	846,146	2.7
Don't know	7	15	36,094	0.1
Refusal	8	4	10,822	0.0
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_08C **Length:** 1.0 **Position:** 16

Question Name: GEN_Q08C

Concept: Self-perceived mental health compared to one year ago

Question Text: Compared to one year ago, how would you say your mental health is now?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Much better now than 1 year ago	1	1,247	3,517,769	11.1
Somewhat better now (than 1 year ago)	2	1,620	5,290,813	16.7
About the same as 1 year ago	3	5,978	19,351,294	61.0
Somewhat worse now (than 1 year ago)	4	870	3,019,673	9.5
Much worse now (than 1 year ago)	5	119	448,881	1.4
Don't know	7	9	17,257	0.1
Refusal	8	2	6,639	0.0
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_02A1 **Length:** 1.0 **Position:** 17

Question Name: GEN_Q02A_1

Concept: Frequency - trouble sleeping

Question Text: How often do you have trouble going to sleep or staying asleep?

Totals may not add up due to rounding.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None of the time	1	3,077	9,376,174	29.6
A little of the time	2	2,394	7,754,740	24.5
Some of the time	3	2,713	8,594,806	27.1
Most of the time	4	1,145	3,915,935	12.4
All of the time	5	478	1,880,763	5.9
Don't know	7	31	105,947	0.3
Refusal	8	7	23,960	0.1
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_02B **Length:** 2.0 **Position:** 18

Question Name: GEN_Q02B

Concept: Satisfaction with life in general - 11 point scale

Question Text: Using a scale of 0 to 10 where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very dissatisfied	00	38	166,223	0.5
|	01	9	36,022	0.1
|	02	33	120,994	0.4
|	03	79	297,622	0.9
|	04	187	683,681	2.2
|	05	554	1,819,882	5.7
|	06	759	2,404,192	7.6
|	07	1,932	6,283,988	19.8
|	08	3,063	9,678,879	30.5
|	09	1,555	4,949,307	15.6
Very satisfied	10	1,602	5,115,522	16.1
Don't know	97	30	84,703	0.3
Refusal	98	4	11,312	0.0
Not stated	99	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_07 **Length:** 1.0 **Position:** 20

Question Name: GEN_Q07

Concept: Perceived life stress

Totals may not add up due to rounding.

Question Text: Thinking about the amount of stress in your life, how would you describe most of your days?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all stressful	1	1,367	3,971,764	12.5
Not very stressful	2	2,314	7,232,135	22.8
A bit stressful	3	4,224	13,713,063	43.3
Quite a bit stressful	4	1,668	5,670,605	17.9
Extremely stressful	5	234	961,306	3.0
Don't know	7	29	78,590	0.2
Refusal	8	9	24,863	0.1
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_08 **Length:** 1.0 **Position:** 21

Question Name: GEN_Q08

Concept: Worked at job or business

Question Text: Have you worked at a job or business at any time in the past 12 months?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5,877	20,212,319	63.8
No	2	1,462	4,946,607	15.6
Valid skip	6	2,504	6,483,377	20.4
Don't know	7	8	26,085	0.1
Refusal	8	2	7,404	0.0
Not stated	9	8	29,131	0.1
Total		9,861	31,704,923	100.0

Variable Name: GEN_09 **Length:** 1.0 **Position:** 22

Question Name: GEN_Q09

Concept: Self-perceived work stress

Question Text: The next question is about your main job or business in the past 12 months. Would you say that most days at work were...?

Universe: Respondents who answered GEN_08 = (1, 7 or 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all stressful	1	615	1,943,625	6.1
Not very stressful	2	1,177	4,036,757	12.7
A bit stressful	3	2,529	8,579,769	27.1
Quite a bit stressful	4	1,262	4,514,228	14.2
Extremely stressful	5	276	1,075,623	3.4
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	16	53,205	0.2
Refusal	8	2	9,111	0.0
Not stated	9	18	62,620	0.2
Total		9,861	31,704,923	100.0

Variable Name: GEN_10 **Length:** 1.0 **Position:** 23

Question Name: GEN_Q10

Concept: Sense of belonging to local community

Question Text: How would you describe your sense of belonging to your local community?

Would you say:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very strong	1	1,571	4,724,469	14.9
Somewhat strong	2	4,600	14,679,524	46.3
Somewhat weak	3	2,552	8,387,725	26.5
Very weak	4	813	2,907,025	9.2
Don't know	7	289	889,906	2.8
Refusal	8	20	63,677	0.2
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GENDHDI **Length:** 1.0 **Position:** 24

Question Name:

Concept: Perceived health - (D)

Question Text:

Universe: All respondents

Note: Based on GEN_01. See document on derived variables.

Prior to 2007, this variable was named self-rated health.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	200	743,252	2.3
Fair	1	870	2,851,083	9.0
Good	2	3,194	10,289,508	32.5
Very good	3	3,637	11,842,007	37.4
Excellent	4	1,944	5,926,475	18.7
Not stated	9	16	52,597	0.2
Total		9,861	31,704,923	100.0

Variable Name: GENGSWL **Length:** 1.0 **Position:** 25

Question Name:

Concept: Satisfaction with life in general - (G)

Question Text:

Universe: All respondents

Note: Based on GEN_02B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very satisfied	1	3,157	10,064,829	31.7
Satisfied	2	5,754	18,367,059	57.9
Neither satisfied nor dissatisfied	3	554	1,819,882	5.7
Dissatisfied	4	299	1,102,296	3.5
Very dissatisfied	5	47	202,245	0.6
Not stated	9	50	148,612	0.5
Total		9,861	31,704,923	100.0

Variable Name: SCR_21 **Length:** 1.0 **Position:** 26

Question Name: SCR_Q21

Concept: Screener: felt sad/empty/depressed for several days - life

Question Text: Have you ever in your life had a period lasting several days or longer when most of the day you felt sad, empty or depressed?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,790	16,372,391	51.6
No	2	4,940	14,957,018	47.2
Don’t know	7	118	334,083	1.1
Refusal	8	13	41,430	0.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SCR_22 **Length:** 1.0 **Position:** 27

Question Name: SCR_Q22

Concept: Screener: was very discouraged several days or longer - life

Question Text: Have you ever had a period lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

Universe: Respondents who answered SCR_21 = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	751	2,401,955	7.6
No	2	4,241	12,702,700	40.1
Valid skip	6	4,790	16,372,391	51.6
Don't know	7	72	208,864	0.7
Refusal	8	7	19,014	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_23 **Length:** 1.0 **Position:** 28

Question Name: SCR_Q23

Concept: Screener: lost interest in things for several days - life

Question Text: Have you ever had a period lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies and personal relationships?

Universe: Respondents who answered SCR_22 = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	352	1,006,303	3.2
No	2	3,914	11,751,480	37.1
Valid skip	6	5,541	18,774,346	59.2
Don't know	7	47	153,582	0.5
Refusal	8	7	19,212	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_24 **Length:** 1.0 **Position:** 29

Question Name: SCR_Q24

Concept: Screener: had mania-like period lasting several days - life

Question Text: During your life, have you ever had a period like this lasting several days or longer?

Universe: All respondents

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,995	6,835,632	21.6
No		2	7,737	24,473,872	77.2
Don't know		7	119	360,317	1.1
Refusal		8	10	35,102	0.1
	Total		9,861	31,704,923	100.0

Variable Name: SCR_25A **Length:** 1.0 **Position:** 30

Question Name: SCR_Q25A

Concept: Screener: very irritable/grumpy/ for several days - life

Question Text: Have you ever had a period lasting several days or longer when most of the time you were very irritable, grumpy or in a bad mood?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	3,896	13,458,510	42.4
No		2	5,862	17,938,894	56.6
Don't know		7	93	275,300	0.9
Refusal		8	10	32,219	0.1
	Total		9,861	31,704,923	100.0

Variable Name: SCR_25B **Length:** 1.0 **Position:** 31

Question Name: SCR_Q25B

Concept: Screener: so irritable started arguments/shouted/... - life

Question Text: Have you ever had a period lasting several days or longer when most of the time you were so irritable that you either started arguments, shouted at people or hit people?

Universe: Respondents who answered SCR_25A = (1, 7, 8)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	970	3,417,100	10.8
No		2	2,906	9,991,239	31.5
Valid skip		6	5,862	17,938,894	56.6
Don't know		7	17	43,318	0.1
Refusal		8	3	6,853	0.0
Not stated		9	103	307,519	1.0
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SCR_26A **Length:** 1.0 **Position:** 32

Question Name: SCR_Q26A

Concept: Screener: worried about things more than most people - life

Question Text: Did you ever have a time in your life when you were a "worrier"; that is, when you worried a lot more about things than other people with the same problems as you?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,507	15,363,742	48.5
No	2	5,132	15,626,956	49.3
Don't know	7	210	678,868	2.1
Refusal	8	12	35,356	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_26B **Length:** 1.0 **Position:** 33

Question Name: SCR_Q26B

Concept: Screener: more nervous/anxious than most people - life

Question Text: Did you ever have a time in your life when you were much more nervous or anxious than most other people with the same problems as you?

Universe: Respondents who answered SCR_26A = (2, 7, 8)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	599	1,718,291	5.4
No	2	4,564	14,010,377	44.2
Valid skip	6	4,507	15,363,742	48.5
Don't know	7	179	580,518	1.8
Refusal	8	12	31,995	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_26C **Length:** 1.0 **Position:** 34

Question Name: SCR_Q26C

Concept: Screener: 6 months when anxious/worried most days - life

Question Text: Did you ever have a period lasting 6 months or longer when you were anxious and worried most days?

Totals may not add up due to rounding.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,174	7,831,443	24.7
No	2	7,605	23,610,482	74.5
Don't know	7	77	246,964	0.8
Refusal	8	5	16,033	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_29A **Length:** 1.0 **Position:** 35

Question Name: SCR_Q29A

Concept: Screener: intense fear or shyness with people - life

Question Text: Was there ever a time in your life when you felt very afraid or really, really shy with people, for example meeting new people, going to parties, going on a date or using a public bathroom?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,877	9,622,088	30.3
No	2	6,904	21,832,336	68.9
Don't know	7	73	228,219	0.7
Refusal	8	7	22,280	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_29B **Length:** 1.0 **Position:** 36

Question Name: SCR_Q29B

Concept: Screener: intense fear or shyness in front of a group - life

Question Text: Was there ever a time in your life when you felt very afraid or uncomfortable when you had to do something in front of a group of people, like giving a speech or speaking in class?

Universe: SCR_29A = (2, 7, 8)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,284	7,559,297	23.8
No	2	4,603	14,242,759	44.9
Valid skip	6	2,877	9,622,088	30.3

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	90	258,946	0.8
Refusal	8	7	21,833	0.1
Total		9,861	31,704,923	100.0

Variable Name: SCR_29C **Length:** 1.0 **Position:** 37

Question Name: SCR_Q29C

Concept: Screener: upset or nervousness in front of a group - life

Question Text: Was there ever a time in your life when you became very upset or nervous [whenever you were in social situations/]?

Universe: SCR_29A = 1 or SCR_29B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,354	11,330,011	35.7
No	2	1,748	5,672,027	17.9
Valid skip	6	4,603	14,242,759	44.9
Don't know	7	57	172,985	0.5
Refusal	8	2	6,363	0.0
Not stated	9	97	280,779	0.9
Total		9,861	31,704,923	100.0

Variable Name: SCR_29D **Length:** 1.0 **Position:** 38

Question Name: SCR_Q29D

Concept: Screener: stayed away because of fear in front of a group - life

Question Text: Because of your fear, did you ever stay away from [social situations/] whenever you could?

Universe: SCR_29A = 1 or SCR_29B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,567	8,652,980	27.3
No	2	2,534	8,358,930	26.4
Valid skip	6	4,603	14,242,759	44.9
Don't know	7	60	169,476	0.5
Not stated	9	97	280,779	0.9
Total		9,861	31,704,923	100.0

Variable Name: SCR_29E **Length:** 1.0 **Position:** 39

Totals may not add up due to rounding.

Question Name: SCR_Q29E

Concept: Screener: think the fear was much stronger than it should have been

Question Text: Do you think your fear was much stronger than it should have been?

Universe: SCR_29A = 1 or SCR_29B = 1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,700	9,540,807	30.1
No	2	2,251	6,988,476	22.0
Valid skip	6	4,603	14,242,759	44.9
Don't know	7	205	639,507	2.0
Refusal	8	5	12,595	0.0
Not stated	9	97	280,779	0.9
Total		9,861	31,704,923	100.0

Variable Name: SCRDMEN **Length:** 1.0 **Position:** 40

Question Name:

Concept: Self-rated Mental Health - (D)

Question Text:

Universe: All respondents

Note: Based on GEN_08B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Poor	0	237	846,146	2.7
Fair	1	1,164	3,997,050	12.6
Good	2	3,047	9,989,577	31.5
Very good	3	3,151	10,143,467	32.0
Excellent	4	2,227	6,629,169	20.9
Not stated	9	35	99,513	0.3
Total		9,861	31,704,923	100.0

Variable Name: SCRDDEP **Length:** 1.0 **Position:** 41

Question Name:

Concept: Screener - Depression (F)

Question Text:

Universe: All respondents

Note: Based on SCR_21, SCR_22, SCR_23. See document on derived variables.
This variable should not be used as a proxy measure for the specific disorder.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5,830	19,608,061	61.8
No		2	3,840	11,543,042	36.4
Not stated		9	191	553,820	1.7
	Total		9,861	31,704,923	100.0

Variable Name: SCRDMIA **Length:** 1.0 **Position:** 42

Question Name:

Concept: Screener - Mania (F)

Question Text:

Universe:

Note: Based on SCR_24, SCR_25B. See document on derived variables.
This variable should not be used as a proxy measure for the specific disorder.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,436	8,341,098	26.3
No		2	7,198	22,691,377	71.6
Not stated		9	227	672,448	2.1
	Total		9,861	31,704,923	100.0

Variable Name: SCRDGAD **Length:** 1.0 **Position:** 43

Question Name:

Concept: Screener - Generalized Anxiety Disorder (F)

Question Text:

Universe: All respondents

Note: Based on SCR_26A, SCR_26B, SCR_26C. See document on derived variables.
This variable should not be used as a proxy measure for the specific disorder.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	5,208	17,477,313	55.1
No		2	4,289	13,045,718	41.1
Not stated		9	364	1,181,891	3.7
	Total		9,861	31,704,923	100.0

Variable Name: SCRDSOP **Length:** 1.0 **Position:** 44

Question Name:

Totals may not add up due to rounding.

Concept: Screener - Social Phobia (F)

Question Text:

Universe: All respondents

Note: Based on SCR_29C, SCR_29D, SCR_29E. See document on derived variables.
This variable should not be used as a proxy measure for the specific disorder.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,624	8,987,348	28.3
No	2	7,047	22,188,022	70.0
Not stated	9	190	529,552	1.7
Total		9,861	31,704,923	100.0

Variable Name: CCC_031 **Length:** 1.0 **Position:** 45

Question Name: CCC_Q031

Concept: Has asthma

Question Text: Do you have asthma?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	810	2,937,699	9.3
No	2	9,019	28,665,833	90.4
Don't know	7	25	78,245	0.2
Refusal	8	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_051 **Length:** 1.0 **Position:** 46

Question Name: CCC_Q051

Concept: Has arthritis

Question Text: (Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.)

Do you have arthritis, excluding fibromyalgia?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,651	5,602,292	17.7
No	2	8,152	25,933,306	81.8
Don't know	7	49	138,630	0.4
Refusal	8	2	7,548	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_061 **Length:** 1.0 **Position:** 47

Question Name: CCC_Q061

Concept: Has back problems excluding fibromyalgia and arthritis

Question Text: (Do you have:)

...back problems, excluding fibromyalgia and arthritis?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,784	6,433,717	20.3
No	2	8,042	25,178,222	79.4
Don't know	7	26	62,181	0.2
Refusal	8	2	7,657	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_062 **Length:** 1.0 **Position:** 48

Question Name: CCC_Q062

Concept: Has fibromyalgia

Question Text: (Do you have:)

...fibromyalgia?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	152	585,423	1.8
No	2	9,642	30,923,786	97.5
Don't know	7	58	164,910	0.5
Refusal	8	2	7,657	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: CCC_071 **Length:** 1.0 **Position:** 49

Question Name: CCC_Q071

Concept: Has high blood pressure

Question Text: (Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.)

Do you have high blood pressure?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,993	5,941,152	18.7
No	2	7,801	25,523,435	80.5
Don't know	7	58	209,532	0.7
Refusal	8	2	7,657	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_072 **Length:** 1.0 **Position:** 50

Question Name: CCC_Q072

Concept: Ever diagnosed with high blood pressure

Question Text: Have you ever been diagnosed with high blood pressure?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	422	1,420,149	4.5
No	2	7,404	24,198,212	76.3
Valid skip	6	1,993	5,941,152	18.7
Don't know	7	33	114,607	0.4
Not stated	9	9	30,803	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_081 **Length:** 1.0 **Position:** 51

Question Name: CCC_Q081

Concept: Has migraine headaches

Question Text: Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.

Do you have migraine headaches?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,040	3,725,412	11.8
No	2	8,782	27,863,931	87.9
Don't know	7	28	78,930	0.2
Refusal	8	4	13,503	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_091 **Length:** 1.0 **Position:** 52

Question Name: CCC_Q091

Concept: Has chronic bronchitis / emphysema / COPD

Question Text: (Do you have:)

...chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD)?

Universe: Respondents aged 35 and over

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	252	1,013,839	3.2
No	2	6,332	21,273,567	67.1
Valid skip	6	3,249	9,309,652	29.4
Don't know	7	17	59,147	0.2
Refusal	8	2	7,657	0.0
Not stated	9	9	41,061	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_101 **Length:** 1.0 **Position:** 53

Question Name: CCC_Q101

Concept: Has diabetes

Question Text: (Do you have:)

...diabetes?

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	925	2,584,155	8.2
No	2	8,905	29,001,046	91.5
Don't know	7	20	79,278	0.3
Refusal	8	4	17,298	0.1
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_121 **Length:** 1.0 **Position:** 54

Question Name: CCC_Q121

Concept: Has heart disease

Question Text: (Do you have:)

...heart disease?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	490	1,510,163	4.8
No	2	9,315	30,021,343	94.7
Don't know	7	47	142,613	0.4
Refusal	8	2	7,657	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_131 **Length:** 1.0 **Position:** 55

Question Name: CCC_Q131

Concept: Has cancer

Question Text: (Do you have:)

...cancer?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	209	630,073	2.0
No	2	9,620	30,964,923	97.7
Don't know	7	23	79,124	0.2
Refusal	8	2	7,657	0.0
Not stated	9	7	23,146	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		9,861	31,704,923	100.0

Variable Name: CCC_132 **Length:** 1.0 **Position:** 56

Question Name: CCC_Q132

Concept: Ever had cancer

Question Text: Have you ever been diagnosed with cancer?

Universe: Respondents who answered CCC_131 = (2, 7, 8, 9) or CCC_031 = 8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	523	1,754,044	5.5
No		2	9,100	29,233,879	92.2
Valid skip		6	209	630,073	2.0
Don't know		7	19	52,277	0.2
Refusal		8	1	3,847	0.0
Not stated		9	9	30,803	0.1
	Total		9,861	31,704,923	100.0

Variable Name: CCC_171A **Length:** 1.0 **Position:** 57

Question Name: CCC_Q171A

Concept: Has bowel disorder / Crohn's Disease / ulcerative colitis

Question Text: Do you have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	444	1,744,208	5.5
No		2	9,370	29,807,963	94.0
Don't know		7	37	118,180	0.4
Refusal		8	3	11,426	0.0
Not stated		9	7	23,146	0.1
	Total		9,861	31,704,923	100.0

Variable Name: CCC_251 **Length:** 1.0 **Position:** 58

Question Name: CCC_Q251

Totals may not add up due to rounding.

Concept: Has chronic fatigue syndrome

Question Text: Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.

Do you have chronic fatigue syndrome?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	135	508,087	1.6
No	2	9,672	31,013,692	97.8
Don't know	7	44	148,572	0.5
Refusal	8	3	11,426	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_261 **Length:** 1.0 **Position:** 59

Question Name: CCC_Q261

Concept: Suffers from multiple chemical sensitivities

Question Text: Do you have multiple chemical sensitivities?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	267	957,468	3.0
No	2	9,508	30,458,649	96.1
Don't know	7	76	254,234	0.8
Refusal	8	3	11,426	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_280A **Length:** 1.0 **Position:** 60

Question Name: CCC_Q280A

Concept: Has a mood disorder

Question Text: Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.

Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	872	3,487,643	11.0
No	2	8,937	28,028,221	88.4
Don't know	7	41	153,995	0.5
Refusal	8	4	11,918	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC280BA **Length:** 1.0 **Position:** 61

Question Name: CCC_Q280B

Concept: Has mood disorder - depression

Question Text: What kind of mood disorder do you have? - Depression

Universe: Respondents who answered CCC_280A = (1, 7, 8, 9) or CCC_031 = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	778	3,114,439	9.8
No	2	87	353,838	1.1
Valid skip	6	8,937	28,028,221	88.4
Don't know	7	7	19,366	0.1
Not stated	9	52	189,059	0.6
Total		9,861	31,704,923	100.0

Variable Name: CCCG28AE **Length:** 1.0 **Position:** 62

Question Name:

Concept: Has mood disorder - other (grouped)

Question Text:

Universe: Respondents who answered CCC_280A = (1, 7, 8) or CCC_031 = 8

Note: This variable groups bipolar disorder, mania, dysthymia, and other mood disorder.
Based on CCC280BB, CCC280BC, CCC280BD, CCC280BE

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	186	757,530	2.4
No	2	679	2,710,747	8.5
Valid skip	6	8,937	28,028,221	88.4
Don't know	7	7	19,366	0.1
Not stated	9	52	189,059	0.6
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: CCC_290A **Length:** 1.0 **Position:** 63

Question Name: CCC_Q290A

Concept: Has an anxiety disorder

Question Text: Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	792	3,163,142	10.0
No	2	8,997	28,311,039	89.3
Don't know	7	61	194,236	0.6
Refusal	8	4	13,360	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC290BA **Length:** 1.0 **Position:** 64

Question Name: CCC_Q290B

Concept: Has an anxiety disorder - phobia

Question Text: What kind of anxiety disorder do you have? - Phobia

Universe: Respondents who answered CCC_290A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	115	387,925	1.2
No	2	654	2,680,925	8.5
Valid skip	6	8,997	28,311,039	89.3
Don't know	7	23	94,292	0.3
Not stated	9	72	230,742	0.7
Total		9,861	31,704,923	100.0

Variable Name: CCC290BB **Length:** 1.0 **Position:** 65

Question Name: CCC_Q290B

Concept: Has an anxiety disorder - obsessive-compulsive disorder

Question Text: What kind of anxiety disorder do you have? - Obsessive-compulsive disorder (OCD)

Universe: Respondents who answered CCC_290A = (1, 7, 8, 9)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	157	675,218	2.1
No	2	612	2,393,632	7.5
Valid skip	6	8,997	28,311,039	89.3
Don't know	7	23	94,292	0.3
Not stated	9	72	230,742	0.7
Total		9,861	31,704,923	100.0

Variable Name: CCC290BC **Length:** 1.0 **Position:** 66

Question Name: CCC_Q290B

Concept: Has an anxiety disorder - panic disorder

Question Text: What kind of anxiety disorder do you have? - Panic disorder

Universe: Respondents who answered CCC_290A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	300	1,290,766	4.1
No	2	469	1,778,084	5.6
Valid skip	6	8,997	28,311,039	89.3
Don't know	7	23	94,292	0.3
Not stated	9	72	230,742	0.7
Total		9,861	31,704,923	100.0

Variable Name: CCC290BD **Length:** 1.0 **Position:** 67

Question Name: CCC_Q290B

Concept: Has an anxiety disorder - other

Question Text: What kind of anxiety disorder do you have? - Other

Universe: Respondents who answered CCC_290A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	339	1,327,998	4.2
No	2	430	1,740,852	5.5
Valid skip	6	8,997	28,311,039	89.3
Don't know	7	23	94,292	0.3
Not stated	9	72	230,742	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: CCC_311 **Length:** 1.0 **Position:** 68

Question Name: CCC_Q311

Concept: Has post-traumatic stress disorder

Question Text: Do you have post-traumatic stress disorder?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	251	1,029,940	3.2
No	2	9,561	30,500,466	96.2
Don't know	7	38	136,367	0.4
Refusal	8	4	15,004	0.0
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_331 **Length:** 1.0 **Position:** 69

Question Name: CCC_Q331

Concept: Has a learning disability

Question Text: Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.

Do you have a learning disability?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	417	1,717,251	5.4
No	2	9,390	29,826,743	94.1
Don't know	7	42	121,012	0.4
Refusal	8	5	16,771	0.1
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCC_332 **Length:** 1.0 **Position:** 70

Question Name: CCC_Q332

Concept: Has Attention Deficit Disorder

Question Text: (Do you have:)

...Attention Deficit Disorder?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	477	1,969,890	6.2
No	2	9,308	29,462,844	92.9
Don't know	7	63	224,701	0.7
Refusal	8	6	24,341	0.1
Not stated	9	7	23,146	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCCG901 **Length:** 1.0 **Position:** 71

Question Name:

Concept: Has other long-term physical or mental health condition (grouped)

Question Text:

Universe: All respondents

Note: This variable groups schizophrenia, other psychosis, and eating disorder with other long-term physical or mental health condition.
Based on CCC_271A, CCC_272A, CCC_341, CCC_901

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,521	5,463,593	17.2
No	2	8,287	26,100,759	82.3
Don't know	7	29	85,101	0.3
Refusal	8	3	11,426	0.0
Not stated	9	21	44,044	0.1
Total		9,861	31,704,923	100.0

Variable Name: CCCF1 **Length:** 1.0 **Position:** 72

Question Name:

Concept: Has a chronic condition - (F)

Question Text:

Universe: All respondents

Note: Based on CCC_031, CCC_051, CCC_061, CCC_071, CCC_081, CCC_091, CCC_101, CCC_121, CCC_131, CCC_171A, CCC_251, CCC_261, CCC_271A, CCC_272A, CCC_280A, CCC_290A, CCC_311, CCC_331, CCC_332, CCC_341, CCC_901. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	6,150	20,659,342	65.2
No		2	3,654	10,882,710	34.3
Not stated		9	57	162,872	0.5
	Total		9,861	31,704,923	100.0

Variable Name: CCCDHBP **Length:** 1.0 **Position:** 73

Question Name:

Concept: Has or previously diagnosed with high blood pressure (D)

Question Text:

Universe: All respondents

Note: Based on CCC_071, CCC_072. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	2,415	7,361,301	23.2
No		2	7,370	24,072,329	75.9
Not stated		9	76	271,293	0.9
	Total		9,861	31,704,923	100.0

Variable Name: CCCDCNCR **Length:** 1.0 **Position:** 74

Question Name:

Concept: Has or previously diagnosed with cancer (D)

Question Text:

Universe: All respondents

Note: Based on CCC_131, CCC_132. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	736	2,398,416	7.6
No		2	9,090	29,194,133	92.1
Not stated		9	35	112,374	0.4
	Total		9,861	31,704,923	100.0

Variable Name: CCCDSCZO **Length:** 1.0 **Position:** 75

Question Name:

Concept: Has or previously diagnosed with schizophrenia (D)

Question Text:

Universe: All respondents

Note: Based on CCC_271A, CCC_271B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	33	142,818	0.5
No	2	9,794	31,461,756	99.2
Not stated	9	34	100,349	0.3
Total		9,861	31,704,923	100.0

Variable Name: CCCDPSYC **Length:** 1.0 **Position:** 76

Question Name:

Concept: Has or previously diagnosed with psychosis (D)

Question Text:

Universe: All respondents

Note: Based on CCC_272A, CCC_272B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	133	488,308	1.5
No	2	9,686	31,068,514	98.0
Not stated	9	42	148,101	0.5
Total		9,861	31,704,923	100.0

Variable Name: HUPDPAD **Length:** 1.0 **Position:** 77

Question Name:

Concept: Pain (function code) - (D)

Question Text:

Universe: All respondents

Note: Based on HUP_28, HUP_30. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No pain or discomfort	1	7,573	23,822,473	75.1
Pain prevents no activities	2	706	2,279,051	7.2
Pain prevents a few activities	3	720	2,375,563	7.5
Pain prevents some activities	4	466	1,676,683	5.3
Pain prevents most activities	5	293	1,208,321	3.8
Not stated	9	103	342,833	1.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PHSFPPA **Length:** 1.0 **Position:** 78

Question Name:

Concept: Flag: moderate/vigorous physical activity - 7 days (F)

Question Text:

Universe: All respondents

Note: Based on PHS_01. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7,638	24,568,488	77.5
No	2	2,111	6,786,402	21.4
Not stated	9	112	350,034	1.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10L **Length:** 1.0 **Position:** 79

Question Name: IM_Q10

Concept: COVID-19 impacts - Physical health problems

Question Text: Have you experienced any of the following impacts due to the COVID-19 pandemic? - Physical health problems (e.g, weight gain or loss, high blood pressure, headaches, sleep problems, etc.)

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,117	7,068,051	22.3
No	2	7,668	24,469,230	77.2
Don’t know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10M **Length:** 1.0 **Position:** 80

Question Name: IM_Q10

Concept: COVID-19 impacts - Relationships challenges with household members

Question Text: Have you experienced any of the following impacts due to the COVID-19 pandemic? - Challenges in personal relationships with members of your household (e.g, children, spouse, parent, grandparents, etc.)

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,683	5,828,721	18.4
No	2	8,102	25,708,561	81.1
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10O **Length:** 1.0 **Position:** 81

Question Name:

Concept: COVID-19 impacts - None

Question Text: Have you experienced any of the following impacts due to the COVID-19 pandemic? - None of the above

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,508	7,681,275	24.2
No	2	7,277	23,856,007	75.2
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10AB **Length:** 1.0 **Position:** 82

Question Name:

Concept: COVID-19 impacts - Loss of job or income, Financial difficulties

Question Text:

Universe: All respondents

Note: Based on IM_10A, IM_10B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,200	7,622,725	24.0
No	2	7,585	23,914,557	75.4
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: IM_10DE **Length:** 1.0 **Position:** 83

Question Name:

Concept: COVID-19 impacts - Accessing medication/health care services difficult

Question Text:

Universe: All respondents

Note: Based on IM_10D, IM_10E

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,846	6,451,040	20.3
No	2	7,939	25,086,242	79.1
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10FG **Length:** 1.0 **Position:** 84

Question Name:

Concept: COVID-19 impacts - Diagnosed with COVID-19, Hospitalized due COVID-19

Question Text:

Universe: All respondents

Note: Based on IM_10F, IM_10G

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,026	6,983,817	22.0
No	2	7,759	24,553,465	77.4
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10HI **Length:** 1.0 **Position:** 85

Question Name:

Concept: COVID-19 impacts - Severe illness of a loved one, Death of a loved one

Question Text:

Universe: All respondents

Note: Based on IM_10H, IM_10I

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,021	9,581,270	30.2
No	2	6,764	21,956,012	69.3
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10JK **Length:** 1.0 **Position:** 86

Question Name:

Concept: COVID-19 impacts - Feelings loneliness/isolation, Emotional distress

Question Text:

Universe: All respondents

Note: Based on IM_10J, IM_10K

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,721	15,639,046	49.3
No	2	5,064	15,898,235	50.1
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: IM_10CN **Length:** 1.0 **Position:** 87

Question Name:

Concept: COVID-19 impacts - Other

Question Text:

Universe: All respondents

Note: Based on IM_10C, IM_10N

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	893	3,138,222	9.9
No	2	8,892	28,399,060	89.6
Don't know	7	64	124,544	0.4
Refusal	8	12	43,097	0.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_01 **Length:** 2.0 **Position:** 88

Question Name: PMH_Q01

Totals may not add up due to rounding.

Concept: Pos ment hlth - happy - freq 1 mo

Question Text: In the past month, how often did you feel:

...happy?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	2,474	8,346,584	26.3
Almost every day	02	4,666	14,732,599	46.5
About 2 or 3 times a week	03	1,881	6,019,182	19.0
About once a week	04	358	1,089,483	3.4
Once or twice	05	247	802,405	2.5
Never	06	102	362,628	1.1
Don't know	97	116	299,514	0.9
Refusal	98	17	52,528	0.2
Total		9,861	31,704,923	100.0

Variable Name: PMH_02 **Length:** 2.0 **Position:** 90

Question Name: PMH_Q02

Concept: Pos ment hlth - interested in life - freq 1 mo

Question Text: (In the past month, how often did you feel:)

...interested in life?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	5,061	16,848,645	53.1
Almost every day	02	2,856	8,926,043	28.2
About 2 or 3 times a week	03	1,087	3,292,841	10.4
About once a week	04	302	933,051	2.9
Once or twice	05	208	609,938	1.9
Never	06	126	473,834	1.5
Don't know	97	82	250,364	0.8
Refusal	98	6	18,165	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_03 **Length:** 2.0 **Position:** 92

Question Name: PMH_Q03

Concept: Pos ment hlth - satisfied with life - freq 1 m

Totals may not add up due to rounding.

Question Text: (In the past month, how often did you feel:)

...satisfied with your life?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	3,800	12,327,360	38.9
Almost every day	02	3,549	11,477,326	36.2
About 2 or 3 times a week	03	1,369	4,257,081	13.4
About once a week	04	396	1,276,671	4.0
Once or twice	05	316	969,924	3.1
Never	06	231	824,023	2.6
Don't know	97	60	196,923	0.6
Refusal	98	7	23,572	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_04 **Length:** 2.0 **Position:** 94

Question Name: PMH_Q04

Concept: Pos ment hlth - had somethng to contribut to soc - freq 1 mo

Question Text: In the past month, how often did you feel:

...that you had something important to contribute to society?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	2,567	8,630,285	27.2
Almost every day	02	2,614	8,543,787	26.9
About 2 or 3 times a week	03	1,746	5,368,874	16.9
About once a week	04	908	2,642,797	8.3
Once or twice	05	678	2,134,755	6.7
Never	06	794	2,754,519	8.7
Don't know	97	408	1,247,005	3.9
Refusal	98	13	30,859	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_05 **Length:** 2.0 **Position:** 96

Question Name: PMH_Q05

Concept: Pos ment hlth - belong to a community - freq 1 mo

Totals may not add up due to rounding.

Question Text: (In the past month, how often did you feel:)

...that you belonged to a community (like a social group, your neighbourhood, your city, your school)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	3,153	10,109,842	31.9
Almost every day	02	2,321	7,217,361	22.8
About 2 or 3 times a week	03	1,399	4,340,690	13.7
About once a week	04	875	2,842,380	9.0
Once or twice	05	671	2,133,206	6.7
Never	06	1,065	3,978,021	12.5
Don't know	97	235	709,537	2.2
Refusal	98	9	21,844	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_06 **Length:** 2.0 **Position:** 98

Question Name: PMH_Q06

Concept: Pos ment hlth - society becoming a better place - freq 1 mo

Question Text: (In the past month, how often did you feel:)

...that our society is becoming a better place for people like you?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	1,656	4,880,977	15.4
Almost every day	02	2,149	6,545,017	20.6
About 2 or 3 times a week	03	1,643	5,354,119	16.9
About once a week	04	998	3,059,668	9.7
Once or twice	05	1,035	3,379,979	10.7
Never	06	1,485	5,628,961	17.8
Don't know	97	732	2,423,494	7.6
Refusal	98	30	80,667	0.3
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_07 **Length:** 2.0 **Position:** 100

Question Name: PMH_Q07

Concept: Pos ment hlth - people basically good - freq 1 mo

Totals may not add up due to rounding.

Question Text: In the past month, how often did you feel:

...that people are basically good?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	2,783	8,940,428	28.2
Almost every day	02	3,415	10,904,348	34.4
About 2 or 3 times a week	03	1,819	5,896,816	18.6
About once a week	04	632	1,958,222	6.2
Once or twice	05	603	2,032,543	6.4
Never	06	220	811,782	2.6
Don't know	97	244	768,003	2.4
Refusal	98	12	40,737	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_08 **Length:** 2.0 **Position:** 102

Question Name: PMH_Q08

Concept: Pos ment hlth - society makes sense - freq 1 mo

Question Text: (In the past month, how often did you feel:)

...that the way our society works makes sense to you?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	1,753	5,242,344	16.5
Almost every day	02	2,661	7,930,182	25.0
About 2 or 3 times a week	03	1,954	6,333,376	20.0
About once a week	04	986	3,297,307	10.4
Once or twice	05	965	3,342,781	10.5
Never	06	960	3,823,358	12.1
Don't know	97	421	1,290,696	4.1
Refusal	98	28	92,838	0.3
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_09 **Length:** 2.0 **Position:** 104

Question Name: PMH_Q09

Concept: Pos ment hlth - liked most parts of personality - freq 1 mo

Totals may not add up due to rounding.

Question Text: (In the past month, how often did you feel:)

...that you liked most parts of your personality?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	3,996	13,008,310	41.0
Almost every day	02	3,596	11,636,897	36.7
About 2 or 3 times a week	03	1,226	3,835,166	12.1
About once a week	04	368	1,129,861	3.6
Once or twice	05	283	888,594	2.8
Never	06	113	373,008	1.2
Don't know	97	137	451,920	1.4
Refusal	98	9	29,125	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_10 **Length:** 2.0 **Position:** 106

Question Name: PMH_Q10

Concept: Pos ment hlth - good at managing daily life - freq 1 mo

Question Text: In the past month, how often did you feel:

...good at managing the responsibilities of your daily life?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	4,418	14,482,028	45.7
Almost every day	02	3,353	10,718,508	33.8
About 2 or 3 times a week	03	1,190	3,701,002	11.7
About once a week	04	382	1,177,793	3.7
Once or twice	05	220	760,697	2.4
Never	06	132	392,247	1.2
Don't know	97	31	116,085	0.4
Refusal	98	2	4,521	0.0
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_11 **Length:** 2.0 **Position:** 108

Question Name: PMH_Q11

Concept: Pos ment hlth - have warm/trusting relationships - freq 1 mo

Totals may not add up due to rounding.

Question Text: (In the past month, how often did you feel:)

...that you had warm and trusting relationships with others?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	4,969	16,774,565	52.9
Almost every day	02	2,999	9,175,517	28.9
About 2 or 3 times a week	03	1,003	2,961,218	9.3
About once a week	04	313	983,666	3.1
Once or twice	05	238	766,715	2.4
Never	06	138	493,625	1.6
Don't know	97	60	178,863	0.6
Refusal	98	8	18,712	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_12 **Length:** 2.0 **Position:** 110

Question Name: PMH_Q12

Concept: Pos ment hlth - challenged to become better - freq 1 mo

Question Text: (In the past month, how often did you feel:)

...that you had experiences that challenge you to grow and become a better person?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	2,877	9,232,818	29.1
Almost every day	02	2,727	8,779,804	27.7
About 2 or 3 times a week	03	1,853	6,047,926	19.1
About once a week	04	952	3,082,971	9.7
Once or twice	05	676	2,178,533	6.9
Never	06	369	1,260,429	4.0
Don't know	97	265	740,585	2.3
Refusal	98	9	29,814	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_13 **Length:** 2.0 **Position:** 112

Question Name: PMH_Q13

Concept: Pos ment hlth - confident to express opinions - freq 1 mo

Totals may not add up due to rounding.

Question Text: In the past month, how often did you feel:

...confident to think or express your own ideas and opinions?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	4,202	14,134,068	44.6
Almost every day	02	3,009	9,353,683	29.5
About 2 or 3 times a week	03	1,396	4,271,019	13.5
About once a week	04	523	1,627,740	5.1
Once or twice	05	351	1,160,626	3.7
Never	06	170	590,846	1.9
Don't know	97	73	203,492	0.6
Refusal	98	4	11,406	0.0
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMH_14 **Length:** 2.0 **Position:** 114

Question Name: PMH_Q14

Concept: Pos ment hlth - life has meaning - freq 1 mo

Question Text: (In the past month, how often did you feel:)

...that your life has a sense of direction or meaning to it?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Every day	01	4,245	13,601,138	42.9
Almost every day	02	2,777	8,959,840	28.3
About 2 or 3 times a week	03	1,213	3,775,430	11.9
About once a week	04	535	1,699,554	5.4
Once or twice	05	476	1,601,427	5.1
Never	06	295	1,087,534	3.4
Don't know	97	174	584,581	1.8
Refusal	98	13	43,377	0.1
Not stated	99	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMHDHEM **Length:** 1.0 **Position:** 116

Question Name:

Concept: High emotional well-being - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: Based on PMHTHEM. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	0	1,117	3,570,544	11.3
Yes	1	8,611	27,782,337	87.6
Not stated	9	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMHDLEM **Length:** 1.0 **Position:** 117

Question Name:

Concept: Low emotional well-being - (D)

Question Text:

Universe: All respondents

Note: Based on PMHTLEM. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	0	8,893	28,628,245	90.3
Yes	1	835	2,724,636	8.6
Not stated	9	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMHDHFU **Length:** 1.0 **Position:** 118

Question Name:

Concept: High positive functioning - (D)

Question Text:

Universe: All respondents

Note: Based on PMHTHFU. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	0	2,962	9,706,426	30.6
Yes	1	6,765	21,643,113	68.3
Not stated	9	134	355,384	1.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PMHDLFU **Length:** 1.0 **Position:** 119

Question Name:

Concept: Low positive functioning - (D)

Question Text:

Universe: All respondents

Note: Based on PMHTLFU. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	0	9,418	30,244,710	95.4
Yes	1	309	1,104,829	3.5
Not stated	9	134	355,384	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMHDCLA **Length:** 1.0 **Position:** 120

Question Name:

Concept: Positive mental health - classification - (D)

Question Text:

Universe: All respondents

Note: Based on PMHDHEM, PMHDHFU, PMHDLEM, PMHDLFU. See document on derived variables.

The classification is based on the following criteria:
(1) Individuals are classified as "flourishing" if they feel at least 1 of the 3 emotional well-being symptoms (items 1-3) "every day" or "almost every day" and feel at least 6 of the 11 positive functioning symptoms (items 4-14) "every day" or "almost every day" in the past month.
(2) Individuals are classified as "languishing" if they feel at least 1 of the 3 emotional well-being symptoms (items 1-3) "never" or "once or twice" and feel at least 6 of the 11 positive functioning symptoms (items 4-14) "never" or "once or twice" in the past month.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Flourishing Mental Health	1	6,610	21,216,663	66.9
Languishing Mental Health	2	200	690,515	2.2
Moderate Mental Health	3	2,918	9,445,703	29.8
Not stated	9	133	352,042	1.1
Total		9,861	31,704,923	100.0

Variable Name: PMHDSCR **Length:** 2.0 **Position:** 121

Question Name:

Totals may not add up due to rounding.

Concept: Positive mental health - continuous score - (D)

Question Text:

Universe: All respondents

Note: Based on PMH_01, PMH_02, PMH_03, PMH_04, PMH_05, PMH_06, PMH_07, PMH_08, PMH_09, PMH_10, PMH_11, PMH_12, PMH_13, PMH_14. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on positive mental health continuum	00 - 70	8,124	26,152,333	82.5
Not stated	99	1,737	5,552,590	17.5
Total		9,861	31,704,923	100.0

Variable Name: STS_1 **Length:** 1.0 **Position:** 123

Question Name: STS_Q1

Concept: Self-perceived ability to handle unexpected problem

Question Text: In general, how would you rate your ability to handle unexpected and difficult problems, for example, a family or personal crisis?

Would you say:

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,483	4,865,087	15.3
Very good	2	3,675	12,074,665	38.1
Good	3	3,176	9,939,722	31.4
Fair	4	1,168	3,583,620	11.3
Poor	5	288	1,008,067	3.2
Don’t know	7	57	193,673	0.6
Refusal	8	14	40,089	0.1
Total		9,861	31,704,923	100.0

Variable Name: STS_2 **Length:** 1.0 **Position:** 124

Question Name: STS_Q2

Concept: Self-perceived ability to handle day-to-day demands

Question Text: In general, how would you rate your ability to handle the day-to-day demands in your life, for example, handling work, family and volunteer responsibilities?

Would you say:

Totals may not add up due to rounding.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Excellent	1	1,893	6,189,800	19.5
Very good	2	4,198	13,661,476	43.1
Good	3	2,846	8,892,955	28.0
Fair	4	689	2,138,135	6.7
Poor	5	127	483,549	1.5
Don't know	7	34	98,723	0.3
Refusal	8	3	6,523	0.0
Not stated	9	71	233,762	0.7
Total		9,861	31,704,923	100.0

Variable Name: STS_3 **Length:** 2.0 **Position:** 125

Question Name: STS_Q3

Concept: Most important source of feelings of stress

Question Text: Thinking about stress in your day-to-day life, what would you say is the most important thing contributing to feelings of stress you may have?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Time pressures / not enough time	01	1,321	4,309,920	13.6
Own physical health problem or condition	02	695	2,257,186	7.1
Own emotional or mental health problem or condition	03	394	1,304,048	4.1
Financial situation (e.g., not enough money, debt)	04	1,145	4,035,939	12.7
Own work situation (e.g., hours of work, working conditions)	05	1,192	4,309,276	13.6
School	06	745	1,654,005	5.2
Employment status (e.g, unemployment)	07	172	606,965	1.9
Caring for - own children	08	291	1,122,174	3.5
Caring for - others	09	169	572,494	1.8
Other personal or family responsibilities	10	340	1,040,240	3.3
Personal relationships	11	378	1,198,486	3.8
Discrimination	12	85	210,378	0.7
Personal and family's safety	13	216	626,670	2.0
Health of family members	14	761	2,460,366	7.8
Other - Specify	15	426	1,392,576	4.4
Nothing	16	1,291	3,819,809	12.0
Don't know	97	151	471,641	1.5
Refusal	98	10	40,283	0.1
Not stated	99	79	272,466	0.9
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: STS_4 **Length:** 1.0 **Position:** 127

Question Name: STS_Q4

Concept: Can count on people / deal with stress

Question Text: Now think about this biggest source of stress in your day-to-day life. Please tell me how much you agree with the following statements.

When faced with this source of stress, you can count on people that you know to help you deal with the situation. Do you...?

Universe: Respondents who answered STS_3 = (1 -15, 97, 98, 99) or STS_1 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	3,153	10,632,253	33.5
Agree	2	4,468	14,107,210	44.5
Neither agree nor disagree	3	975	3,097,933	9.8
Disagree	4	713	2,220,528	7.0
Strongly disagree	5	195	673,053	2.1
Don't know	7	246	625,018	2.0
Refusal	8	40	115,166	0.4
Not stated	9	71	233,762	0.7
Total		9,861	31,704,923	100.0

Variable Name: STS_5 **Length:** 1.0 **Position:** 128

Question Name: STS_Q5

Concept: Perceived personal ability to deal with stress

Question Text: When faced with this source of stress, you have the personal ability to deal with the situation. Do you...?

Universe: Respondents who answered STS_3 = (1 -15, 97, 98, 99) or STS_1 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,845	9,324,229	29.4
Agree	2	5,435	17,253,577	54.4
Neither agree nor disagree	3	810	2,638,744	8.3
Disagree	4	366	1,209,143	3.8
Strongly disagree	5	78	299,120	0.9
Don't know	7	223	650,179	2.1
Refusal	8	33	96,168	0.3
Not stated	9	71	233,762	0.7
Total		9,861	31,704,923	100.0

Variable Name: DIS_01A **Length:** 1.0 **Position:** 129

Totals may not add up due to rounding.

Question Name: DIS_Q01A

Concept: Freq/distress: felt tired out - past month

Question Text: During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:

... tired out for no good reason?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	361	1,344,620	4.2
Most of the time	2	1,075	3,441,832	10.9
Some of the time	3	2,763	8,767,350	27.7
A little of the time	4	2,847	9,130,771	28.8
None of the time	5	2,723	8,699,962	27.4
Don't know	7	74	259,765	0.8
Refusal	8	18	60,624	0.2
Total		9,861	31,704,923	100.0

Variable Name: DIS_01B **Length:** 1.0 **Position:** 130

Question Name: DIS_Q01B

Concept: Freq/distress: felt nervous - past month

Question Text: During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:

... nervous?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	178	630,208	2.0
Most of the time	2	638	2,183,259	6.9
Some of the time	3	2,293	7,419,695	23.4
A little of the time	4	3,005	9,764,446	30.8
None of the time	5	3,629	11,312,959	35.7
Don't know	7	26	73,967	0.2
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01C **Length:** 1.0 **Position:** 131

Question Name: DIS_Q01C

Concept: Freq/distress: so nervous nothing calms down - past month

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... so nervous that nothing could calm you down?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	35	128,402	0.4
Most of the time	2	137	425,978	1.3
Some of the time	3	618	2,058,431	6.5
A little of the time	4	1,281	4,091,381	12.9
None of the time	5	7,647	24,533,321	77.4
Don't know	7	24	67,625	0.2
Refusal	8	1	5,429	0.0
Not stated	9	118	394,355	1.2
Total		9,861	31,704,923	100.0

Variable Name: DIS_01D **Length:** 1.0 **Position:** 132

Question Name: DIS_Q01D

Concept: Freq/distress: felt hopeless - past month

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... hopeless?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	94	336,854	1.1
Most of the time	2	220	836,649	2.6
Some of the time	3	831	2,760,868	8.7
A little of the time	4	1,522	4,841,837	15.3
None of the time	5	7,074	22,493,484	70.9
Don't know	7	25	106,708	0.3
Refusal	8	3	8,135	0.0
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01E **Length:** 1.0 **Position:** 133

Question Name: DIS_Q01E

Totals may not add up due to rounding.

Concept: Freq/distress: felt restless / fidgety - past month

Question Text: During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:

... restless or fidgety?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	216	917,287	2.9
Most of the time	2	449	1,602,712	5.1
Some of the time	3	1,744	6,055,294	19.1
A little of the time	4	2,245	7,322,178	23.1
None of the time	5	5,072	15,337,351	48.4
Don't know	7	41	141,763	0.4
Refusal	8	2	7,950	0.0
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01F **Length:** 1.0 **Position:** 134

Question Name: DIS_Q01F

Concept: Freq/distress: could not sit still - past month

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... so restless you could not sit still?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	86	388,443	1.2
Most of the time	2	211	767,148	2.4
Some of the time	3	716	2,508,248	7.9
A little of the time	4	1,276	4,347,778	13.7
None of the time	5	7,424	23,180,354	73.1
Don't know	7	13	42,851	0.1
Not stated	9	135	470,101	1.5
Total		9,861	31,704,923	100.0

Variable Name: DIS_01G **Length:** 1.0 **Position:** 135

Question Name: DIS_Q01G

Concept: Freq/distress: felt sad / depressed - past month

Totals may not add up due to rounding.

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... sad or depressed?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	117	454,646	1.4
Most of the time	2	456	1,511,933	4.8
Some of the time	3	1,921	6,319,246	19.9
A little of the time	4	2,885	9,444,713	29.8
None of the time	5	4,366	13,573,722	42.8
Don't know	7	22	74,849	0.2
Refusal	8	2	5,426	0.0
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01H **Length:** 1.0 **Position:** 136

Question Name: DIS_Q01H

Concept: Freq/distress: depressed/nothing cheers - past month

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... so depressed that nothing could cheer you up?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	47	175,291	0.6
Most of the time	2	152	520,018	1.6
Some of the time	3	592	1,984,903	6.3
A little of the time	4	1,160	3,705,479	11.7
None of the time	5	7,783	24,897,568	78.5
Don't know	7	10	19,764	0.1
Refusal	8	1	1,236	0.0
Not stated	9	116	400,663	1.3
Total		9,861	31,704,923	100.0

Variable Name: DIS_01I **Length:** 1.0 **Position:** 137

Question Name: DIS_Q01I

Concept: Freq/distress: felt everything effort - past month

Totals may not add up due to rounding.

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... that everything was an effort?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	308	997,116	3.1
Most of the time	2	716	2,268,798	7.2
Some of the time	3	1,905	6,031,793	19.0
A little of the time	4	2,277	7,486,687	23.6
None of the time	5	4,461	14,346,899	45.3
Don't know	7	97	226,858	0.7
Refusal	8	5	26,383	0.1
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01J **Length:** 1.0 **Position:** 138

Question Name: DIS_Q01J

Concept: Freq/distress: felt worthless - past month

Question Text: (During the past month, that is, from [date 1 month ago] to yesterday, about how often did you feel:)

... worthless?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
All of the time	1	75	291,173	0.9
Most of the time	2	192	673,911	2.1
Some of the time	3	722	2,322,238	7.3
A little of the time	4	1,173	3,609,949	11.4
None of the time	5	7,573	24,384,011	76.9
Don't know	7	31	92,002	0.3
Refusal	8	3	11,251	0.0
Not stated	9	92	320,388	1.0
Total		9,861	31,704,923	100.0

Variable Name: DIS_01K **Length:** 1.0 **Position:** 139

Question Name: DIS_Q01K

Concept: Freq/distress: occurrence of feelings - past month

Question Text: We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?

Universe: Respondents who answered (1 <= DIS_01A <= 4) or (DIS_01A = 7, 8) or (1 <= DIS_01B <= 4) or (DIS_01B = 7, 8) or (1 <= DIS_01D <= 4) or (DIS_01D = 7, 8) or (1 <= DIS_01E <= 4) or (DIS_01E = 7, 8) or (1 <= DIS_01G <= 4) or (DIS_01G = 7, 8) or (1 <= DIS_01I <= 4) or (DIS_01I = 7, 8) or (1 <= DIS_01J <= 4) or (DIS_01J = 7, 8)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
More often	1	1,163	4,038,320	12.7
Less often	2	1,300	3,891,740	12.3
About the same	3	5,564	18,249,439	57.6
Never have had any	4	490	1,538,296	4.9
Valid skip	6	1,084	3,185,004	10.0
Don't know	7	126	381,165	1.2
Refusal	8	12	39,091	0.1
Not stated	9	122	381,867	1.2
Total		9,861	31,704,923	100.0

Variable Name: DIS_01L **Length:** 1.0 **Position:** 140

Question Name: DIS_Q01L

Concept: Degree of higher occurrence of feelings - past month

Question Text: Is that a lot more, somewhat more or only a little more often than usual?

Universe: Respondents who answered DIS_01K = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	337	1,268,157	4.0
Somewhat	2	417	1,427,309	4.5
A little	3	397	1,295,785	4.1
Valid skip	6	8,438	26,864,480	84.7
Don't know	7	11	40,780	0.1
Refusal	8	1	6,289	0.0
Not stated	9	260	802,123	2.5
Total		9,861	31,704,923	100.0

Variable Name: DIS_01M **Length:** 1.0 **Position:** 141

Question Name: DIS_Q01M

Concept: Degree of lower occurrence of feelings - past month

Question Text: Is that a lot less, somewhat less or only a little less often than usual?

Totals may not add up due to rounding.

Universe: Respondents who answered DIS_01K = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	365	1,031,342	3.3
Somewhat	2	380	1,252,020	3.9
A little	3	529	1,556,551	4.9
Valid skip	6	8,289	26,963,991	85.0
Don't know	7	26	51,828	0.2
Not stated	9	272	849,192	2.7
Total		9,861	31,704,923	100.0

Variable Name: DIS_01N **Length:** 1.0 **Position:** 142

Question Name: DIS_Q01N

Concept: Interference - feelings in life / activities - past month

Question Text: During the past month, how much did these feelings usually interfere with your life or activities?

Universe: Respondents who answered DIS_01K <> 4

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	480	1,683,273	5.3
Some	2	1,361	4,300,538	13.6
A little	3	2,903	9,212,485	29.1
Not at all	4	3,226	10,773,029	34.0
Valid skip	6	1,574	4,723,300	14.9
Don't know	7	55	205,305	0.6
Refusal	8	2	4,870	0.0
Not stated	9	260	802,123	2.5
Total		9,861	31,704,923	100.0

Variable Name: DISDK6 **Length:** 2.0 **Position:** 143

Question Name:

Concept: Distress scale - K6 - past month - (D)

Question Text:

Universe: All respondents

Note: Based on DIS_01B, DIS_01D, DIS_01E, DIS_01H, DIS_01I, DIS_01J. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Distress scale K6	00 - 24	9,573	30,824,012	97.2
Not stated	99	288	880,911	2.8
Total		9,861	31,704,923	100.0

Variable Name: DISDDSX **Length:** 2.0 **Position:** 145

Question Name:

Concept: Distress scale - K10 - past month - (D)

Question Text:

Universe: All respondents

Note: Based on DIS_01A, DIS_01B, DIS_01C, DIS_01D, DIS_01E, DIS_01F, DIS_01G, DIS_01H, DIS_01I, DIS_01J. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Distress scale K10	00 - 40	9,546	30,745,180	97.0
Not stated	99	315	959,743	3.0
Total		9,861	31,704,923	100.0

Variable Name: DISDCHR **Length:** 2.0 **Position:** 147

Question Name:

Concept: Chronicity of distress/impairment scale - past month (D)

Question Text:

Universe: All respondents

Note: Based on DIS_01A, DIS_01B, DIS_01D, DIS_01E, DIS_01G, DIS_01I, DIS_01J, DIS_01K, DIS_01L, DIS_01M. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot more than usual	01	337	1,268,157	4.0
Somewhat more than usual	02	417	1,427,309	4.5
A little more than usual	03	397	1,295,785	4.1
About the same as usual	04	5,564	18,249,439	57.6
A little less than usual	05	529	1,556,551	4.9
Somewhat less than usual	06	380	1,252,020	3.9
A lot less than usual	07	365	1,031,342	3.3
Never had any	08	1,574	4,723,300	14.9
Not stated	99	298	901,019	2.8
Total		9,861	31,704,923	100.0

Variable Name: SUI_01 **Length:** 1.0 **Position:** 149

Totals may not add up due to rounding.

Question Name: SUI_Q01

Concept: Suicide - ideation during worst / bad episode

Question Text: Think of the period of 2 weeks or longer when your feelings of being [sad, discouraged or uninterested/sad or discouraged/sad or uninterested/sad/discouraged or uninterested/discouraged/uninterested] and other problems were most severe and frequent. During that time, did you seriously think about suicide or taking your own life?

Universe: Respondents who answered DEP_24A = (1, 7, 8, 9) or DEP_24B = (1, 7, 8, 9) or DEP_24C = (1, 7, 8, 9) or DEP_24D = (1, 7, 8, 9) or DEP_24E = (1, 7, 8, 9) or DEP_24F = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	412	1,539,880	4.9
No	2	885	3,171,732	10.0
Valid skip	6	8,276	26,088,014	82.3
Don't know	7	12	44,689	0.1
Refusal	8	10	44,107	0.1
Not stated	9	266	816,501	2.6
Total		9,861	31,704,923	100.0

Variable Name: SUI_02 **Length:** 1.0 **Position:** 150

Question Name: SUI_Q02

Concept: Suicide - ideation - life

Question Text: Did you ever seriously think about suicide or taking your own life?

Universe: Respondents who answered (SCR_21 = (2, 7, 8, 9) and SCR_22 = (2, 7, 8, 9) and SCR_23 = (2, 7, 8, 9)) or DEP_09 = (2, 7, 8, 9) or DEP_12 = (2, 7, 8, 9) or (DEP_17 = (1, 8, 9) and DEP_18 = (4, 8, 9) and DEP_19 = (4, 8, 9)) or (DEP_24A = (2, 7, 8, 9) and DEP_24C = (2, 7, 8, 9) and DEP_24E = (2, 7, 8, 9) and DEP_24F = (2, 7, 8, 9)) or DEP_21 = (2, 7, 8, 9) or SUI_01 = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	618	2,031,927	6.4
No	2	8,731	27,764,804	87.6
Valid skip	6	412	1,539,880	4.9
Don't know	7	45	189,030	0.6
Refusal	8	33	90,485	0.3
Not stated	9	22	88,796	0.3
Total		9,861	31,704,923	100.0

Variable Name: SUI_03 **Length:** 1.0 **Position:** 151

Question Name: SUI_Q03

Concept: Suicide - ideation - 12 mo

Question Text: In the past 12 months, did you seriously think about suicide or taking your own life?

Universe: Respondents who answered SUI_01 = (1, 7, 8, 9) or SUI_02 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	336	1,142,380	3.6
No	2	689	2,417,302	7.6
Valid skip	6	8,731	27,764,804	87.6
Don't know	7	3	7,304	0.0
Refusal	8	2	4,822	0.0
Not stated	9	100	368,312	1.2
Total		9,861	31,704,923	100.0

Variable Name: DEP_72 **Length:** 1.0 **Position:** 152

Question Name: DEP_Q72

Concept: Depression - consulted MD/other professional - life

Question Text: Did you ever in your life talk to a medical doctor or other professional about your feelings of being [sad, discouraged or uninterested in things/sad or discouraged/sad or uninterested in things/sad/discouraged or uninterested in things/discouraged/uninterested in things]? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

Universe: Respondents who answered SUI_16 = (1, 7, 8) or SUI_19 = (1, 7, 8) or scored 5 or more on a count where points given for responses as follows: 1 point for each "1, 7, 8, 9" from DEP_24A through DEP_24F; 1 point for each "1, 7, 8, 9," in DEP_26A, DEP_26B, DEP_26G, DEP_26H to DEP_26Z, DEP_26ZFF, DEP_26ZGG, DEP_26ZHH, DEP_26ZII, DEP_26AA, DEP_26BB, SUI_01, SUI_04A, SUI_06A; and 1 point for each "2, 7, 8, 9" in DEP_26C1 and DEP_26E1

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	943	3,686,918	11.6
No	2	356	1,044,464	3.3
Valid skip	6	8,290	26,136,098	82.4
Don't know	7	1	3,209	0.0
Refusal	8	1	3,979	0.0
Not stated	9	270	830,256	2.6
Total		9,861	31,704,923	100.0

Variable Name: DEP_86 **Length:** 1.0 **Position:** 153

Question Name: DEP_Q86

Totals may not add up due to rounding.

Concept: Depression - professional treatment - 12 m

Question Text: During the past 12 months, did you receive professional treatment for your feelings of being [sad, discouraged or uninterested in things/sad or discouraged/sad or uninterested in things/sad/discouraged or uninterested in things/discouraged/uninterested in things]?

Universe: Respondents who answered DEP_72 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	368	1,365,694	4.3
No	2	474	1,948,734	6.1
Valid skip	6	8,744	27,545,485	86.9
Don't know	7	2	3,670	0.0
Refusal	8	1	3,897	0.0
Not stated	9	272	837,444	2.6
Total		9,861	31,704,923	100.0

Variable Name: DEP_87 **Length:** 1.0 **Position:** 154

Question Name: DEP_Q87

Concept: Depression - hospitalized overnight - life

Question Text: During your life, were you ever hospitalized overnight for your feelings of being [sad, discouraged or uninterested in things/sad or discouraged/sad or uninterested in things/sad/discouraged or uninterested in things/discouraged/uninterested in things]?

Universe: Respondents who answered DEP_72 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	131	547,609	1.7
No	2	812	3,139,309	9.9
Valid skip	6	8,646	27,180,561	85.7
Not stated	9	272	837,444	2.6
Total		9,861	31,704,923	100.0

Variable Name: DEPDDPS **Length:** 1.0 **Position:** 155

Question Name:

Concept: Major Depressive Episode - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on DEPDA, DEPDC, DEPDE. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,174	4,312,996	13.6
No		2	8,386	26,442,120	83.4
Not stated		9	301	949,807	3.0
	Total		9,861	31,704,923	100.0

Variable Name: DEPGREC **Length:** 2.0 **Position:** 156

Question Name:

Concept: Major depressive episode - Recency Age (grouped)

Question Text:

Universe: Respondents with DEPDDPS = (1, 9)

Note: This variable groups the respondent's age at their most recent major depressive episode. The variable is calculated only for respondents who meet the CCHS 5.2/WHO-CIDI criteria for major depressive episode.
Based on DEPDREC

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Less than 20 years		01	174	472,204	1.5
20 to 24 years		02	232	545,057	1.7
25 to 29 years		03	123	509,903	1.6
30 to 34 years		04	122	593,040	1.9
35 to 44 years		05	177	838,942	2.6
45 to 54 years		06	159	642,498	2.0
55 to 64 years		07	115	502,026	1.6
65 years and older		08	68	196,440	0.6
Valid skip		96	8,386	26,442,120	83.4
Not stated		99	305	962,693	3.0
	Total		9,861	31,704,923	100.0

Variable Name: DEPGPER **Length:** 2.0 **Position:** 158

Question Name:

Concept: Major depressive episode - Persistence (grouped)

Question Text:

Universe: Respondents with DEPDDPS = (1, 9)

Note: This variable groups the longest episode associated with a major depressive episode experienced by the respondent. It is calculated only for respondents who meet the criteria for major depressive episode.
Based on DEPDPER

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
2 weeks	01	76	230,181	0.7
3 weeks	02	40	131,958	0.4
1 month	03	130	433,305	1.4
2 months	04	112	390,030	1.2
3 months	05	115	413,041	1.3
4 months	06	51	177,896	0.6
5 months	07	19	76,066	0.2
6 months	08	107	384,035	1.2
7 months	09	14	47,577	0.2
8 months	10	30	86,644	0.3
9 months	11	12	42,049	0.1
10 to 11 months	12	7	30,133	0.1
1 year to less than 2 years	13	147	619,814	2.0
2 years to less than 5 years	14	152	597,856	1.9
5 years or more	15	67	306,384	1.0
Valid skip	96	8,392	26,463,117	83.5
Not stated	99	390	1,274,837	4.0
Total		9,861	31,704,923	100.0

Variable Name: DEPDDY **Length:** 1.0 **Position:** 160

Question Name:

Concept: Major Depressive Episode - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on DEPDYA, DEPDYB, DEPDYC. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	656	2,330,171	7.3
No	2	8,916	28,500,870	89.9
Not stated	9	289	873,882	2.8
Total		9,861	31,704,923	100.0

Variable Name: DEPFSLT **Length:** 1.0 **Position:** 161

Question Name:

Concept: Flag: Suicide - thought - life - (F)

Question Text:

Universe: All respondents

Note: Based on SUI_01, SUI_02. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,030	3,571,807	11.3
No	2	8,731	27,764,804	87.6
Not stated	9	100	368,312	1.2
Total		9,861	31,704,923	100.0

Variable Name: DEPFSYT **Length:** 1.0 **Position:** 162

Question Name:

Concept: Flag: Suicide - thought - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on SUI_03, DEPFSLT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	336	1,142,380	3.6
No	2	9,420	30,182,106	95.2
Not stated	9	105	380,437	1.2
Total		9,861	31,704,923	100.0

Variable Name: DEPFINT **Length:** 1.0 **Position:** 163

Question Name:

Concept: Flag: Depression - Interference - 12 m - (F)

Question Text:

Universe: Respondents with DEPDDY = (1, 9)

Note: Based on DEP_66A, DEP_66B1, DEP_66B2, DEP_66C, DEP_66D, DEPDDY. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	616	2,168,793	6.8
No	2	25	99,654	0.3
Valid skip	6	8,916	28,500,870	89.9
Not stated	9	304	935,606	3.0
Total		9,861	31,704,923	100.0

Variable Name: DEPDINT **Length:** 4.1 **Position:** 164

Totals may not add up due to rounding.

Question Name:

Concept: Depression - Interference - Mean - 12 m - (D)

Question Text:

Universe: Respondents with DEPDDY = (1, 9)

Note: Based on DEP_66A, DEP_66B1, DEP_66B2, DEP_66C, DEP_66D, DEPDDY. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.0 - 10.0	628	2,198,534	6.9
Valid skip	99.6	8,916	28,500,870	89.9
Not stated	99.9	317	1,005,520	3.2
Total		9,861	31,704,923	100.0

Variable Name: MIA_33 **Length:** 1.0 **Position:** 168

Question Name: MIA_Q33

Concept: Mania - consulted MD/other professional - life

Question Text: Did you ever in your life talk to a medical doctor or other professional about your [episode/episodes] of being very [excited and full of energy/irritable or grouchy]? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

Universe: Respondents who answered MIA_09 = (3, 4, 5, 7, 8, 9) or (MIA_09 = (1, 2) and MIA_07O = 1)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	225	902,043	2.8
No	2	233	728,889	2.3
Valid skip	6	9,253	29,628,895	93.5
Don't know	7	3	9,215	0.0
Refusal	8	1	2,434	0.0
Not stated	9	146	433,446	1.4
Total		9,861	31,704,923	100.0

Variable Name: MIA_47 **Length:** 1.0 **Position:** 169

Question Name: MIA_Q47

Concept: Mania - professional treatment - 12 m

Question Text: Did you receive professional treatment for your [episode/episodes] of being very [excited and full of energy/irritable or grouchy] at any time in the past 12 months?

Universe: Respondents who answered MIA_33 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	98	385,078	1.2
No	2	126	515,530	1.6
Valid skip	6	9,486	30,357,785	95.8
Don't know	7	1	1,435	0.0
Not stated	9	150	445,095	1.4
Total		9,861	31,704,923	100.0

Variable Name: MIADEPS **Length:** 1.0 **Position:** 170

Question Name:

Concept: Mania - 2002 Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on MIADA, MIADB, MIADD. See document on derived variables.

This variable is comparable to the CCHS Mental Health and Well-being (2002) variable MIABDEPS, which used to be a measure of Bipolar I. Since the WHO-CIDI/CCHS Mental Health algorithm for Bipolar I has changed since 2002, this variable is no longer a sufficient measure of Bipolar I. It is retained as a comparison variable and it is used as a component of Bipolar I and Bipolar II (BIPD1 and BIPD2).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	319	1,099,042	3.5
No	2	9,367	30,081,957	94.9
Not stated	9	175	523,924	1.7
Total		9,861	31,704,923	100.0

Variable Name: MIAGREC **Length:** 2.0 **Position:** 171

Question Name:

Concept: Mania - Recency Age (grouped)

Question Text:

Universe: Respondents with MIADEPS = (1, 9)

Note: This variable identifies the respondent's age at their last manic episode. The variable is only calculated for respondents who meet the CCHS 5.2/WHO-CIDI criteria for manic episode.
Based on MIADREC

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 20 years	01	64	169,129	0.5
20 to 24 years	02	83	200,028	0.6
25 to 29 years	03	35	156,094	0.5
30 to 34 years	04	26	111,616	0.4
35 to 44 years	05	42	185,873	0.6
45 to 54 years	06	25	109,537	0.3
55 to 64 years	07	21	106,056	0.3
65 years and older	08	10	22,763	0.1
Valid skip	96	9,367	30,081,957	94.9
Not stated	99	188	561,871	1.8
Total		9,861	31,704,923	100.0

Variable Name: MIAGPER **Length:** 2.0 **Position:** 173

Question Name:

Concept: Mania - Persistence (grouped)

Question Text:

Universe: Respondents with MIADEPS = (1, 9)

Note: This variable groups the longest period associated with mania experienced by the respondent. It is calculated as the longest episode reported.
Based on MIADPER

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
0 to 3 days	01	50	163,188	0.5
1 week	02	50	135,336	0.4
2 weeks	03	41	129,668	0.4
3 weeks	04	11	31,510	0.1
1 month	05	44	153,858	0.5
2 months	06	19	71,674	0.2
3 months	07	21	74,978	0.2
4 to 5 months	08	14	56,020	0.2
6 months	09	15	65,496	0.2
7 to 10 months	10	8	22,741	0.1
1 year to less than 2 years	12	19	69,242	0.2
2 years to less than 5 years	13	18	94,135	0.3
5 years or more	14	9	31,196	0.1
Valid skip	96	9,367	30,081,957	94.9
Not stated	99	175	523,924	1.7
Total		9,861	31,704,923	100.0

Variable Name: MIADEY **Length:** 1.0 **Position:** 175

Question Name:

Concept: Mania - 2002 Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on MIADYA, MIADYB, MIADYC. See document on derived variables.

This variable is comparable to the variable MIABDEY (2002), which used to be a measure of Past 12 Months Bipolar I. Since the WHO-CIDI/CCHS Mental Health algorithm for Bipolar I has changed since 2002, this variable is no longer a sufficient measure of Past 12 Months Bipolar I. It is retained as a comparison variable and it is used as a component of Past 12 Months Bipolar I and Bipolar II (BIPD1Y and BIPD2Y).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	153	514,881	1.6
No	2	9,532	30,664,653	96.7
Not stated	9	176	525,389	1.7
Total		9,861	31,704,923	100.0

Variable Name: MIADINT **Length:** 4.1 **Position:** 176

Question Name:

Concept: Mania - Interference - Mean - 12 m - (D)

Question Text:

Universe: Respondents with MIADEY = (1, 9)

Note: Based on MIA_27A, MIA_27B1, MIA_27B2, MIA_27C, MIA_27D, MIADEY. See document on derived variables.

This question is calculated only for respondents who meet the CCHS Mental Health/WHO-CIDI 2002 criteria for a past 12-
month episode.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.2 - 10.0	149	502,074	1.6
Valid skip	99.6	9,532	30,664,653	96.7
Not stated	99.9	180	538,196	1.7
Total		9,861	31,704,923	100.0

Variable Name: MIAFINT **Length:** 1.0 **Position:** 180

Question Name:

Concept: Flag: Mania - Interference - 12 m - (F)

Question Text:

Universe: Respondents with MIADEY = (1, 9)

Note: Based on MIA_27A, MIA_27B1, MIA_27B2, MIA_27C, MIA_27D, MIADEY. See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	121	414,273	1.3
No		2	28	87,800	0.3
Valid skip		6	9,532	30,664,653	96.7
Not stated		9	180	538,196	1.7
	Total		9,861	31,704,923	100.0

Variable Name: HYPDL **Length:** 1.0 **Position:** 181

Question Name:

Concept: Hypomania - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on BIPD1, BIPD2, MIADEPS. See document on derived variables.

Hypomania is derived using the new definitions of bipolar I and II. Following the WHO-CIDI, bipolar II (BIPD2) is derived before hypomania and all cases that meet the criteria for bipolar II also meet the criteria for hypomania. Cases that meet the 2002 criteria for lifetime mania (MIADEPS) but do not meet the criteria for the new (2012) lifetime bipolar I variable (BIPD1) are also included in this variable. Overall, the 2012 definition of hypomania is more restrictive than the 2002 definition of hypomania (HYPDEPS) in terms of symptoms and episode duration, but it is more inclusive than the 2002 definition of hypomania by including those people who would have met the 2002 criteria for bipolar I but no longer meet the criteria for 2012 bipolar I due to new restrictions in 2012.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	215	693,470	2.2
No		2	9,460	30,443,315	96.0
Not stated		9	186	568,138	1.8
	Total		9,861	31,704,923	100.0

Variable Name: HYPDEY **Length:** 1.0 **Position:** 182

Question Name:

Concept: Hypomania - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on HYPDL, MIA_19A, MIA_19A1, MIA_03A, MIA_03C, MIA_06A, MIA_06C, DV_AGE. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	122	381,886	1.2
No		2	9,546	30,738,143	97.0
Not stated		9	193	584,895	1.8
	Total		9,861	31,704,923	100.0

Variable Name: HYPFINT **Length:** 1.0 **Position:** 183

Question Name:

Concept: Flag: Hypomania - Interference - 12 m - (F)

Question Text:

Universe: Respondents with HYPDEY = (1, 9)

Note: Based on MIA_27A, MIA_27B1, MIA_27B2, MIA_27C, MIA_27D, HYPDEY.

This question is calculated only for respondents who meet the MHACS/WHO-CIDI criteria for a past 12-month episode. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	105	335,184	1.1
No		2	6	17,351	0.1
Valid skip		6	9,546	30,738,143	97.0
Not stated		9	204	614,245	1.9
	Total		9,861	31,704,923	100.0

Variable Name: HYPDINT **Length:** 4.1 **Position:** 184

Question Name:

Concept: Hypomania - Interference - Mean - 12 m - (D)

Question Text:

Universe: Respondents with HYPDEY = (1, 9)

Note: Based on MIA_27A, MIA_27B1, MIA_27B2, MIA_27C, MIA_27D, HYPDEY.

This question is calculated only for respondents who meet the MHACS/WHO-CIDI criteria for a past 12-month episode. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Interference degree		00.0 - 10.0	108	341,160	1.1
Valid skip		99.6	9,546	30,738,143	97.0
Not stated		99.9	207	625,621	2.0
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: BIPD1 **Length:** 1.0 **Position:** 188

Question Name:

Concept: Bipolar I - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on MIADEPS, MIATBA, MIATBB, BIPDA, BIPDB. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	96	367,178	1.2
No	2	9,604	30,840,569	97.3
Not stated	9	161	497,176	1.6
Total		9,861	31,704,923	100.0

Variable Name: BIPD2 **Length:** 1.0 **Position:** 189

Question Name:

Concept: Bipolar II - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on BIPD2A, BIPD2B, BIPD2C, BIPD2D. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	66	233,713	0.7
No	2	9,711	31,189,508	98.4
Not stated	9	84	281,701	0.9
Total		9,861	31,704,923	100.0

Variable Name: BIPD1Y **Length:** 1.0 **Position:** 190

Question Name:

Concept: Bipolar I - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on BIPD1, DEPDDY, MIADEY. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	65	252,314	0.8
No		2	9,642	30,979,728	97.7
Not stated		9	154	472,880	1.5
	Total		9,861	31,704,923	100.0

Variable Name: BIPD2Y **Length:** 1.0 **Position:** 191

Question Name:

Concept: Bipolar II - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on BIPD2, DEPDDY, MIADEY, HYPDEY. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	50	165,609	0.5
No		2	9,725	31,252,981	98.6
Not stated		9	86	286,334	0.9
	Total		9,861	31,704,923	100.0

Variable Name: BIPDL **Length:** 1.0 **Position:** 192

Question Name:

Concept: Bipolar Disorder - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on BIPD1, BIPD2, HYPDL. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	311	1,060,649	3.3
No		2	9,364	30,076,137	94.9
Not stated		9	186	568,138	1.8
	Total		9,861	31,704,923	100.0

Variable Name: BIPDY **Length:** 1.0 **Position:** 193

Question Name:

Concept: Bipolar Disorder - Algorithm - 12 m - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: Based on BIPD1Y, BIPD2Y, HYPDEY. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	197	666,001	2.1
No	2	9,470	30,443,452	96.0
Not stated	9	194	595,470	1.9
Total		9,861	31,704,923	100.0

Variable Name: BIPDINT1 **Length:** 4.1 **Position:** 194

Question Name:

Concept: Bipolar I - Interference - Mean - (D)

Question Text:

Universe: Respondents with BIPD1Y = (1, 9)

Note: Based on BIPD1Y, MIADINT, DEPDINT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	02.3 - 09.8	65	252,314	0.8
Valid skip	99.6	9,642	30,979,728	97.7
Not stated	99.9	154	472,880	1.5
Total		9,861	31,704,923	100.0

Variable Name: BIPDINT2 **Length:** 4.1 **Position:** 198

Question Name:

Concept: Bipolar II - Interference - Mean - (D)

Question Text:

Universe: Respondents with BIPD2Y = (1, 9)

Note: Based on BIPD2Y, MIADINT, DEPDINT, HYPDINT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	01.4 - 10.0	49	159,537	0.5
Valid skip	99.6	9,725	31,252,981	98.6
Not stated	99.9	87	292,405	0.9
Total		9,861	31,704,923	100.0

Variable Name: BIPDINT **Length:** 4.1 **Position:** 202

Question Name:

Concept: Bipolar Disorder - Interference - Mean - (D)

Question Text:

Universe: All respondents

Note: Based on BIPDINT1, BIPDINT2, HYPDINT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.0 - 10.0	188	645,535	2.0
Valid skip	99.6	9,470	30,443,452	96.0
Not stated	99.9	203	615,936	1.9
Total		9,861	31,704,923	100.0

Variable Name: BIPFINT1 **Length:** 1.0 **Position:** 206

Question Name:

Concept: Flag: Bipolar I - Interference - (F)

Question Text:

Universe: Respondents with BIPD1Y = (1, 9)

Note: Based on BIPD1Y, MIAFINT, DEPFINT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	63	236,429	0.7
No	2	2	15,886	0.1
Valid skip	6	9,642	30,979,728	97.7
Not stated	9	154	472,880	1.5
Total		9,861	31,704,923	100.0

Variable Name: BIPFINT2 **Length:** 1.0 **Position:** 207

Question Name:

Concept: Flag: Bipolar II - Interference - (F)

Question Text:

Universe: Respondents with BIPD2Y = (1, 9)

Note: Based on BIPD2Y, MIAFINT, HYPFINT, DEPFINT. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	49	161,192	0.5
No	2	1	4,417	0.0
Valid skip	6	9,725	31,252,981	98.6
Not stated	9	86	286,334	0.9
Total		9,861	31,704,923	100.0

Variable Name: BIPFINT **Length:** 1.0 **Position:** 208

Question Name:

Concept: Flag: Bipolar Disorder - Interference - (F)

Question Text:

Universe: All respondents

Note: Based on BIPDY, BIPFINT1, BIPFINT2, HYPFINT. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	183	622,422	2.0
No	2	7	31,554	0.1
Valid skip	6	9,470	30,443,452	96.0
Not stated	9	201	607,495	1.9
Total		9,861	31,704,923	100.0

Variable Name: GAD_44 **Length:** 1.0 **Position:** 209

Question Name: GAD_Q44

Concept: Gen anx dis - consulted MD/other professional - life

Question Text: Did you ever in your life talk to a medical doctor or other professional about your feelings of being [worried, nervous or anxious/nervous or anxious/anxious or worried]? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

Universe: Respondents who answered GAD_15 = (3, 4, 5, 7, 8, 9) or GAD_17 = (3, 4, 5, 7, 8, 9) or GAD_17A = (1, 2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,019	4,057,925	12.8
No	2	398	1,403,398	4.4
Valid skip	6	8,052	24,967,397	78.7
Don't know	7	6	27,505	0.1
Refusal	8	3	7,744	0.0
Not stated	9	383	1,240,954	3.9
Total		9,861	31,704,923	100.0

Variable Name: GAD_58 **Length:** 1.0 **Position:** 210

Question Name: GAD_Q58

Concept: Gen anx dis - professional treatment - 12 m

Question Text: During the past 12 months, did you receive professional treatment for being [worried, nervous or anxious/nervous or anxious/anxious or worried]?

Universe: Respondents who answered GAD_44 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	449	1,790,168	5.6
No	2	569	2,265,403	7.1
Valid skip	6	8,450	26,370,795	83.2
Don't know	7	1	2,354	0.0
Not stated	9	392	1,276,203	4.0
Total		9,861	31,704,923	100.0

Variable Name: GAD_59 **Length:** 1.0 **Position:** 211

Question Name: GAD_Q59

Concept: Gen anx dis - hospitalized overnight - life

Question Text: Were you ever hospitalized overnight for being [worried, nervous or anxious/nervous or anxious/anxious or worried]?

Universe: Respondents who answered GAD_44 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	92	382,575	1.2
No	2	927	3,675,350	11.6
Valid skip	6	8,450	26,370,795	83.2
Not stated	9	392	1,276,203	4.0
Total		9,861	31,704,923	100.0

Variable Name: GADDGDS **Length:** 1.0 **Position:** 212

Question Name:

Concept: Generalized anxiety disorder - algorithm - life - (D)

Question Text:

Universe: All respondents

Totals may not add up due to rounding.

Note: Based on GADDA, GADDB, GADDC, GADDD, GADDE. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,038	4,062,868	12.8
No	2	8,440	26,373,069	83.2
Not stated	9	383	1,268,986	4.0
Total		9,861	31,704,923	100.0

Variable Name: GADGREC **Length:** 2.0 **Position:** 213

Question Name:

Concept: Gen anx dis - Recency Age (grouped)

Question Text:

Universe: Respondents with GADDGDS = (1, 9)

Note: This variable groups the respondent's age at the start of their most recent episode of Generalized Anxiety Disorder. This variable is only calculated for respondents who meet the lifetime CCHS - Mental Health/WHO-CIDI criteria for Generalized Anxiety Disorder.
Based on GADDREC

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 20 years	01	142	400,524	1.3
20 to 24 years	02	178	504,911	1.6
25 to 29 years	03	87	400,405	1.3
30 to 34 years	04	88	463,143	1.5
35 to 44 years	05	176	867,491	2.7
45 to 54 years	06	120	519,453	1.6
55 to 64 years	07	108	447,830	1.4
65 years and older	08	71	210,753	0.7
Valid skip	96	8,485	26,538,974	83.7
Not stated	99	406	1,351,438	4.3
Total		9,861	31,704,923	100.0

Variable Name: GADDDY **Length:** 1.0 **Position:** 215

Question Name:

Concept: Generalized anxiety disorder - algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on GADDYA, GADDYB, GADDYC. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	417	1,590,352	5.0
No	2	9,079	28,925,066	91.2
Not stated	9	365	1,189,505	3.8
Total		9,861	31,704,923	100.0

Variable Name: GADDINT **Length:** 4.1 **Position:** 216

Question Name:

Concept: Generalized anxiety disorder - Interference - Mean -12 m (D)

Question Text:

Universe: Respondents with GADDDY = (1, 9)

Note: Based on GAD_38A, GAD_38B1, GAD_38B2, GAD_38C, GAD_38D, GADDDY. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.0 - 10.0	389	1,474,880	4.7
Valid skip	99.6	9,079	28,925,066	91.2
Not stated	99.9	393	1,304,977	4.1
Total		9,861	31,704,923	100.0

Variable Name: GADFINT **Length:** 1.0 **Position:** 220

Question Name:

Concept: Generalized anxiety disorder - Interference - 12 m - (F)

Question Text:

Universe: Respondents with GADDDY = (1, 9)

Note: Based on GAD_38A, GAD_38B1, GAD_38B2, GAD_38C, GAD_38D, GADDDY. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	395	1,511,615	4.8
No	2	11	43,528	0.1
Valid skip	6	9,079	28,925,066	91.2
Not stated	9	376	1,224,714	3.9
Total		9,861	31,704,923	100.0

Variable Name: SOPDA1 **Length:** 1.0 **Position:** 221

Question Name:

Totals may not add up due to rounding.

Concept: Social Phobia - Criterion A, Part 1 - life - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_01A, SOP_01B, SOP_01C, SOP_01D, SOP_01E, SOP_01F, SOP_01G, SOP_01H, SOP_01I, SOP_01J, SOP_01K, SOP_01L, SOP_01M, SOP_01N. See document on derived variables.

This variable identifies respondents who reported a marked and persistent fear of one or more social or performance situations in which he/she is exposed to unfamiliar people or to possible scrutiny by others.

This variable contributes to the assessment of Social Phobia, Criterion A.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,567	8,801,297	27.8
No	2	7,089	22,327,093	70.4
Not stated	9	205	576,532	1.8
Total		9,861	31,704,923	100.0

Variable Name: SOPDA2 **Length:** 1.0 **Position:** 222

Question Name:

Concept: Social Phobia - Criterion A, Part 2 - life - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_12A, SOP_12B, SOP_13 and SOP_14A. See document on derived variables.

This variable identifies respondents who report fears that he/she will act in a way (or show anxiety symptoms) that will be humiliating or embarrassing.

This variable contributes to the assessment of Social Phobia, Criterion A.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,303	7,879,695	24.9
No	2	7,353	23,245,471	73.3
Not stated	9	205	579,757	1.8
Total		9,861	31,704,923	100.0

Variable Name: SOPDA **Length:** 1.0 **Position:** 223

Question Name:

Concept: Social Phobia - Criterion A (Parts 1, 2 Combined) - life - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: Based on SOPDA1, SOPDA2. See document on derived variables.

This variable identifies whether the respondent meets Criterion A of the MHACS algorithm. The criterion is met if the respondent reported:
1. a marked and persistent fear of one or more social or performance situations in which he/she is exposed to unfamiliar people or to possible scrutiny by others; and
2. fear of acting in a way (or show anxiety symptoms) that will be humiliating or embarrassing.

This variable contributes to the assessment of Social Phobia.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,303	7,879,695	24.9
No	2	7,353	23,245,471	73.3
Not stated	9	205	579,757	1.8
Total		9,861	31,704,923	100.0

Variable Name: SOPDB **Length:** 1.0 **Position:** 224

Question Name:

Concept: Social Phobia - Criterion B - life - (D)

Question Text:

Universe: All respondents

Note: Based on SCR_29C. See document on derived variables.

This variable identifies whether the respondent meets Criterion B of the MHACS algorithm for time period. The criterion is met if the respondent reports that exposure to the feared social situation(s) almost invariably provoke anxiety, which may take the form of a situationally bound or situationally predisposed Panic attack.

This variable contributes to the assessment of Social Phobia.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,354	11,330,011	35.7
No	2	6,351	19,914,786	62.8
Not stated	9	156	460,127	1.5
Total		9,861	31,704,923	100.0

Variable Name: SOPDC **Length:** 1.0 **Position:** 225

Question Name:

Concept: Social Phobia - Criterion C - life - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: Based on SCR_29E. See document on derived variables.

This variable identifies whether the respondent meets Criterion C of the CAFVMHS algorithm for time period. The criterion is met if the respondent recognizes that his/her fear is excessive or unreasonable.

This variable contributes to the assessment of Social Phobia.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,700	9,540,807	30.1
No	2	6,854	21,231,235	67.0
Not stated	9	307	932,881	2.9
Total		9,861	31,704,923	100.0

Variable Name: SOPDD1 **Length:** 1.0 **Position:** 226

Question Name:

Concept: Social Phobia - Criterion D, Part 1 - life - (D)

Question Text:

Universe: All respondents

Note: Based on SCR_29D, SOP_20. See document on derived variables.

This variable identifies respondents who reported the feared social or performance situation(s) are avoided.

This variable contributes to the assessment of Social Phobia, Criterion D.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,650	8,922,565	28.1
No	2	6,999	22,182,230	70.0
Not stated	9	212	600,128	1.9
Total		9,861	31,704,923	100.0

Variable Name: SOPD09 **Length:** 1.0 **Position:** 227

Question Name:

Concept: Social Phobia - Symptoms of anxiety or panic - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_09A, SOP_09B, SOP_09C, SOP_09D, SOP_09E, SOP_09F, SOP_09G, SOP_09H, SOP_09I, SOP_09J, SOP_09K, SOP_09L, SOP_09M, SOPT9NO. See document on derived variables.

This variable identifies respondents who reported experiencing at least two physiological or panic-like reactions when exposed to a feared social or performance situation.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,207	7,713,080	24.3
No	2	7,424	23,334,809	73.6
Not stated	9	230	657,034	2.1
Total		9,861	31,704,923	100.0

Variable Name: SOPDD2 **Length:** 1.0 **Position:** 228

Question Name:

Concept: Social Phobia - Criterion D, Part 2 - life - (D)

Question Text:

Universe: All respondents

Note: Based on SCR_29C, SOPD09, SOP_10A, SOP_19. See document on derived variables.

This variable identifies respondents who reported the feared social or performance situation(s) are endured with intense anxiety or distress. Two variables are created and then used to assess the MHACS Criterion D, part 2.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,243	7,814,628	24.6
No	2	7,382	23,225,366	73.3
Not stated	9	236	664,929	2.1
Total		9,861	31,704,923	100.0

Variable Name: SOPDD **Length:** 1.0 **Position:** 229

Question Name:

Concept: Social Phobia - Criterion D (Parts 1, 2 combined) - life - (D)

Question Text:

Universe: All respondents

Note: Based on SOPDD1, SOPDD2. See document on derived variables.

This variable identifies whether respondent meets Criterion D of the MHACS algorithm. The criterion is met if the respondent reported:
1. that the feared social or performance situation(s) are avoided; or
2. that the feared social or performance situation(s) were endured with intense anxiety or distress.

Totals may not add up due to rounding.

This variable contributes to the assessment of Social Phobia.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	3,031	10,307,730	32.5
No		2	6,618	20,800,696	65.6
Not stated		9	212	596,496	1.9
	Total		9,861	31,704,923	100.0

Variable Name: SOPD215 **Length:** 1.0 **Position:** 230

Question Name:

Concept: Social Phobia - Interference - work/social - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_21A, SOP_21B1, SOP_21B2, SOP_21C, SOP_21D. See document on derived variables.

This variable identifies whether, during the period of a month or longer in the 12 months prior to the interview when the symptoms were most severe, the respondent's feelings of fear about social or performance situations significantly interfered with their home responsibilities, responsibilities at school or work, his/her ability to form and maintain close relationships, or his/her social life.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	744	2,511,775	7.9
No		2	8,874	28,475,409	89.8
Not stated		9	243	717,739	2.3
	Total		9,861	31,704,923	100.0

Variable Name: SOPDE **Length:** 1.0 **Position:** 231

Question Name:

Concept: Social Phobia - Criterion E - life - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_16, SOPD215, SOP_23, SOP_25A. See document on derived variables.

This variable identifies respondents who reported that the avoidance, anxious anticipation, or distress in the feared social or performance situation(s) interfered significantly with the person's normal routine, occupational or academic functioning, or social activities or relationships. A variable is first created for 12-month interference in social or occupational functioning and then used to calculate Criteria E.

This variable contributes to the assessment of Social Phobia.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,597	5,619,948	17.7
No		2	8,023	25,393,311	80.1
Not stated		9	241	691,664	2.2
	Total		9,861	31,704,923	100.0

Variable Name: SOPD02 **Length:** 1.0 **Position:** 232

Question Name:

Concept: Social Phobia - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: This is the final variable that identifies whether respondents meet or fail to meet the MHACS criteria for Social Phobia. Respondents who meet the criteria reported:
1. a marked and persistent fear of one or more social or performance situations in which he/she is exposed to unfamiliar people or to possible scrutiny by others and fear of acting in a way (or show anxiety symptoms) that will be humiliating or embarrassing;
2. that exposure to the feared social situation(s) almost invariably provoke anxiety;
3. that they recognise their fear is excessive or unreasonable;
4. that the feared social or performance situation(s) are avoided or that the feared social or performance situation(s) were endured with intense anxiety or distress; and 5. significant interference with their normal routine, occupational or academic functioning, or social activities or relationships.
In 2002, this variable also included a Criterion F which required a minimum episode duration of 6 months if all symptoms occurred before age 18. This criterion was not able to be assessed for MHACS since the required input questions about symptom onset were not asked in MHACS.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,242	4,516,555	14.2
No		2	8,359	26,418,570	83.3
Not stated		9	260	769,798	2.4
	Total		9,861	31,704,923	100.0

Variable Name: SOPDREC **Length:** 3.0 **Position:** 233

Question Name:

Concept: Social Phobia - Most recent episode - age - (D)

Question Text:

Universe: All respondents

Note: Based on SOPD02, SOP_18A, SOP_18B, DV_AGE. See document on derived variables.

Totals may not add up due to rounding.

This variable identifies the respondent's age the last time he/she strongly feared or avoided social or performance situations. This variable is only calculated for respondents who meet the criteria for social phobia.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Years	000 - 094	1,189	4,302,364	13.6
Valid skip	996	8,359	26,418,570	83.3
Not stated	999	313	983,989	3.1
Total		9,861	31,704,923	100.0

Variable Name: SOPDYA **Length:** 1.0 **Position:** 236

Question Name:

Concept: Social Phobia - Criterion A - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SOPD02. See document on derived variables.

This variable identifies respondents who meet the MHACS criteria for Social Phobia.

This variable contributes to the assessment of Social Phobia - Past 12 Months.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,242	4,516,555	14.2
No	2	8,359	26,418,570	83.3
Not stated	9	260	769,798	2.4
Total		9,861	31,704,923	100.0

Variable Name: SOPDYB **Length:** 1.0 **Position:** 237

Question Name:

Concept: Social Phobia - Criterion B - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_18A, SOP_18B, DV_AGE. See document on derived variables.

This variable identifies respondents who reported they strongly feared or avoided social or performance situation(s) in the 12 months prior to the interview.

This variable contributes to the assessment of Social Phobia - Past 12 Months. In 2002 this DV was also based on SOP_Q03A, SOP_Q03B and SOP_Q06A. These questions are no longer included in the module.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,280	4,250,132	13.4
No	2	8,131	26,094,269	82.3
Not stated	9	450	1,360,522	4.3
Total		9,861	31,704,923	100.0

Variable Name: SOPDYC **Length:** 1.0 **Position:** 238

Question Name:

Concept: Social Phobia - Criterion C - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SOP_20, SOP_21A, SOP_21B1, SOP_21B2, SOP_21C, SOP_21D, SOP_23, SOP_38. See document on derived variables.

This variable identifies respondents who reported that their fear or avoidance caused clinically significant distress or impairment in social, occupational or other important areas of functioning in the 12 months prior to interview.

This variable contributes to the assessment of Social Phobia - Past 12 Months.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,057	3,670,808	11.6
No	2	8,563	27,317,459	86.2
Not stated	9	241	716,656	2.3
Total		9,861	31,704,923	100.0

Variable Name: SOPDPY **Length:** 1.0 **Position:** 239

Question Name:

Concept: Social Phobia - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SOPDYA, SOPDYB, SOPDYC. See document on derived variables.

This is the final variable that identifies whether respondents meet or fail to meet the MHACS criteria for social phobia in the 12 months prior to the interview. Respondents who meet the criteria reported:
1. meeting the criteria for lifetime social phobia;
2. fearing or avoiding social or performance situation(s) in the 12 months prior to the interview; and
3. clinically significant distress or impairment in social, occupational or other important areas of functioning.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	614	2,184,749	6.9
No		2	8,997	28,765,564	90.7
Not stated		9	250	754,609	2.4
	Total		9,861	31,704,923	100.0

Variable Name: SOPDINT **Length:** 4.1 **Position:** 240

Question Name:

Concept: Social Phobia - Interference - Mean - 12 m - (D)

Question Text:

Universe: Respondents with SOPFINT = (1, 9)

Note: Based on SOP_21A, SOP_21B1, SOP_21B2, SOP_21C, SOP_21D, SOPDPY.

This variable describes the interference that social phobia had on daily activities and responsibilities in the past 12 months. This is a mean of the five items. This variable is calculated only for respondents who meet the MHACS criteria for a past 12-month episode.

Respondents who reported that 'if they were faced with the same situation that provoked social phobia today, that they would have mild or no fear' were not asked the inference questions.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Interference degree		00.0 - 10.0	543	1,896,822	6.0
Valid skip		99.6	8,997	28,765,564	90.7
Not stated		99.9	321	1,042,537	3.3
	Total		9,861	31,704,923	100.0

Variable Name: SOPFINT **Length:** 1.0 **Position:** 244

Question Name:

Concept: Flag: Social Phobia - Interference - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on SOP_21A, SOP_21B1, SOP_21B2, SOP_21C, SOP_21D, SOPDPY. See document on derived variables.

This variable describes the interference that social phobia had on daily activities and responsibilities in the past 12 months. This is a classification that indicates whether social phobia interferes significantly with the person's normal routine, occupational (academic) functioning, or social activities or relationships. This question is calculated only for respondents who meet the MHACS criteria for a past 12-month episode.

Respondents who reported that 'if they were faced with the same situation that provoked social phobia today, that they would have mild or no fear' were not asked the

inference questions.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	493	1,714,723	5.4
No	2	59	237,177	0.7
Valid skip	6	8,997	28,765,564	90.7
Not stated	9	312	987,459	3.1
Total		9,861	31,704,923	100.0

Variable Name: SMK_201A **Length:** 1.0 **Position:** 245

Question Name: SMK_Q201A

Concept: Smoked 100 or more cigarettes - life

Question Text: In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,851	11,550,443	36.4
No	2	6,958	19,985,425	63.0
Don’t know	7	36	111,405	0.4
Refusal	8	16	57,650	0.2
Total		9,861	31,704,923	100.0

Variable Name: SMK_201B **Length:** 1.0 **Position:** 246

Question Name: SMK_Q201B

Concept: Ever smoked whole cigarette

Question Text: Have you ever smoked a whole cigarette?

Universe: Respondents who answered SMK_201A = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,227	4,196,294	13.2
No	2	5,740	15,818,214	49.9
Valid skip	6	2,851	11,550,443	36.4
Don’t know	7	26	90,560	0.3
Refusal	8	17	49,413	0.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SMKG01C **Length:** 2.0 **Position:** 247

Question Name:

Concept: Age smoked first whole cigarette (grouped)

Question Text:

Universe: Respondents with SMK_201A in (1, 8) or SMK_201B in (1, 7, 8)

Note: Based on SMK_201C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
5 to 11 years	01	187	863,316	2.7
12 to 14 years	02	952	4,117,841	13.0
15 to 17 years	03	1,390	5,607,546	17.7
18 to 19 years	04	661	2,309,287	7.3
20 to 24 years	05	571	1,833,369	5.8
25 to 29 years	06	139	441,970	1.4
30 to 34 years	07	46	130,491	0.4
35 to 39 years	08	24	81,928	0.3
40 to 44 years	09	14	43,614	0.1
45 years and older	10	6	24,861	0.1
Valid skip	96	5,740	15,818,214	49.9
Not stated	99	131	432,487	1.4
Total		9,861	31,704,923	100.0

Variable Name: SMK_202 **Length:** 1.0 **Position:** 249

Question Name: SMK_Q202

Concept: Type of smoker

Question Text: At the present time, do you smoke cigarettes daily, occasionally or not at all?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily	1	619	2,970,273	9.4
Occasionally	2	365	1,361,671	4.3
Not at all	3	8,839	27,243,925	85.9
Don’t know	7	20	75,095	0.2
Refusal	8	3	7,578	0.0
Not stated	9	15	46,380	0.1
Total		9,861	31,704,923	100.0

Variable Name: SMKG203 **Length:** 2.0 **Position:** 250

Question Name:

Totals may not add up due to rounding.

Concept: Age started smoking daily - (daily smoker) (grouped)

Question Text:

Universe: Respondents with SMK_202 in (1, 7, 8, 9) or SMK_201A = 8 and SMK_201B = 8

Note: Based on SMK_203

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
5 to 11 years	01	9	54,824	0.2
12 to 14 years	02	82	475,327	1.5
15 to 17 years	03	212	1,091,873	3.4
18 to 19 years	04	109	478,268	1.5
20 to 24 years	05	107	452,520	1.4
25 to 29 years	06	36	153,969	0.5
30 to 34 years	07	27	88,493	0.3
35 years and older	08	15	65,103	0.2
Valid skip	96	9,204	28,605,597	90.2
Not stated	99	60	238,947	0.8
Total		9,861	31,704,923	100.0

Variable Name: SMK_204 **Length:** 3.0 **Position:** 252

Question Name: SMK_Q204

Concept: Number of cigarettes smoked per day (daily smoker)

Question Text: How many cigarettes do you smoke each day now?

Universe: Respondents who answered SMK_202 = (1, 7, 8, 9) or (SMK_201A = 8 and SMK_201B = 8)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	001 - 099	615	2,960,717	9.3
Valid skip	996	9,204	28,605,597	90.2
Don’t know	997	4	9,555	0.0
Not stated	999	38	129,053	0.4
Total		9,861	31,704,923	100.0

Variable Name: SMK_205B **Length:** 3.0 **Position:** 255

Question Name: SMK_Q205B

Concept: Number of cigarettes smoked per day (occasional smoker)

Question Text: On the days that you do smoke, how many cigarettes do you usually smoke?

Universe: Respondents who answered SMK_202 = (2, 7, 8, 9) or (SMK_201A = 8 and SMK_201B = 8)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Cigarettes		001 - 020	359	1,326,042	4.2
Valid skip		996	9,458	30,214,198	95.3
Don't know		997	6	35,630	0.1
Not stated		999	38	129,053	0.4
	Total		9,861	31,704,923	100.0

Variable Name: SMK_205C **Length:** 2.0 **Position:** 258

Question Name: SMK_Q205C

Concept: Number of days - smoked 1 cigarette or more (occ. smoker)

Question Text: In the past month, on how many days have you smoked 1 or more cigarettes?

Universe: Respondents who answered SMK_202 = (2, 7, 8, 9) or (SMK_201A = 8 and SMK_201B = 8)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Days		00 - 30	353	1,324,231	4.2
Valid skip		96	9,458	30,214,198	95.3
Don't know		97	11	32,855	0.1
Refusal		98	1	4,586	0.0
Not stated		99	38	129,053	0.4
	Total		9,861	31,704,923	100.0

Variable Name: SMK_205D **Length:** 1.0 **Position:** 260

Question Name: SMK_Q205D

Concept: Ever smoked cigarettes daily

Question Text: Have you ever smoked cigarettes daily?

Universe: Respondents who answered SMK_201A = (1, 7, 8, 9) and SMK_202 = (2, 3, 7, 8, 9) or (SMK_201A = 8 and SMK_201B = 8)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,910	7,407,109	23.4
No		2	325	1,161,259	3.7
Valid skip		6	7,561	22,902,839	72.2
Don't know		7	6	26,510	0.1
Not stated		9	59	207,205	0.7
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SMK_206A **Length:** 1.0 **Position:** 261

Question Name: SMK_Q206A

Concept: Stopped smoking - when (was never a daily smoker)

Question Text: When did you stop smoking? Was it... ?

Universe: Respondents who answered (SMK_202 in (7, 8, 9) or (SMK_202 = 2 and SMK_205D in (7, 8, 9)) or (SMK_202 = 3 and (SMK_205D in (2, 7, 8, 9) or SMK_201A in (7, 8, 9)))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one year ago	1	2	6,901	0.0
1 year to less than 2 years ago	2	6	31,779	0.1
2 years to less than 3 years ago	3	7	31,878	0.1
3 or more years ago	4	220	772,499	2.4
Valid skip	6	9,554	30,604,964	96.5
Don’t know	7	4	15,698	0.0
Refusal	8	3	7,488	0.0
Not stated	9	65	233,715	0.7
Total		9,861	31,704,923	100.0

Variable Name: SMKG06C **Length:** 2.0 **Position:** 262

Question Name:

Concept: Number of years since stopped smoking (grouped)

Question Text:

Universe: Respondents with SMK_206A = (4, 7, 8, 9) or ((SMK_201A = (7, 8, 9) or SMK_205D = (7, 8, 9)) and SMK_202 = 3) or (SMK_201A = (1, 7, 8, 9) and SMK_202 = (7, 8, 9)) or (SMK_201A = 8 and SMK_201B = 8)

Note: Based on SMK_206C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
3 to 5 years	01	17	43,176	0.1
6 to 10 years	02	21	76,611	0.2
11 to 20 years	03	44	182,738	0.6
21 to 30 years	04	37	157,084	0.5
31 or more years	05	88	270,026	0.9
Valid skip	96	9,569	30,675,523	96.8
Not stated	99	85	299,765	0.9
Total		9,861	31,704,923	100.0

Variable Name: SMKG207 **Length:** 2.0 **Position:** 264

Totals may not add up due to rounding.

Question Name:

Concept: Age started smoking daily -former daily smoker (grouped)

Question Text:

Universe: Respondents who answered SMK_205D in (1, 7, 8, 9) or SMK_202 in (7, 8, 9) or (SMK_202 = 2 and SMK_205D in (7, 8, 9)) or (SMK_202 = 3 and (SMK_201A in (7, 8, 9) or SMK_205D in (7, 8, 9) or (SMK_205D = 2 and SMK_206A in (7, 8, 9))))

Note: Based on SMK_207

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
5 to 11 years	01	13	67,433	0.2
12 to 14 years	02	230	996,942	3.1
15 to 17 years	03	651	2,788,868	8.8
18 to 19 years	04	414	1,532,884	4.8
20 to 24 years	05	397	1,326,091	4.2
25 to 29 years	06	91	322,221	1.0
30 to 34 years	07	37	113,061	0.4
35 to 39 years	08	16	64,178	0.2
40 to 44 years	09	12	45,558	0.1
45 years and older	10	10	30,970	0.1
Valid skip	96	7,879	24,040,912	75.8
Not stated	99	111	375,804	1.2
Total		9,861	31,704,923	100.0

Variable Name: SMK_208 **Length:** 3.0 **Position:** 266

Question Name: SMK_Q208

Concept: Number of cigarettes smoked per day (former daily smoker)

Question Text: How many cigarettes did you usually smoke each day?

Universe: Respondents who answered SMK_205D in (1, 7, 8, 9) or SMK_202 in (7, 8, 9) or (SMK_202 = 2 and SMK_205D in (7, 8, 9)) or (SMK_202 = 3 and (SMK_201A in (7, 8, 9) or SMK_205D in (7, 8, 9) or (SMK_205D = 2 and SMK_206A in (7, 8, 9))))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Cigarettes	001 - 099	1,822	7,055,691	22.3
Valid skip	996	7,879	24,040,912	75.8
Don’t know	997	86	346,532	1.1
Refusal	998	2	4,887	0.0
Not stated	999	72	256,902	0.8
Total		9,861	31,704,923	100.0

Variable Name: SMK_209A **Length:** 1.0 **Position:** 269

Question Name: SMK_Q209A

Concept: Stopped smoking daily - when stopped (former daily smoker)

Question Text: When did you stop smoking daily? Was it... ?

Universe: Respondents who answered SMK_205D in (1, 7, 8, 9) or SMK_202 in (7, 8, 9) or (SMK_202 = 2 and SMK_205D in (7, 8, 9)) or (SMK_202 = 3 and (SMK_201A in (7, 8, 9) or SMK_205D in (7, 8, 9) or (SMK_205D = 2 and SMK_206A in (7, 8, 9))))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one year ago	1	95	438,425	1.4
1 year to less than 2 years ago	2	67	277,345	0.9
2 years to less than 3 years ago	3	64	266,115	0.8
3 or more years ago	4	1,665	6,350,339	20.0
Valid skip	6	7,879	24,040,912	75.8
Don't know	7	17	71,532	0.2
Refusal	8	2	3,352	0.0
Not stated	9	72	256,902	0.8
Total		9,861	31,704,923	100.0

Variable Name: SMKG10C **Length:** 2.0 **Position:** 270

Question Name:

Concept: Nbr of yrs since stopped smoking daily, former smoker (grouped)

Question Text:

Universe: Respondents who answered SMK_209A in (4, 7, 8, 9) or ((SMK_205D in (7, 8, 9) or SMK_201A in (7, 8, 9)) and SMK_202 in (2, 3)) or (SMK_201A in (1, 7, 8, 9) and SMK_202 in (7, 8, 9)) or (SMK_201A = 8 and SMK_201B = 8)

Note: Based on SMK_209C

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
3 to 5 years	01	165	762,917	2.4
6 to 10 years	02	240	1,060,625	3.3
11 or more years	03	1,231	4,431,582	14.0
Valid skip	96	8,105	25,022,798	78.9
Not stated	99	120	427,001	1.3
Total		9,861	31,704,923	100.0

Variable Name: SMK_210A **Length:** 1.0 **Position:** 272

Question Name: SMK_Q210A

Concept: Quit smoking completely (former daily smoker)

Question Text: Was that when you completely quit smoking?

Universe: Respondents who answered ((SMK_202 in (3, 7, 8, 9) and SMK_205D in (1, 7, 8, 9)) or (SMK_201A in (7, 8, 9) and SMK_202 = 3) or (SMK_201A in (1, 7, 8, 9) and SMK_202

Totals may not add up due to rounding.

in (7, 8, 9)) or SMK_209A in (7, 8, 9))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,616	6,162,623	19.4
No	2	101	420,015	1.3
Valid skip	6	8,050	24,780,501	78.2
Don't know	7	3	9,997	0.0
Not stated	9	91	331,786	1.0
Total		9,861	31,704,923	100.0

Variable Name: SMKG210B **Length:** 1.0 **Position:** 273

Question Name:

Concept: Stopped smoking completely - when (former daily smoker) (grouped)

Question Text:

Universe: Respondents who answered (SMK_202 in (3, 7, 8, 9) and SMK_205D in (1, 7, 8, 9)) or (SMK_201A in (7, 8, 9) and SMK_202 = 3) or (SMK_201A in (1, 7, 8, 9) and SMK_202 in (7, 8, 9)) or SMK_210A in (2, 7, 8, 9)

Note: Based on SMK_210B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than one year ago to less than 2 years ago	1	11	39,124	0.1
2 years to less than 3 years ago	2	8	34,391	0.1
3 or more years ago	3	78	331,955	1.0
Valid skip	6	9,666	30,943,124	97.6
Not stated	9	98	356,329	1.1
Total		9,861	31,704,923	100.0

Variable Name: SMKG09C **Length:** 2.0 **Position:** 274

Question Name:

Concept: Number of years since stopped smoking (daily, grouped)

Question Text:

Universe: SMK_210A in (7, 8, 9) or SMK_210B in (4, 7, 8, 9) or ((SMK_201A in (7, 8, 9) or SMK_205D in (7, 8, 9) or SMK_209A in (7, 8, 9)) and SMK_202 = 3) or (SMK_201A in (1, 7, 8, 9) and SMK_202 in (7, 8, 9)) or (SMK_201A = 8 and SMK_201B = 8)

Note: Based on SMK_210D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
3 to 5 years	01	15	80,144	0.3
6 to 10 years	02	14	81,110	0.3
11 or more years	03	44	150,291	0.5
Valid skip	96	9,685	31,016,639	97.8
Not stated	99	103	376,739	1.2
Total		9,861	31,704,923	100.0

Variable Name: SMKDSTY **Length:** 2.0 **Position:** 276

Question Name:

Concept: Type of smoker - (D)

Question Text:

Universe: All respondents

Note: Based on SMK_201A, SMK_201B, SMK_202, SMK_205D. See document on derived variables.

This variable includes lifetime cigarette consumption.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Daily smoker	01	619	2,970,273	9.4
Occasional smoker (former daily smoker)	02	185	793,945	2.5
Occasional smoker (never a daily smoker)	03	177	558,278	1.8
Former daily smoker (non-smoker now)	04	1,725	6,613,164	20.9
Former occasional smoker (non-smoker now)	05	1,367	4,782,876	15.1
Never smoked	06	5,714	15,717,842	49.6
Not stated	99	74	268,546	0.8
Total		9,861	31,704,923	100.0

Variable Name: SMKGSTP **Length:** 2.0 **Position:** 278

Question Name:

Concept: Number of years since stopped smoking completely (grouped)

Question Text:

Universe: Respondents with SMKDSTY = (4 or 5) and who answered SMK_201A = (1, 7, 8, 9) or with SMKDSTY = 99

Note: Based on SMKDSTP

Current smokers and respondents who have never smoked a whole cigarette and respondents who have not smoked a total of 100 cigarettes or more in their lifetime were excluded from the population.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than 1 year	01	55	247,116	0.8
1 to 2 years	02	110	483,904	1.5
3 to 5 years	03	169	744,293	2.3
6 to 10 years	04	225	972,150	3.1
11 or more years	05	1,349	4,822,745	15.2
Valid skip	96	7,820	23,956,969	75.6
Not stated	99	133	477,747	1.5
Total		9,861	31,704,923	100.0

Variable Name: SMKDYCS **Length:** 3.0 **Position:** 280

Question Name:

Concept: Number of years smoked (current daily smokers) - (D)

Question Text:

Universe: Respondents who answered SMK_202 = (1, 7, 8, 9) or SMK_201A = 8 and SMK_201B = 8

Note: Based on SMK_202, SMK_203, DV_AGE. See document on derived variables.

Respondents who are not daily smokers have been excluded from the population.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of years	000 - 050	597	2,860,379	9.0
Valid skip	996	9,204	28,605,597	90.2
Not stated	999	60	238,947	0.8
Total		9,861	31,704,923	100.0

Variable Name: AUD_01 **Length:** 1.0 **Position:** 283

Question Name: AUD_Q01

Concept: Drank alcohol in past 12 months

Question Text: During the past 12 months, that is, from [date 365 days ago] to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	6,479	22,422,258	70.7
No	2	3,345	9,168,245	28.9
Don’t know	7	17	57,223	0.2
Refusal	8	20	57,197	0.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: AUD_02 **Length:** 2.0 **Position:** 284

Question Name: AUD_Q02

Concept: Alcohol consumption - frequency - 12 m

Question Text: During the past 12 months, how often did you drink alcoholic beverages?

Universe: Respondents who answered AUD_01 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than once a month	01	1,755	5,439,963	17.2
Once a month	02	779	2,473,221	7.8
2 to 3 times a month	03	1,102	3,883,317	12.2
Once a week	04	998	3,603,792	11.4
2 to 3 times a week	05	1,083	4,191,877	13.2
4 to 6 times a week	06	379	1,432,228	4.5
Every day	07	354	1,331,322	4.2
Valid skip	96	3,345	9,168,245	28.9
Don't know	97	26	62,080	0.2
Refusal	98	3	4,458	0.0
Not stated	99	37	114,420	0.4
Total		9,861	31,704,923	100.0

Variable Name: AUD_03 **Length:** 2.0 **Position:** 286

Question Name: AUD_Q03

Concept: Having 5 or more drinks - frequency - 12 m

Question Text: How often in the past 12 months have you had 5 or more drinks on one occasion?

Universe: Respondents who answered AUD_01 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	01	3,849	12,325,472	38.9
Less than once a month	02	1,166	4,241,555	13.4
Once a month	03	581	2,214,496	7.0
2 to 3 times a month	04	427	1,724,341	5.4
Once a week	05	239	998,144	3.1
More than once a week	06	174	785,055	2.5
Valid skip	96	3,345	9,168,245	28.9
Don't know	97	41	124,892	0.4
Refusal	98	2	8,304	0.0
Not stated	99	37	114,420	0.4
Total		9,861	31,704,923	100.0

Variable Name: AUD_04 **Length:** 1.0 **Position:** 288

Totals may not add up due to rounding.

Question Name: AUD_Q04

Concept: Ever had a drink - life

Question Text: Have you ever had a drink?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7,938	26,989,899	85.1
No	2	1,882	4,589,082	14.5
Don't know	7	4	11,522	0.0
Not stated	9	37	114,420	0.4
Total		9,861	31,704,923	100.0

Variable Name: AUD_05 **Length:** 1.0 **Position:** 289

Question Name: AUD_Q05

Concept: Drank 12 or more drinks - frequency - 12 m

Question Text: Have you ever had 12 or more drinks in a year?

Universe: Respondents who answered AUD_04 = (1, 7, 8, 9) or (AUD_02 = (1, 2, 97, 98, 99) and AUD_03= (1, 2, 97, 98, 99)) or AUD_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,844	6,672,220	21.0
No	2	1,998	5,350,607	16.9
Valid skip	6	5,914	19,395,807	61.2
Don't know	7	62	151,506	0.5
Refusal	8	2	8,840	0.0
Not stated	9	41	125,942	0.4
Total		9,861	31,704,923	100.0

Variable Name: AUDG06 **Length:** 2.0 **Position:** 290

Question Name:

Concept: Number of drinks per day - 12 m (grouped)

Question Text:

Universe: Respondents who answered (AUD_01 = 1 and (AUD_02 = (3, 4, 5, 6, 7, 9) or AUD_03 = (3, 4, 5, 6) or AUD_05 = (1, 7, 8, 9) or AUD_04 = (7, 8, 9))) or AUD_01 = (7, 8, 9)

Note: Based on AUD_06

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 drink	01	2,210	7,610,289	24.0
2 drinks	02	1,650	6,081,412	19.2
3 drinks	03	668	2,482,613	7.8
4 drinks	04	216	871,695	2.7
5 drinks	05	190	751,384	2.4
6 drinks	06	122	548,756	1.7
7 drinks	07	38	112,110	0.4
8 drinks	08	37	159,411	0.5
9 drinks	09	7	34,689	0.1
10 or more drinks	10	72	340,746	1.1
Valid skip	96	4,482	12,170,053	38.4
Not stated	99	169	541,765	1.7
Total		9,861	31,704,923	100.0

Variable Name: AUD_08 **Length:** 1.0 **Position:** 292

Question Name: AUD_Q08

Concept: Drank more in earlier year than past 12 months

Question Text: Was there ever a year in your life when you drank more than you did in the past 12 months?

Universe: Respondents who answered (AUD_01 = 1 and (AUD_02 = (3, 4, 5, 6, 7, 9) or AUD_03 = (3, 4, 5, 6) or AUD_05 = (1, 7, 8, 9) or AUD_04 = (7, 8, 9))) or AUD_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,488	9,865,063	31.1
No	2	2,800	9,401,055	29.7
Valid skip	6	4,482	12,170,053	38.4
Don’t know	7	49	140,254	0.4
Refusal	8	1	2,556	0.0
Not stated	9	41	125,942	0.4
Total		9,861	31,704,923	100.0

Variable Name: AUD_10 **Length:** 2.0 **Position:** 293

Question Name: AUD_Q10

Concept: Alcohol consumption - years when drank most - frequency

Question Text: Think about the years in your life when you drank most. During those years, how often did you usually have at least one drink?

Universe: Respondents who answered AUD_08 = (1, 7, 8, 9) or (AUD_01 = 2 and AUD_05 = (1, 7, 8, 9)) or AUD_01 = (7, 8, 9) or AUD_04 = (7, 8, 9) or (AUD_06 = (97, 98, 99) and AUD_02 = (1, 2, 3)) or (AUD_02 = (97, 98, 99) and AUD_03 = (3, 4, 5, 6)) or (AUD_06 = (97, 98, 99) and AUD_02 = (97, 98, 99))

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than once a month	01	102	319,161	1.0
Once a month	02	172	578,832	1.8
2 to 3 times a month	03	313	1,101,590	3.5
Once a week	04	557	2,128,652	6.7
2 to 3 times a week	05	910	3,567,760	11.3
4 to 6 times a week	06	451	1,945,212	6.1
Every day	07	527	2,226,597	7.0
Valid skip	96	6,671	19,308,947	60.9
Don't know	97	55	210,272	0.7
Refusal	98	3	17,349	0.1
Not stated	99	100	300,550	0.9
Total		9,861	31,704,923	100.0

Variable Name: AUDG11 **Length:** 2.0 **Position:** 295

Question Name:

Concept: Drinks per day - years when drank most (grouped)

Question Text:

Universe: Respondents who answered AUD_08 = (1, 7, 8, 9) or (AUD_01 = 2 and AUD_05 = (1, 7, 8, 9)) or AUD_01 = (7, 8, 9) or AUD_04 = (7, 8, 9) or (AUD_06 = (97, 98, 99) and AUD_02 = (1, 2, 3)) or (AUD_02 = (97, 98, 99) and AUD_03 = (3, 4, 5, 6)) or (AUD_06 = (97, 98, 99) and AUD_02 = (97, 98, 99))

Note: Based on AUD_11

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 drink	01	434	1,397,599	4.4
2 drinks	02	547	1,951,130	6.2
3 drinks	03	577	2,174,566	6.9
4 drinks	04	421	1,720,851	5.4
5 drinks	05	348	1,439,448	4.5
6 drinks	06	215	981,271	3.1
7 drinks	07	63	267,298	0.8
8 drinks	08	62	269,408	0.8
9 drinks	09	13	53,735	0.2
10 or more drinks	10	212	1,059,535	3.3
Valid skip	96	6,671	19,308,947	60.9
Not stated	99	298	1,081,136	3.4
Total		9,861	31,704,923	100.0

Variable Name: AUD_39 **Length:** 1.0 **Position:** 297

Question Name: AUD_Q39

Concept: Alcohol - consulted MD/other professional - life

Totals may not add up due to rounding.

Question Text: Did you ever in your life talk to a medical doctor or other professional about your use of alcohol? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

Universe: Respondents who answered AUD_16 = (1, 2, 3, 4, 7, 8, 9) or AUD_25 = (1, 2, 3, 4, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	258	1,127,430	3.6
No	2	1,510	6,219,711	19.6
Valid skip	6	7,789	23,292,130	73.5
Don't know	7	6	19,625	0.1
Refusal	8	2	6,394	0.0
Not stated	9	296	1,039,634	3.3
Total		9,861	31,704,923	100.0

Variable Name: AUDDTTM **Length:** 1.0 **Position:** 298

Question Name:

Concept: Alcohol - Type of drinker - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on AUD_01, AUD_02. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Regular drinker - past 12 months	1	4,695	16,915,758	53.4
Occasional drinker - past 12 months	2	1,755	5,439,963	17.2
Did not drink - past 12 months	3	3,345	9,168,245	28.9
Not stated	9	66	180,958	0.6
Total		9,861	31,704,923	100.0

Variable Name: AUDFWDY **Length:** 1.0 **Position:** 299

Question Name:

Concept: Flag: Ever drank more than in past 12 months (F)

Question Text:

Universe: Respondents with AUD_04 = (1, 6, 7, 8, 9) and AUD_05 = (1, 6, 7, 8, 9)

Note: Based on AUD_04, AUD_05, AUD_08. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,090	12,095,427	38.1
No	2	2,800	9,401,055	29.7
Valid skip	6	3,880	9,939,689	31.4
Not stated	9	91	268,752	0.8
Total		9,861	31,704,923	100.0

Variable Name: AUDDWDY **Length:** 1.0 **Position:** 300

Question Name:

Concept: Alcohol - Type of drinker - year most frequent drinking (D)

Question Text:

Universe: Respondents with AUDFWDY = (1, 2, 9)

Note: Based on AUDFWDY, AUD_02, AUD_10. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Regular drinker - year of most frequent drinking	1	5,414	19,980,450	63.0
Occasional drinker - year of most frequent drinking	2	409	1,272,684	4.0
Valid skip	6	3,880	9,939,689	31.4
Not stated	9	158	512,100	1.6
Total		9,861	31,704,923	100.0

Variable Name: AUDDLD **Length:** 1.0 **Position:** 301

Question Name:

Concept: Alcohol dependence - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on AUDDDA, AUDDDB. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	222	1,003,764	3.2
No	2	9,374	29,763,650	93.9
Not stated	9	265	937,509	3.0
Total		9,861	31,704,923	100.0

Variable Name: AUDDYD **Length:** 1.0 **Position:** 302

Totals may not add up due to rounding.

Question Name:

Concept: Alcohol dependence - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on AUD_25, AUDDLD. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	64	259,537	0.8
No	2	9,539	30,542,113	96.3
Not stated	9	258	903,273	2.8
Total		9,861	31,704,923	100.0

Variable Name: AUDDLA **Length:** 1.0 **Position:** 303

Question Name:

Concept: Alcohol abuse - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on AUDDAA, AUDDAB. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	968	4,106,096	13.0
No	2	8,682	26,857,312	84.7
Not stated	9	211	741,515	2.3
Total		9,861	31,704,923	100.0

Variable Name: AUDDYA **Length:** 1.0 **Position:** 304

Question Name:

Concept: Alcohol abuse - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on AUD_16, AUDDLA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	99	408,107	1.3
No	2	9,570	30,644,057	96.7
Not stated	9	192	652,760	2.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		9,861	31,704,923	100.0

Variable Name: AUDDL **Length:** 1.0 **Position:** 305

Question Name:

Concept: Alcohol abuse or dependence - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on AUDDDA, AUDDDB. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,190	5,109,859	16.1
No		2	8,382	25,585,207	80.7
Not stated		9	289	1,009,857	3.2
	Total		9,861	31,704,923	100.0

Variable Name: AUDDY **Length:** 1.0 **Position:** 306

Question Name:

Concept: Alcohol abuse or dependence - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on AUDDYD, AUDDYA. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	163	667,643	2.1
No		2	9,403	30,008,372	94.6
Not stated		9	295	1,028,908	3.2
	Total		9,861	31,704,923	100.0

Variable Name: AUDFINT **Length:** 1.0 **Position:** 307

Question Name:

Concept: Flag: Alcohol - Interference - 12 m - (F)

Question Text:

Universe: Respondents with AUDDYA = (1, 9) or AUDDYD = (1, 9)

Note: Based on AUD_35A, AUD_35B1, AUD_35B2, AUD_35C, AUD_35D, AUDDYD, AUDDYA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	55	244,327	0.8
No	2	96	368,993	1.2
Valid skip	6	9,403	30,008,372	94.6
Not stated	9	307	1,083,231	3.4
Total		9,861	31,704,923	100.0

Variable Name: AUDDINT **Length:** 4.1 **Position:** 308

Question Name:

Concept: Alcohol - Interference - Mean - 12 m - (D)

Question Text:

Universe: Respondents with AUDDYA = (1, 9) or AUDDYD = (1, 9)

Note: Based on AUD_35A, AUD_35B1, AUD_35B2, AUD_35C, AUD_35D, AUDDYD, AUDDYA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.0 - 10.0	149	602,580	1.9
Valid skip	99.6	9,403	30,008,372	94.6
Not stated	99.9	309	1,093,971	3.5
Total		9,861	31,704,923	100.0

Variable Name: SUD_87 **Length:** 1.0 **Position:** 312

Question Name: SUD_Q87

Concept: Drugs - Help received - Talked to a professional - life

Question Text: Now, think about all of the drugs you have used in your lifetime. Did you ever in your life talk to a medical doctor or other professional about your drug use [including cannabis/]? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

Universe: SUD_28 = (1, 2, 3, 4, 7, 8, 9) or SUD_45 = (1, 2, 3, 4, 7, 8, 9) or SUD_58 = (1, 2, 3, 4, 7, 8, 9) or SUD_75 = (1, 2, 3, 4, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	315	1,458,260	4.6
No	2	671	2,788,987	8.8
Valid skip	6	8,421	25,861,084	81.6

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Don't know		7	9	30,751	0.1
Not stated		9	445	1,565,841	4.9
	Total		9,861	31,704,923	100.0

Variable Name: SUDFLTU **Length:** 1.0 **Position:** 313

Question Name:

Concept: Sedative - used nonmedically - life - (F)

Question Text:

Universe: All respondents

Note: Based on SUD_01A, SUD_01C. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	302	1,229,895	3.9
No		2	9,516	30,331,432	95.7
Not stated		9	43	143,596	0.5
	Total		9,861	31,704,923	100.0

Variable Name: SUDFLSU **Length:** 1.0 **Position:** 314

Question Name:

Concept: Stimulant - used nonmedically - life - (F)

Question Text:

Universe: All respondents

Note: Based on SUD_02A, SUD_02C. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	354	1,483,830	4.7
No		2	9,463	30,070,006	94.8
Not stated		9	44	151,086	0.5
	Total		9,861	31,704,923	100.0

Variable Name: SUDFLAU **Length:** 1.0 **Position:** 315

Question Name:

Concept: Analgesics - nonmedical use - life - (F)

Question Text:

Totals may not add up due to rounding.

Universe: All respondents

Note: Based on SUD_03A, SUD_03C. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	432	1,692,561	5.3
No	2	9,381	29,855,018	94.2
Not stated	9	48	157,343	0.5
Total		9,861	31,704,923	100.0

Variable Name: SUDFLCA **Length:** 1.0 **Position:** 316

Question Name:

Concept: Cannabis - used (incl one time) - life - (F)

Question Text:

Universe: All respondents

Note: Based on SUD_04A. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,655	14,517,292	45.8
No	2	6,146	16,987,125	53.6
Not stated	9	60	200,507	0.6
Total		9,861	31,704,923	100.0

Variable Name: SUDFLCM **Length:** 1.0 **Position:** 317

Question Name:

Concept: Cannabis - used (excl one time) - life - (F)

Question Text:

Universe: All respondents

Note: Based on SUD_04A. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,937	12,050,582	38.0
No	2	6,864	19,453,834	61.4
Not stated	9	60	200,507	0.6
Total		9,861	31,704,923	100.0

Variable Name: SUDFYCM **Length:** 1.0 **Position:** 318

Totals may not add up due to rounding.

Question Name:

Concept: Cannabis - used (excl one time) - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on SUD_04A, SUD_04B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,579	6,533,500	20.6
No	2	8,217	24,961,822	78.7
Not stated	9	65	209,600	0.7
Total		9,861	31,704,923	100.0

Variable Name: SUDGLOTH **Length:** 1.0 **Position:** 319

Question Name:

Concept: Any other drug use - Lifetime (grouped)

Question Text:

Universe: All respondents

Note: Based on SUDFLCO, SUDFLEX, SUDFLHA, SUDFLHE, SUDFLGL, SUDFLAO

This variable indicates whether espondents have ever used the following drugs:
- cocaine in any form,
- club drugs, such as MDMA, ecstasy or ketamine,
- hallucinogens, such as LSD, mescaline, PCP, angel dust, mushrooms or peyote,
- heroin or opium,
- inhalants or solvents, such as nitrous oxide, glue, paint or gasoline,
- other illegal drugs.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Used any other illegal drugs	1	1,237	5,621,298	17.7
Has never used any of these drugs in their lifetime	2	8,536	25,779,213	81.3
Not stated	9	88	304,412	1.0
Total		9,861	31,704,923	100.0

Variable Name: SUDDLAI **Length:** 1.0 **Position:** 320

Question Name:

Concept: Any drug use (incl one time cann) - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDFLTU, SUDFLSU, SUDFLAU, SUDFLCA, SUDFLCO, SUDFLEX, SUDFLHA, SUDFLHE, SUDFLGL, SUDFLAO. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,970	15,569,089	49.1
No	2	5,813	15,893,409	50.1
Not stated	9	78	242,424	0.8
Total		9,861	31,704,923	100.0

Variable Name: SUDDLAE **Length:** 1.0 **Position:** 321

Question Name:

Concept: Any drug use (excl one time cann) - life (D)

Question Text:

Universe: All respondents

Note: Based on SUDFLTU, SUDFLSU, SUDFLAU, SUDFLCM, SUDFLCO, SUDFLEX, SUDFLHA, SUDFLHE, SUDFLGL, SUDFLAO. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,351	13,494,730	42.6
No	2	6,430	17,957,107	56.6
Not stated	9	80	253,086	0.8
Total		9,861	31,704,923	100.0

Variable Name: SUDDLID **Length:** 1.0 **Position:** 322

Question Name:

Concept: Any drug use (excl cann use) - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDFLTU, SUDFLSU, SUDFLAU, SUDFLCO, SUDFLEX, SUDFLHA, SUDFLHE, SUDFLGL, SUDFLAO. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,720	7,272,458	22.9
No	2	8,052	24,138,062	76.1
Not stated	9	89	294,402	0.9
Total		9,861	31,704,923	100.0

Variable Name: SUDDYAI **Length:** 1.0 **Position:** 323

Totals may not add up due to rounding.

Question Name:

Concept: Any drug use (incl one time cann) - 12 m (D)

Question Text:

Universe: All respondents

Note: Based on SUD_01D, SUD_02D, SUD_03D, SUD_04B, SUD_05B, SUD_06B, SUD_07B, SUD_08B, SUD_09B, SUD_10B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,921	7,697,859	24.3
No	2	7,701	23,262,053	73.4
Not stated	9	239	745,011	2.3
Total		9,861	31,704,923	100.0

Variable Name: SUDDYAE **Length:** 1.0 **Position:** 324

Question Name:

Concept: Any drug use (excl one time cann) - 12 m (D)

Question Text:

Universe: All respondents

Note: Based on SUD_01D, SUD_02D, SUD_03D, SUDFYCM, SUD_05B, SUD_06B, SUD_07B, SUD_08B, SUD_09B, SUD_10B. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,801	7,337,065	23.1
No	2	7,817	23,613,397	74.5
Not stated	9	243	754,462	2.4
Total		9,861	31,704,923	100.0

Variable Name: SUDDYID **Length:** 1.0 **Position:** 325

Question Name:

Concept: Any drug use (excl cann use) - 12 m (D)

Question Text:

Universe: All respondents

Note: Based on SUD_01D, SUD_02D, SUD_03D, SUD_05B, SUD_06B, SUD_07B, SUD_08B, SUD_09B, SUD_10B. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	505	2,059,837	6.5
No		2	9,079	28,701,679	90.5
Not stated		9	277	943,407	3.0
	Total		9,861	31,704,923	100.0

Variable Name: SUDDLCD **Length:** 1.0 **Position:** 326

Question Name:

Concept: Cannabis dependence - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDCDA, SUDDCDB. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	150	649,039	2.0
No		2	9,258	29,453,369	92.9
Not stated		9	453	1,602,514	5.1
	Total		9,861	31,704,923	100.0

Variable Name: SUDDYCD **Length:** 1.0 **Position:** 327

Question Name:

Concept: Cannabis dependence - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLCD, SUD_45. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	57	229,365	0.7
No		2	9,353	29,886,071	94.3
Not stated		9	451	1,589,486	5.0
	Total		9,861	31,704,923	100.0

Variable Name: SUDDLOD **Length:** 1.0 **Position:** 328

Question Name:

Concept: Drug dependence (excl cann) - Algorithm - life - (D)

Totals may not add up due to rounding.

Question Text:

Universe: All respondents

Note: Based on SUDDODA, SUDDODB. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	105	535,684	1.7
No		2	9,525	30,428,547	96.0
Not stated		9	231	740,692	2.3
	Total		9,861	31,704,923	100.0

Variable Name: SUDDYOD **Length:** 1.0 **Position:** 329

Question Name:

Concept: Drug dependence (excl cann) - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLOD, SUD_75. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	22	90,219	0.3
No		2	9,609	30,886,120	97.4
Not stated		9	230	728,583	2.3
	Total		9,861	31,704,923	100.0

Variable Name: SUDDLCA **Length:** 1.0 **Position:** 330

Question Name:

Concept: Cannabis abuse - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDCAA, SUDDCAB. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	328	1,407,077	4.4
No		2	9,282	29,467,458	92.9
Not stated		9	251	830,388	2.6
	Total		9,861	31,704,923	100.0

Variable Name: SUDDYCA **Length:** 1.0 **Position:** 331

Question Name:

Concept: Cannabis abuse - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLCA, SUD_28. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	62	205,628	0.6
No	2	9,554	30,716,572	96.9
Not stated	9	245	782,723	2.5
Total		9,861	31,704,923	100.0

Variable Name: SUDDLOA **Length:** 1.0 **Position:** 332

Question Name:

Concept: Drug abuse (excl cann) - Algorithm - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDOAA, SUDDOAB. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	137	578,688	1.8
No	2	9,490	30,377,001	95.8
Not stated	9	234	749,233	2.4
Total		9,861	31,704,923	100.0

Variable Name: SUDDYOA **Length:** 1.0 **Position:** 333

Question Name:

Concept: Drug abuse (excl cann) - Algorithm - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLOA, SUD_58. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	21	71,574	0.2
No	2	9,604	30,882,494	97.4
Not stated	9	236	750,854	2.4
Total		9,861	31,704,923	100.0

Variable Name: SUDDLC **Length:** 1.0 **Position:** 334

Question Name:

Concept: Cannabis abuse or dependence - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLCD, SUDDLCA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	478	2,056,116	6.5
No	2	8,923	28,003,179	88.3
Not stated	9	460	1,645,628	5.2
Total		9,861	31,704,923	100.0

Variable Name: SUDDYC **Length:** 1.0 **Position:** 335

Question Name:

Concept: Cannabis abuse or dependence - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDYCD, SUDDYCA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	119	434,994	1.4
No	2	9,274	29,606,865	93.4
Not stated	9	468	1,663,065	5.2
Total		9,861	31,704,923	100.0

Variable Name: SUDDLO **Length:** 1.0 **Position:** 336

Question Name:

Totals may not add up due to rounding.

Concept: Drug abuse or dependence (excl cann) - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLOD, SUDDLOA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	242	1,114,372	3.5
No	2	9,381	29,810,069	94.0
Not stated	9	238	780,481	2.5
Total		9,861	31,704,923	100.0

Variable Name: SUDDYO **Length:** 1.0 **Position:** 337

Question Name:

Concept: Drug abuse or dependence (excl cann) - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDYOD, SUDDYOA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	43	161,794	0.5
No	2	9,579	30,773,135	97.1
Not stated	9	239	769,994	2.4
Total		9,861	31,704,923	100.0

Variable Name: SUDDL **Length:** 1.0 **Position:** 338

Question Name:

Concept: Drug abuse or dependence (including cann) - life - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDLO, SUDDLC. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	596	2,555,186	8.1
No	2	8,806	27,507,080	86.8
Not stated	9	459	1,642,657	5.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SUDDY **Length:** 1.0 **Position:** 339

Question Name:

Concept: Drug abuse or dependence (including cann) - 12 m - (D)

Question Text:

Universe: All respondents

Note: Based on SUDDYO, SUDDYC. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	151	563,753	1.8
No	2	9,230	29,431,348	92.8
Not stated	9	480	1,709,822	5.4
Total		9,861	31,704,923	100.0

Variable Name: SUDFINT **Length:** 1.0 **Position:** 340

Question Name:

Concept: Substance use - Interference - 12 m - (F)

Question Text:

Universe: Respondents with SUDDYCD = (1, 9) or SUDDYCA = (1, 9) or SUDDYOD = (1, 9) or SUDDYOA = (1, 9)

Note: Based on SUD_81A, SUD_81B1, SUD_81B2, SUD_81C, SUD_81D, SUDDYCD, SUDDYCA, SUDDYOD, SUDDYOA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	62	228,957	0.7
No	2	84	320,283	1.0
Valid skip	6	9,230	29,431,348	92.8
Not stated	9	485	1,724,334	5.4
Total		9,861	31,704,923	100.0

Variable Name: SUDDINT **Length:** 4.1 **Position:** 341

Question Name:

Concept: Substance use - Interference - Mean - 12 m (D)

Question Text:

Universe: Respondents with SUDDYCD = (1, 9) or SUDDYCA = (1, 9) or SUDDYOD = (1, 9) or SUDDYOA = (1, 9)

Note: Based on SUD_81A, SUD_81B1, SUD_81B2, SUD_81C, SUD_81D, SUDDYCD, SUDDYCA, SUDDYOD, SUDDYOA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Interference degree	00.0 - 10.0	141	531,531	1.7
Valid skip	99.6	9,230	29,431,348	92.8
Not stated	99.9	490	1,742,044	5.5
Total		9,861	31,704,923	100.0

Variable Name: MHPFL **Length:** 1.0 **Position:** 345

Question Name:

Concept: Any selected disorder (mental or substance) - life (F)

Question Text:

Universe: All respondents

Note: Based on DEPDDPS, BIPD1, BIPD2, HYPDL, GADDGDS, AUDDLD, AUDDLA, SUDDLCD, SUDDLCA, SUDDLOD, SUDDLOA, SOPD02. See document on derived variables.

This variable is not comparable the 2002 and 2012 versions of this variable as the instrument measures have changed.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,252	12,047,621	38.0
No	2	5,673	16,733,741	52.8
Not stated	9	936	2,923,560	9.2
Total		9,861	31,704,923	100.0

Variable Name: MHPFLM **Length:** 1.0 **Position:** 346

Question Name:

Concept: Any mood disorder - life - (F)

Question Text:

Universe: All respondents

Note: Based on DEPDDPS, BIPD1, BIPD2, HYPDL. See document on derived variables.

This variable is not comparable to the 2002 CCHS - Mental Health and Well-Being variable MHPBFLM as Mania has been updated to Bipolar Disorder (Bipolar I, Bipolar II and Hypomania) in accordance with WHO-CIDI modifications.

Source:

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,312	4,748,581	15.0
No		2	8,152	25,747,575	81.2
Not stated		9	397	1,208,766	3.8
	Total		9,861	31,704,923	100.0

Variable Name: MHPFLA **Length:** 1.0 **Position:** 347

Question Name:

Concept: Any anxiety disorder - life - (F)

Question Text:

Universe: All respondents

Note: Based on GADDGDS, SOPD02. See document of derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,831	6,783,776	21.4
No		2	7,528	23,329,724	73.6
Not stated		9	502	1,591,423	5.0
	Total		9,861	31,704,923	100.0

Variable Name: MHPFLSA **Length:** 1.0 **Position:** 348

Question Name:

Concept: Any substance use disorder (alcohol/drug) - life - (F)

Question Text:

Universe: All respondents

Note: Based on AUDDLD, AUDDLA, SUDDLCD, SUDDLCA, SUDDLOD, SUDDLOA. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,464	6,119,199	19.3
No		2	7,801	23,504,927	74.1
Not stated		9	596	2,080,797	6.6
	Total		9,861	31,704,923	100.0

Variable Name: MHPFY **Length:** 1.0 **Position:** 349

Totals may not add up due to rounding.

Question Name:

Concept: Any selected disorder (mental/substance) - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on DEPDDY, BIPD1Y, BIPD2Y, HYPDEY, GADDDY, AUDDYD, AUDDYA, SUDDYCD, SUDDYCA, SUDDYOD, SUDDYOA, SOPDPY. See document on derived variables.

This variable is not comparable to the 2002 and 2012 versions of the variable as the instrument measures have changed.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,433	5,093,844	16.1
No	2	7,236	22,729,322	71.7
Not stated	9	1,192	3,881,757	12.2
Total		9,861	31,704,923	100.0

Variable Name: MHPFYM **Length:** 1.0 **Position:** 350

Question Name:

Concept: Any mood disorder - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on DEPDDY, BIPD1Y, BIPD2Y, HYPDEY. See document on derived variables.

This variable is not comparable to the 2002 CCHS - Mental Health and Well-Being variable MHPBFYM as Mania has been
updated to Bipolar Disorder (Bipolar I, Bipolar II and Hypomania) in accordance with WHO-CIDI modifications.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	739	2,582,181	8.1
No	2	8,711	27,908,795	88.0
Not stated	9	411	1,213,946	3.8
Total		9,861	31,704,923	100.0

Variable Name: MHPFYA **Length:** 1.0 **Position:** 351

Question Name:

Concept: Any anxiety disorder - 12 m - (F)

Question Text:

Totals may not add up due to rounding.

Universe: All respondents

Note: Based on GADDDY, SOPDPY. See document of derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	852	3,069,616	9.7
No	2	8,493	26,996,534	85.1
Not stated	9	516	1,638,773	5.2
Total		9,861	31,704,923	100.0

Variable Name: MHPFYSA **Length:** 1.0 **Position:** 352

Question Name:

Concept: Any substance use disorder (alcohol/drug) - 12 m - (F)

Question Text:

Universe: All respondents

Note: Based on AUDDYD, AUDDYA, SUDDYCD, SUDDYCA, SUDDYOD, SUDDYOA. See document on derived variables.

This variable is not comparable to the 2002 CCHS - Mental Health and Well-Being variable MHPBFYSA as the instruments to assess alcohol and substance abuse have changed.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	285	1,112,785	3.5
No	2	8,881	28,110,285	88.7
Not stated	9	695	2,481,853	7.8
Total		9,861	31,704,923	100.0

Variable Name: MHPFINT **Length:** 1.0 **Position:** 353

Question Name:

Concept: Any selected disorder (mental/subst) - Interfere -12 m (F)

Question Text:

Universe: Respondents with DEPFINT = (1, 2, 9) or GADFINT = (1, 2, 9) or BIPFINT1 = (1, 2, 9) or BIPFINT2 = (1, 2, 9) or AUDFINT = (1, 2, 9) or SUDFINT = (1, 2, 9)

Note: Based on DEPFINT, BIPFINT1, BIPFINT2, HYPFINT, GADFINT, AUDFINT, SUDFINT, SOPFINT. See document on derived variables.

This variable is not comparable to the 2002 and 2012 versions of the variable as the instrument measures have changed.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	1,193	4,142,747	13.1
No		2	145	586,194	1.8
Valid skip		6	7,236	22,729,322	71.7
Not stated		9	1,287	4,246,660	13.4
	Total		9,861	31,704,923	100.0

Variable Name: DASG01 **Length:** 1.0 **Position:** 354

Question Name:

Concept: Difficulty - standing for long periods - 30 d (grouped)

Question Text:

Universe: All respondents

Note: Based on DAS_01

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
None		1	8,099	25,862,297	81.6
Mild		2	789	2,491,802	7.9
Moderate		3	541	1,747,491	5.5
Severe/Extreme/Cannot do		4	360	1,369,586	4.3
Not stated		9	72	233,747	0.7
	Total		9,861	31,704,923	100.0

Variable Name: DASG02 **Length:** 1.0 **Position:** 355

Question Name:

Concept: Difficulty - household responsibilities - 30 d (grouped)

Question Text:

Universe: All respondents

Note: Based on DAS_02

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
None		1	7,926	25,131,768	79.3
Mild		2	1,042	3,439,848	10.8
Moderate		3	600	2,032,973	6.4
Severe/Extreme/Cannot do		4	197	796,764	2.5
Not stated		9	96	303,570	1.0
	Total		9,861	31,704,923	100.0

Variable Name: DAS_04 **Length:** 2.0 **Position:** 356

Totals may not add up due to rounding.

Question Name: DAS_Q04

Concept: Difficulty - joining in community activities - 30 d

Question Text: In the last 30 days, how much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	01	7,597	24,259,276	76.5
Mild	02	561	1,676,481	5.3
Moderate	03	338	1,057,957	3.3
Severe	04	98	422,931	1.3
Extreme/Cannot do	05	83	289,294	0.9
Not applicable	06	1,056	3,580,640	11.3
Don't know	97	55	180,830	0.6
Refusal	98	1	3,769	0.0
Not stated	99	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_05 **Length:** 1.0 **Position:** 358

Question Name: DAS_Q05

Concept: Emotionally affected by health problems - 30 d

Question Text: In the last 30 days, how much have you been emotionally affected by your health problems?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	7,010	22,139,589	69.8
Mild	2	1,645	5,299,100	16.7
Moderate	3	838	2,871,637	9.1
Severe	4	179	751,719	2.4
Extreme	5	70	281,269	0.9
Don't know	7	44	120,278	0.4
Refusal	8	3	7,585	0.0
Not stated	9	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_06 **Length:** 1.0 **Position:** 359

Question Name: DAS_Q06

Concept: Difficulty - concentrating - 30 d

Question Text: In the last 30 days, how much difficulty did you have in:

... concentrating on doing something for 10 minutes?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	7,992	25,537,792	80.5
Mild	2	1,081	3,597,596	11.3
Moderate	3	525	1,668,785	5.3
Severe	4	123	451,847	1.4
Extreme/Cannot do	5	32	105,712	0.3
Don't know	7	35	105,676	0.3
Refusal	8	1	3,769	0.0
Not stated	9	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_07 **Length:** 1.0 **Position:** 360

Question Name: DAS_Q07

Concept: Difficulty - walking long distance - 30 d

Question Text: (In the last 30 days, how much difficulty did you have in:)

... walking a long distance such as a kilometre (or 0.6 miles)?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	7,865	25,096,177	79.2
Mild	2	661	2,094,918	6.6
Moderate	3	508	1,608,789	5.1
Severe	4	223	833,295	2.6
Extreme/Cannot do	5	417	1,492,114	4.7
Don't know	7	114	345,515	1.1
Refusal	8	1	368	0.0
Not stated	9	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_10 **Length:** 1.0 **Position:** 361

Question Name: DAS_Q10

Concept: Difficulty - dealing with people you do not know - 30 d

Totals may not add up due to rounding.

Question Text: In the last 30 days, how much difficulty did you have in:

... dealing with people you do not know?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	8,401	27,052,230	85.3
Mild	2	913	2,830,405	8.9
Moderate	3	314	1,014,394	3.2
Severe	4	62	257,722	0.8
Extreme/Cannot do	5	23	95,363	0.3
Don't know	7	71	206,718	0.7
Refusal	8	5	14,344	0.0
Not stated	9	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_11 **Length:** 1.0 **Position:** 362

Question Name: DAS_Q11

Concept: Difficulty - maintaining a friendship - 30 d

Question Text: (In the last 30 days, how much difficulty did you have in:)

... maintaining a friendship?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	8,732	28,167,807	88.8
Mild	2	647	1,941,836	6.1
Moderate	3	285	868,759	2.7
Severe	4	54	236,013	0.7
Extreme/Cannot do	5	18	67,438	0.2
Don't know	7	48	160,870	0.5
Refusal	8	5	28,454	0.1
Not stated	9	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_12 **Length:** 2.0 **Position:** 363

Question Name: DAS_Q12

Concept: Difficulty - day to day work/school - 30 d

Question Text: (In the last 30 days, how much difficulty did you have in:)

Totals may not add up due to rounding.

... your day-to-day work or school activities?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	01	6,582	21,220,095	66.9
Mild	02	1,022	3,247,448	10.2
Moderate	03	483	1,481,959	4.7
Severe	04	117	402,814	1.3
Extreme/Cannot do	05	51	163,279	0.5
Not applicable	06	1,461	4,710,801	14.9
Don't know	97	71	236,901	0.7
Refusal	98	2	7,879	0.0
Not stated	99	72	233,747	0.7
Total		9,861	31,704,923	100.0

Variable Name: DAS_13 **Length:** 1.0 **Position:** 365

Question Name: DAS_Q13

Concept: Interference - difficulties - 30 days

Question Text: In the last 30 days, overall, how much did these difficulties interfere with your life?

Universe: Respondents who answered ((2<=DAS_01<=5) or DAS_01 = (7, 8, 9)) or ((2<=DAS_02<=5) or DAS_02 = (7, 8, 9)) or ((2<=DAS_03<=5) or DAS_03 = (7, 8, 9)) or ((2<=DAS_04<=5) or DAS_04 = (97, 98, 99)) or ((2<=DAS_05<=5) or DAS_05 = (7, 8)) or ((2<=DAS_06<=5) or DAS_06 = (7, 8, 9)) or ((2<=DAS_07<=5) or DAS_07 = (7, 8, 9)) or ((2<=DAS_08<=5) or DAS_08 = (7, 8, 9)) or ((2<=DAS_09<=5) or DAS_09 = (7, 8, 9)) or ((2<=DAS_10<=5) or DAS_10 = (7, 8, 9)) or ((2<=DAS_11<=5) or DAS_11 = (7, 8, 9)) or ((2<=DAS_12<=5) or DAS_12 = (97, 98, 99))

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
None	1	2,395	7,507,087	23.7
Mild	2	1,583	5,113,189	16.1
Moderate	3	720	2,374,442	7.5
Severe	4	173	652,162	2.1
Extreme	5	72	290,674	0.9
Valid skip	6	4,637	14,920,567	47.1
Don't know	7	55	156,766	0.5
Refusal	8	2	6,210	0.0
Not stated	9	224	683,827	2.2
Total		9,861	31,704,923	100.0

Variable Name: DASGSCR **Length:** 2.0 **Position:** 366

Question Name:

Totals may not add up due to rounding.

Concept: WHO Disability Assessment Schedule 2.0 (grouped)

Question Text:

Universe: All respondents

Note: Based on DAS_01, DAS_02, DAS_03, DAS_04, DAS_05, DAS_06, DAS_07, DAS_08, DAS_09, DAS_10, DAS_11, DAS_12. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
WHO Disability Assessment Schedule 2.0	00 - 40	9,338	29,964,166	94.5
Not stated	99	523	1,740,757	5.5
Total		9,861	31,704,923	100.0

Variable Name: SR1_001 **Length:** 1.0 **Position:** 368

Question Name: SR1_Q001

Concept: Hospitalized for mental health/alcohol/drug - 12 m

Question Text: During the past 12 months, were you hospitalized overnight or longer for problems with your emotions, mental health or use of alcohol or drugs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	51	164,317	0.5
No	2	9,765	31,382,099	99.0
Don’t know	7	29	106,561	0.3
Refusal	8	16	51,946	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004A **Length:** 1.0 **Position:** 369

Question Name: SR1_Q004

Concept: Consulted for mental health/alc/drugs - psychiatrist - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Psychiatrist

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	275	1,035,628	3.3
No		2	9,516	30,445,307	96.0
Don't know		7	48	157,419	0.5
Refusal		8	22	66,568	0.2
	Total		9,861	31,704,923	100.0

Variable Name: SR1_004B **Length:** 1.0 **Position:** 370

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Family doctor or general practitioner

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	832	3,168,835	10.0
No		2	8,959	28,312,101	89.3
Don't know		7	48	157,419	0.5
Refusal		8	22	66,568	0.2
	Total		9,861	31,704,923	100.0

Variable Name: SR1_004C **Length:** 1.0 **Position:** 371

Question Name: SR1_Q004

Concept: Consulted for mental health/alc/drugs - psychologist - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Psychologist

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	328	1,175,935	3.7
No		2	9,463	30,305,001	95.6
Don't know		7	48	157,419	0.5
Refusal		8	22	66,568	0.2
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_004D **Length:** 1.0 **Position:** 372

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - nurse - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Nurse

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	127	488,789	1.5
No	2	9,664	30,992,147	97.8
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004E **Length:** 1.0 **Position:** 373

Question Name: SR1_Q004

Concept: Consulted social worker or counsellor - 12 months

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Social worker, counsellor, or psychotherapist

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	530	1,925,360	6.1
No	2	9,261	29,555,576	93.2
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004F **Length:** 1.0 **Position:** 374

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - family member - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or

use of alcohol or drugs? - Family member

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,328	4,738,376	14.9
No	2	8,463	26,742,560	84.3
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004G **Length:** 1.0 **Position:** 375

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - friend - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Friend

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,503	5,084,833	16.0
No	2	8,288	26,396,103	83.3
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004H **Length:** 1.0 **Position:** 376

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Co-worker, supervisor, or boss

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	378	1,504,980	4.7
No	2	9,413	29,975,956	94.5
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004I **Length:** 1.0 **Position:** 377

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - other - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - Other - Specify

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	110	416,506	1.3
No	2	9,681	31,064,430	98.0
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_004J **Length:** 1.0 **Position:** 378

Question Name: SR1_Q004

Concept: Consulted for ment hlth/alc/drugs - none - 12 m

Question Text: During the past 12 months, have you seen or talked on the telephone or over the Internet to any of the following people about problems with your emotions, mental health or use of alcohol or drugs? - None

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7,382	23,090,703	72.8
No	2	2,409	8,390,233	26.5
Don't know	7	48	157,419	0.5
Refusal	8	22	66,568	0.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_10AA **Length:** 1.0 **Position:** 379

Question Name:

Concept: Talked with psychiatrist - in person

Question Text: How did you talk with a psychiatrist? Was it...? - In person

Universe: SR1_004A = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	118	509,305	1.6
No	2	157	526,323	1.7
Valid skip	6	9,516	30,445,307	96.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_10AB **Length:** 1.0 **Position:** 380

Question Name:

Concept: Talked with psychiatrist - over the phone

Question Text: How did you talk with a psychiatrist? Was it...? - Over the telephone (voice only)

Universe: SR1_004A = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	137	504,954	1.6
No	2	138	530,674	1.7
Valid skip	6	9,516	30,445,307	96.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_10AC **Length:** 1.0 **Position:** 381

Question Name:

Concept: Talked with psychiatrist - using video

Question Text: How did you talk with a psychiatrist? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004A = RESPONSE

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	84	262,043	0.8
No	2	191	773,585	2.4
Valid skip	6	9,516	30,445,307	96.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_10AD **Length:** 1.0 **Position:** 382

Question Name:

Concept: Talked with psychiatrist - text message

Question Text: How did you talk with a psychiatrist? Was it...? - Text message or written chat

Universe: SR1_004A = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7	20,401	0.1
No	2	268	1,015,228	3.2
Valid skip	6	9,516	30,445,307	96.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G010 **Length:** 1.0 **Position:** 383

Question Name:

Concept: Number of times consulted psychiatrist - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004A = (1, 7, 8, 9)

Note: Based on SR1_010B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	215	843,012	2.7
11 to 25 times	2	44	141,691	0.4
26 times or more	3	12	42,668	0.1
Valid skip	6	9,516	30,445,307	96.0
Not stated	9	74	232,244	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_012 **Length:** 1.0 **Position:** 384

Question Name: SR1_Q012

Concept: Perceived level of help received - psychiatrist

Question Text: In general, how much would you say the psychiatrist helped you (for your problems with your emotions, mental health, or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	123	445,996	1.4
Some	2	79	299,763	0.9
A little	3	40	150,507	0.5
Not at all	4	31	133,266	0.4
Valid skip	6	9,516	30,445,307	96.0
Don't know	7	2	6,096	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_013 **Length:** 1.0 **Position:** 385

Question Name: SR1_Q013

Concept: Stopped seeing this professional - psychiatrist

Question Text: Have you stopped talking to the psychiatrist?

Universe: Respondents who answered SR1_004A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	106	414,357	1.3
No	2	168	609,399	1.9
Valid skip	6	9,516	30,445,307	96.0
Don't know	7	1	11,873	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014A **Length:** 1.0 **Position:** 386

Question Name: SR1_Q014

Concept: Reason stopped - psychia - felt better

Question Text: Why did you stop? - You felt better

Universe: SR1_013 = 1

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	172,214	0.5
No	2	61	242,142	0.8
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014B **Length:** 1.0 **Position:** 387

Question Name: SR1_Q014

Concept: Reason stopped - psychia - completed recommended treatment

Question Text: Why did you stop? - You completed the recommended treatment

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	37	152,140	0.5
No	2	69	262,217	0.8
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014C **Length:** 1.0 **Position:** 388

Question Name: SR1_Q014

Concept: Reason stopped - psychia - thought it was not helping

Question Text: Why did you stop? - You thought it was not helping

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	16	69,174	0.2
No	2	90	345,183	1.1
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014D **Length:** 1.0 **Position:** 389

Question Name: SR1_Q014

Concept: Reason stopped - psychia - problem get better without help

Question Text: Why did you stop? - You thought the problem would get better without more professional help

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	13	44,486	0.1
No	2	93	369,871	1.2
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014E **Length:** 1.0 **Position:** 390

Question Name: SR1_Q014

Concept: Reason stopped - psychia - couldn't afford to pay

Question Text: Why did you stop? - You couldn't afford to pay

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	23	115,652	0.4
No	2	83	298,704	0.9
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014G **Length:** 1.0 **Position:** 391

Question Name: SR1_Q014

Concept: Reason stopped - psychia - solve the problem without help

Question Text: Why did you stop? - You wanted to solve the problem without professional help

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	16	63,433	0.2
No	2	90	350,924	1.1
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014H **Length:** 1.0 **Position:** 392

Question Name: SR1_Q014

Concept: Reason stopped - psychia - prob like transport/ childcare

Question Text: Why did you stop? - You had problems with things like transportation, childcare or your schedule

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	8	37,670	0.1
No	2	98	376,687	1.2
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014I **Length:** 1.0 **Position:** 393

Question Name: SR1_Q014

Concept: Reason stopped - psychia - service/prog no longer available

Question Text: Why did you stop? - The service or program was no longer available

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	9	42,266	0.1
No	2	97	372,091	1.2
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014J **Length:** 1.0 **Position:** 394

Question Name: SR1_Q014

Concept: Reason stopped - psychia - not comfortable w prof approach

Question Text: Why did you stop? - You were not comfortable with the professional's approach

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	16	77,730	0.2
No	2	90	336,627	1.1
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_014L **Length:** 1.0 **Position:** 395

Question Name: SR1_Q014

Concept: Reason stopped - psychia - other reason

Question Text: Why did you stop? - Other - Specify

Universe: Respondents who answered SR1_013 = (1, 7, 8, 9) or SR1_004A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	36,445	0.1
No	2	94	377,911	1.2
Valid skip	6	9,684	31,054,707	97.9
Not stated	9	71	235,860	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_20AA **Length:** 1.0 **Position:** 396

Question Name: SR1_Q020A

Concept: Talked with family doctor - in person

Question Text: How did you talk with a family doctor? Was it...? - In person

Universe: SR1_004B = RESPONSE

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	496	1,864,058	5.9
No	2	330	1,292,292	4.1
Valid skip	6	8,959	28,312,101	89.3
Don't know	7	5	11,056	0.0
Refusal	8	1	1,429	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_20AB **Length:** 1.0 **Position:** 397

Question Name: SR1_Q020A

Concept: Talked with family doctor - over the phone

Question Text: How did you talk with a family doctor? Was it...? - Over the telephone (voice only)

Universe: SR1_004B = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	448	1,692,194	5.3
No	2	378	1,464,156	4.6
Valid skip	6	8,959	28,312,101	89.3
Don't know	7	5	11,056	0.0
Refusal	8	1	1,429	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_20AC **Length:** 1.0 **Position:** 398

Question Name: SR1_Q020A

Concept: Talked with family doctor - using video

Question Text: How did you talk with a family doctor? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004B = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	46	162,761	0.5
No	2	780	2,993,589	9.4
Valid skip	6	8,959	28,312,101	89.3
Don't know	7	5	11,056	0.0
Refusal	8	1	1,429	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	70	223,987	0.7
	Total		9,861	31,704,923	100.0

Variable Name: SR1_20AD **Length:** 1.0 **Position:** 399

Question Name: SR1_Q020A

Concept: Talked with family doctor - text message

Question Text: How did you talk with a family doctor? Was it...? - Text message or written chat

Universe: SR1_004B = RESPONSE

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	16	59,132	0.2
No		2	810	3,097,217	9.8
Valid skip		6	8,959	28,312,101	89.3
Don’t know		7	5	11,056	0.0
Refusal		8	1	1,429	0.0
Not stated		9	70	223,987	0.7
	Total		9,861	31,704,923	100.0

Variable Name: SR1G020 **Length:** 1.0 **Position:** 400

Question Name:

Concept: Number of times consulted family doctor - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004B = (1, 7, 8, 9)

Note: Based on SR1_020B

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
1 to 10 times		1	761	2,920,306	9.2
11 to 20 times		2	42	146,613	0.5
21 times or more		3	8	27,266	0.1
Valid skip		6	8,959	28,312,101	89.3
Not stated		9	91	298,637	0.9
	Total		9,861	31,704,923	100.0

Variable Name: SR1_022 **Length:** 1.0 **Position:** 401

Question Name: SR1_Q022

Totals may not add up due to rounding.

Concept: Perceived level of help received from prof. - family doctor

Question Text: In general, how much would you say this family doctor or general practitioner helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004B = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	329	1,326,322	4.2
Some	2	264	959,195	3.0
A little	3	147	510,691	1.6
Not at all	4	83	345,330	1.1
Valid skip	6	8,959	28,312,101	89.3
Don't know	7	8	25,868	0.1
Refusal	8	1	1,429	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_023 **Length:** 1.0 **Position:** 402

Question Name: SR1_Q023

Concept: Stopped seeing prof. - family doctor

Question Text: Have you stopped talking to this family doctor or general practitioner about your problems with your emotions, mental health or use of alcohol or drugs?

Universe: Respondents who answered SR1_004B = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	246	943,909	3.0
No	2	569	2,171,619	6.8
Valid skip	6	8,959	28,312,101	89.3
Don't know	7	15	46,910	0.1
Refusal	8	2	6,397	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_024A **Length:** 1.0 **Position:** 403

Question Name: SR1_Q024

Concept: Reason stopped - dr - felt better

Question Text: Why did you stop? - You felt better

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	107	420,680	1.3
No	2	134	512,183	1.6
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024B **Length:** 1.0 **Position:** 404

Question Name: SR1_Q024

Concept: Reason stopped - dr - completed the recommended treatment

Question Text: Why did you stop? - You completed the recommended treatment

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	45	166,309	0.5
No	2	196	766,555	2.4
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024C **Length:** 1.0 **Position:** 405

Question Name: SR1_Q024

Concept: Reason stopped - dr - thought it was not helping

Question Text: Why did you stop? - You thought it was not helping

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	55	236,005	0.7
No	2	186	696,858	2.2
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	87	277,294	0.9
	Total		9,861	31,704,923	100.0

Variable Name: SR1_024D **Length:** 1.0 **Position:** 406

Question Name: SR1_Q024

Concept: Reason stopped - dr - problem would get better without help

Question Text: Why did you stop? - You thought the problem would get better without more professional help

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	30	83,950	0.3
No		2	211	848,913	2.7
Valid skip		6	9,528	30,483,720	96.1
Don't know		7	3	7,175	0.0
Refusal		8	2	3,871	0.0
Not stated		9	87	277,294	0.9
	Total		9,861	31,704,923	100.0

Variable Name: SR1_024E **Length:** 1.0 **Position:** 407

Question Name: SR1_Q024

Concept: Reason stopped - dr - couldn't afford to pay

Question Text: Why did you stop? - You couldn't afford to pay

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	9	45,918	0.1
No		2	232	886,945	2.8
Valid skip		6	9,528	30,483,720	96.1
Don't know		7	3	7,175	0.0
Refusal		8	2	3,871	0.0
Not stated		9	87	277,294	0.9
	Total		9,861	31,704,923	100.0

Variable Name: SR1_024F **Length:** 1.0 **Position:** 408

Question Name: SR1_Q024

Concept: Reason stopped - dr - too embarrassed to see professional

Question Text: Why did you stop? - You were too embarrassed to see the professional

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3	14,423	0.0
No	2	238	918,440	2.9
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024G **Length:** 1.0 **Position:** 409

Question Name: SR1_Q024

Concept: Reason stopped - dr - solve the problem without help

Question Text: Why did you stop? - You wanted to solve the problem without professional help

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	27	90,381	0.3
No	2	214	842,482	2.7
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024H **Length:** 1.0 **Position:** 410

Question Name: SR1_Q024

Concept: Reason stopped - dr - probs like transportation/ childcare

Question Text: Why did you stop? - You had problems with things like transportation, childcare or your schedule

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	46,672	0.1
No	2	229	886,191	2.8
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024I **Length:** 1.0 **Position:** 411

Question Name: SR1_Q024

Concept: Reason stopped - dr - service / program no longer available

Question Text: Why did you stop? - The service or program was no longer available

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	60,663	0.2
No	2	226	872,200	2.8
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024J **Length:** 1.0 **Position:** 412

Question Name: SR1_Q024

Concept: Reason stopped - dr - not comfortable with prof. approach

Question Text: Why did you stop? - You were not comfortable with the professional's approach

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	36	177,678	0.6
No	2	205	755,185	2.4
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_024K **Length:** 1.0 **Position:** 413

Question Name: SR1_Q024

Concept: Reason stopped - dr - discrimination or unfair treatment

Question Text: Why did you stop? - Because of discrimination or unfair treatment

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	6	41,041	0.1
No	2	235	891,822	2.8
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_024L **Length:** 1.0 **Position:** 414

Question Name: SR1_Q024

Concept: Reason stopped - dr - other reason

Question Text: Why did you stop? - Other - Specify

Universe: Respondents who answered SR1_023 = (1, 7, 8, 9) or SR1_004B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	37	136,522	0.4
No	2	204	796,341	2.5
Valid skip	6	9,528	30,483,720	96.1
Don't know	7	3	7,175	0.0
Refusal	8	2	3,871	0.0
Not stated	9	87	277,294	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_30AA **Length:** 1.0 **Position:** 415

Question Name: SR1_Q030A

Concept: Talked with psychologist - in person

Question Text: How did you talk with a psychologist? Was it...? - In person

Totals may not add up due to rounding.

Universe: SR1_004C = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	128	478,346	1.5
No	2	196	676,841	2.1
Valid skip	6	9,463	30,305,001	95.6
Don't know	7	4	20,748	0.1
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_30AB **Length:** 1.0 **Position:** 416

Question Name: SR1_Q030A

Concept: Talked with psychologist - over the phone

Question Text: How did you talk with a psychologist? Was it...? - Over the telephone (voice only)

Universe: SR1_004C = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	88	314,084	1.0
No	2	236	841,103	2.7
Valid skip	6	9,463	30,305,001	95.6
Don't know	7	4	20,748	0.1
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_30AC **Length:** 1.0 **Position:** 417

Question Name: SR1_Q030A

Concept: Talked with psychologist - using video

Question Text: How did you talk with a psychologist? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004C = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	157	529,807	1.7
No	2	167	625,380	2.0
Valid skip	6	9,463	30,305,001	95.6
Don't know	7	4	20,748	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	70	223,987	0.7
	Total		9,861	31,704,923	100.0

Variable Name: SR1_30AD **Length:** 1.0 **Position:** 418

Question Name: SR1_Q030A

Concept: Talked with psychologist - text message

Question Text: How did you talk with a psychologist? Was it...? - Text message or written chat

Universe: SR1_004C = RESPONSE

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	11	35,824	0.1
No		2	313	1,119,363	3.5
Valid skip		6	9,463	30,305,001	95.6
Don’t know		7	4	20,748	0.1
Not stated		9	70	223,987	0.7
	Total		9,861	31,704,923	100.0

Variable Name: SR1G030 **Length:** 1.0 **Position:** 419

Question Name:

Concept: Number of times consulted psychologist - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004C = (1, 7, 8, 9)

Note: Based on SR1_030B

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
1 to 10 times		1	224	819,081	2.6
11 to 25 times		2	71	251,327	0.8
26 times or more		3	24	79,110	0.2
Valid skip		6	9,463	30,305,001	95.6
Not stated		9	79	250,405	0.8
	Total		9,861	31,704,923	100.0

Variable Name: SR1_032 **Length:** 1.0 **Position:** 420

Question Name: SR1_Q032

Totals may not add up due to rounding.

Concept: Perceived level of help received - psychologist

Question Text: In general, how much would you say this psychologist helped you (for your problems with your emotions, mental health, or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004C = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	174	628,294	2.0
Some	2	86	290,597	0.9
A little	3	47	176,637	0.6
Not at all	4	17	59,659	0.2
Valid skip	6	9,463	30,305,001	95.6
Don't know	7	4	20,748	0.1
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_033 **Length:** 1.0 **Position:** 421

Question Name: SR1_Q033

Concept: Stopped seeing this professional - psychologist

Question Text: Have you stopped talking to this psychologist?

Universe: Respondents who answered SR1_004C = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	159	560,794	1.8
No	2	162	588,495	1.9
Valid skip	6	9,463	30,305,001	95.6
Don't know	7	7	26,646	0.1
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_034A **Length:** 1.0 **Position:** 422

Question Name: SR1_Q034

Concept: Reason stopped - psychol - felt better

Question Text: Why did you stop? - You felt better

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	76	276,279	0.9
No	2	82	280,825	0.9
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034B **Length:** 1.0 **Position:** 423

Question Name: SR1_Q034

Concept: Reason stopped - psychol - completed recommended treatment

Question Text: Why did you stop? - You completed the recommended treatment

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	37	135,520	0.4
No	2	121	421,585	1.3
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034C **Length:** 1.0 **Position:** 424

Question Name: SR1_Q034

Concept: Reason stopped - psychol - thought it was not helping

Question Text: Why did you stop? - You thought it was not helping

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	31	112,874	0.4
No	2	127	444,231	1.4
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034D **Length:** 1.0 **Position:** 425

Totals may not add up due to rounding.

Question Name: SR1_Q034

Concept: Reason stopped - psychol - problem would get better

Question Text: Why did you stop? - You thought the problem would get better without more professional help

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	18	50,358	0.2
No	2	140	506,746	1.6
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034E **Length:** 1.0 **Position:** 426

Question Name: SR1_Q034

Concept: Reason stopped - psychol - couldn't afford to pay

Question Text: Why did you stop? - You couldn't afford to pay

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	28	84,245	0.3
No	2	130	472,859	1.5
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034F **Length:** 1.0 **Position:** 427

Question Name: SR1_Q034

Concept: Reason stopped - psychol - embarrassed to see professional

Question Text: Why did you stop? - You were too embarrassed to see the professional

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3	8,584	0.0
No	2	155	548,520	1.7
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034G **Length:** 1.0 **Position:** 428

Question Name: SR1_Q034

Concept: Reason stopped - psychol - solve the problem without help

Question Text: Why did you stop? - You wanted to solve the problem without professional help

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	13	37,382	0.1
No	2	145	519,722	1.6
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034H **Length:** 1.0 **Position:** 429

Question Name: SR1_Q034

Concept: Reason stopped - psychol - probs - transportation/ childcare

Question Text: Why did you stop? - You had problems with things like transportation, childcare or your schedule

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	13	31,618	0.1
No	2	145	525,487	1.7
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034I **Length:** 1.0 **Position:** 430

Totals may not add up due to rounding.

Question Name: SR1_Q034

Concept: Reason stopped - psychol - service/prog no longer available

Question Text: Why did you stop? - The service or program was no longer available

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	51,077	0.2
No	2	146	506,027	1.6
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034J **Length:** 1.0 **Position:** 431

Question Name: SR1_Q034

Concept: Reason stopped - psychol - not comfort. with prof. approach

Question Text: Why did you stop? - You were not comfortable with the professional's approach

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	39,341	0.1
No	2	146	517,763	1.6
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034K **Length:** 1.0 **Position:** 432

Question Name: SR1_Q034

Concept: Reason stopped - psychol - discrimination/unfair treatment

Question Text: Why did you stop? - Because of discrimination or unfair treatment

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	158	557,104	1.8
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_034L **Length:** 1.0 **Position:** 433

Question Name: SR1_Q034

Concept: Reason stopped - psychol - other reason

Question Text: Why did you stop? - Other - Specify

Universe: Respondents who answered SR1_033 = (1, 7, 8, 9) or SR1_004C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	41,147	0.1
No	2	148	515,957	1.6
Valid skip	6	9,625	30,893,496	97.4
Refusal	8	1	3,689	0.0
Not stated	9	77	250,634	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_40AA **Length:** 1.0 **Position:** 434

Question Name: SR1_Q040A

Concept: Talked with nurse - in person

Question Text: How did you talk with a nurse? Was it...? - In person

Universe: SR1_004D = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	71	266,952	0.8
No	2	51	207,124	0.7
Valid skip	6	9,664	30,992,147	97.8
Don’t know	7	5	14,713	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_40AB **Length:** 1.0 **Position:** 435

Totals may not add up due to rounding.

Question Name: SR1_Q040A

Concept: Talked with nurse - over the phone

Question Text: How did you talk with a nurse? Was it...? - Over the telephone (voice only)

Universe: SR1_004D = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	57	220,905	0.7
No	2	65	253,171	0.8
Valid skip	6	9,664	30,992,147	97.8
Don't know	7	5	14,713	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_40AC **Length:** 1.0 **Position:** 436

Question Name: SR1_Q040A

Concept: Talked with nurse - using video

Question Text: How did you talk with a nurse? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004D = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	47,462	0.1
No	2	110	426,614	1.3
Valid skip	6	9,664	30,992,147	97.8
Don't know	7	5	14,713	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G040 **Length:** 1.0 **Position:** 437

Question Name:

Concept: Number of times consulted nurse - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004D = (1, 7, 8, 9)

Note: Based on SR1_040B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	107	413,171	1.3
11 to 25 times	2	7	30,265	0.1
26 times or more	3	7	32,218	0.1
Valid skip	6	9,664	30,992,147	97.8
Not stated	9	76	237,122	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_042 **Length:** 1.0 **Position:** 438

Question Name: SR1_Q042

Concept: Perceived level of help received from prof. - nurse

Question Text: In general, how much would you say this nurse helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004D = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	39	161,910	0.5
Some	2	43	153,684	0.5
A little	3	23	85,939	0.3
Not at all	4	17	73,933	0.2
Valid skip	6	9,664	30,992,147	97.8
Don’t know	7	5	13,323	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_043 **Length:** 1.0 **Position:** 439

Question Name: SR1_Q043

Concept: Stopped seeing this professional - nurse

Question Text: Have you stopped talking to this nurse about your problems with your emotions, mental health or use of alcohol or drugs?

Universe: Respondents who answered SR1_004D = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	75	265,934	0.8
No	2	45	203,963	0.6
Valid skip	6	9,664	30,992,147	97.8
Don’t know	7	6	16,519	0.1
Refusal	8	1	2,373	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_044A **Length:** 1.0 **Position:** 440

Question Name: SR1_Q044

Concept: Reason stopped - nurse - felt better

Question Text: Why did you stop? - You felt better

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	17	59,143	0.2
No	2	57	203,259	0.6
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044B **Length:** 1.0 **Position:** 441

Question Name: SR1_Q044

Concept: Reason stopped - nurse - completed the recommended treatment

Question Text: Why did you stop? - You completed the recommended treatment

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	25	62,735	0.2
No	2	49	199,667	0.6
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044C **Length:** 1.0 **Position:** 442

Question Name: SR1_Q044

Concept: Reason stopped - nurse - thought it was not helping

Question Text: Why did you stop? - You thought it was not helping

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	11	52,232	0.2
No	2	63	210,171	0.7
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044D **Length:** 1.0 **Position:** 443

Question Name: SR1_Q044

Concept: Reason stopped - nurse - prob would get better without help

Question Text: Why did you stop? - You thought the problem would get better without more professional help

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7	30,519	0.1
No	2	67	231,883	0.7
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044E **Length:** 1.0 **Position:** 444

Question Name: SR1_Q044

Concept: Reason stopped - nurse - couldn't afford to pay

Question Text: Why did you stop? - You couldn't afford to pay

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1	718	0.0
No	2	73	261,684	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_044F **Length:** 1.0 **Position:** 445

Question Name: SR1_Q044

Concept: Reason stopped - nurse - too embarrassed to see professional

Question Text: Why did you stop? - You were too embarrassed to see the professional

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	74	262,402	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044G **Length:** 1.0 **Position:** 446

Question Name: SR1_Q044

Concept: Reason stopped - nurse - solve the problem without prof help

Question Text: Why did you stop? - You wanted to solve the problem without professional help

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4	17,047	0.1
No	2	70	245,355	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044H **Length:** 1.0 **Position:** 447

Question Name: SR1_Q044

Concept: Reason stopped - nurse - prob like transportation/ childcare

Question Text: Why did you stop? - You had problems with things like transportation, childcare or your schedule

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2	5,238	0.0
No	2	72	257,165	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044I **Length:** 1.0 **Position:** 448

Question Name: SR1_Q044

Concept: Reason stopped - nurse - service/program no longer available

Question Text: Why did you stop? - The service or program was no longer available

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	8	19,802	0.1
No	2	66	242,600	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044J **Length:** 1.0 **Position:** 449

Question Name: SR1_Q044

Concept: Reason stopped - nurse - not comfortable with prof. approach

Question Text: Why did you stop? - You were not comfortable with the professional's approach

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3	12,102	0.0
No	2	71	250,300	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_044K **Length:** 1.0 **Position:** 450

Question Name: SR1_Q044

Concept: Reason stopped - nurse - discrimination or unfair treatment

Question Text: Why did you stop? - Because of discrimination or unfair treatment

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No	2	74	262,402	0.8
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_044L **Length:** 1.0 **Position:** 451

Question Name: SR1_Q044

Concept: Reason stopped - nurse - other reason

Question Text: Why did you stop? - Other - Specify

Universe: Respondents who answered SR1_043 = (1, 7, 8, 9) or SR1_004D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	18	68,848	0.2
No	2	56	193,554	0.6
Valid skip	6	9,709	31,196,110	98.4
Don't know	7	1	3,532	0.0
Not stated	9	77	242,879	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_50AA **Length:** 1.0 **Position:** 452

Question Name: SR1_Q050A

Concept: Talked with social worker - in person

Question Text: How did you talk with a social worker, counsellor, (case worker,) or psychotherapist? Was it...? - In person

Universe: SR1_004E = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	211	804,022	2.5
No	2	318	1,120,328	3.5
Valid skip	6	9,261	29,555,576	93.2
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_50AB **Length:** 1.0 **Position:** 453

Question Name: SR1_Q050A

Concept: Talked with social worker - over the phone

Question Text: How did you talk with a social worker, counsellor, (case worker,) or psychotherapist? Was it...? - Over the telephone (voice only)

Universe: SR1_004E = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	191	738,493	2.3
No	2	338	1,185,857	3.7
Valid skip	6	9,261	29,555,576	93.2
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_50AC **Length:** 1.0 **Position:** 454

Question Name: SR1_Q050A

Concept: Talked with social worker - using video

Question Text: How did you talk with a social worker, counsellor, (case worker,) or psychotherapist? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004E = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	222	724,640	2.3
No	2	307	1,199,710	3.8
Valid skip	6	9,261	29,555,576	93.2
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		9,861	31,704,923	100.0

Variable Name: SR1_50AD **Length:** 1.0 **Position:** 455

Question Name: SR1_Q050A

Concept: Talked with social worker - text message

Question Text: How did you talk with a social worker, counsellor, (case worker,) or psychotherapist? Was it...? - Text message or written chat

Universe: SR1_004E = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	21	66,095	0.2
No	2	508	1,858,255	5.9
Valid skip	6	9,261	29,555,576	93.2
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G050 **Length:** 1.0 **Position:** 456

Question Name:

Concept: Number of times consulted social worker - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004E = (1, 7, 8, 9)

Note: Based on SR1_050B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	349	1,245,132	3.9
11 to 25 times	2	129	521,006	1.6
26 times or more	3	38	120,836	0.4
Valid skip	6	9,261	29,555,576	93.2
Not stated	9	84	262,373	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_052 **Length:** 1.0 **Position:** 457

Question Name: SR1_Q052

Totals may not add up due to rounding.

Concept: Perceived level of help received from prof. - social worker

Question Text: In general, how much would you say this professional helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004E = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	267	963,144	3.0
Some	2	150	574,336	1.8
A little	3	73	261,628	0.8
Not at all	4	35	105,673	0.3
Valid skip	6	9,261	29,555,576	93.2
Don't know	7	4	19,569	0.1
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_053 **Length:** 1.0 **Position:** 458

Question Name: SR1_Q053

Concept: Stopped seeing this professional/social worker

Question Text: Have you stopped talking to this professional about your problems with your emotions, mental health or use of alcohol or drugs?

Universe: Respondents who answered SR1_004E = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	269	943,183	3.0
No	2	258	978,955	3.1
Valid skip	6	9,261	29,555,576	93.2
Don't know	7	2	2,212	0.0
Refusal	8	1	1,010	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054A **Length:** 1.0 **Position:** 459

Question Name: SR1_Q054

Concept: Reason stopped - sw - felt better

Question Text: Why did you stop? - You felt better

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	107	365,134	1.2
No	2	161	577,451	1.8
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054B **Length:** 1.0 **Position:** 460

Question Name: SR1_Q054

Concept: Reason stopped - sw - completed the recommended treatment

Question Text: Why did you stop? - You completed the recommended treatment

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	72	278,517	0.9
No	2	196	664,067	2.1
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054C **Length:** 1.0 **Position:** 461

Question Name: SR1_Q054

Concept: Reason stopped - sw - thought it was not helping

Question Text: Why did you stop? - You thought it was not helping

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	55	174,716	0.6
No	2	213	767,868	2.4
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054D **Length:** 1.0 **Position:** 462

Question Name: SR1_Q054

Concept: Reason stopped - sw - problem would get better without help

Question Text: Why did you stop? - You thought the problem would get better without more professional help

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	32	91,905	0.3
No	2	236	850,679	2.7
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054E **Length:** 1.0 **Position:** 463

Question Name: SR1_Q054

Concept: Reason stopped - sw - couldn't afford to pay

Question Text: Why did you stop? - You couldn't afford to pay

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	46	174,203	0.5
No	2	222	768,382	2.4
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054F **Length:** 1.0 **Position:** 464

Question Name: SR1_Q054

Concept: Reason stopped - sw - too embarrassed to see professional

Question Text: Why did you stop? - You were too embarrassed to see the professional

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7	17,134	0.1
No	2	261	925,451	2.9
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054G **Length:** 1.0 **Position:** 465

Question Name: SR1_Q054

Concept: Reason stopped - sw - solve the problem without help

Question Text: Why did you stop? - You wanted to solve the problem without professional help

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	20	53,691	0.2
No	2	248	888,894	2.8
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054H **Length:** 1.0 **Position:** 466

Question Name: SR1_Q054

Concept: Reason stopped - sw - probs like transportation/ childcare

Question Text: Why did you stop? - You had problems with things like transportation, childcare or your schedule

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	21	73,848	0.2
No	2	247	868,736	2.7
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_054I **Length:** 1.0 **Position:** 467

Question Name: SR1_Q054

Concept: Reason stopped - sw - service / program no longer available

Question Text: Why did you stop? - The service or program was no longer available

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	48	159,413	0.5
No	2	220	783,172	2.5
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054J **Length:** 1.0 **Position:** 468

Question Name: SR1_Q054

Concept: Reason stopped - sw - not comfortable with prof. approach

Question Text: Why did you stop? - You were not comfortable with the professional's approach

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	26	116,198	0.4
No	2	242	826,386	2.6
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054K **Length:** 1.0 **Position:** 469

Question Name: SR1_Q054

Concept: Reason stopped - sw - discrimination or unfair treatment

Question Text: Why did you stop? - Because of discrimination or unfair treatment

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1	3,302	0.0
No	2	267	939,282	3.0
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_054L **Length:** 1.0 **Position:** 470

Question Name: SR1_Q054

Concept: Reason stopped - sw - other reason

Question Text: Why did you stop? - Other - Specify

Universe: Respondents who answered SR1_053 = (1, 7, 8, 9) or SR1_004E = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	30	101,217	0.3
No	2	238	841,368	2.7
Valid skip	6	9,519	30,534,531	96.3
Don't know	7	1	598	0.0
Not stated	9	73	227,209	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_60AA **Length:** 1.0 **Position:** 471

Question Name: SR1_Q060A

Concept: Talked with family member - in person

Question Text: How did you talk with a family member? Was it...? - In person

Universe: SR1_004F = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,060	3,836,783	12.1
No	2	264	890,825	2.8
Valid skip	6	8,463	26,742,560	84.3
Don't know	7	2	7,246	0.0
Refusal	8	2	3,522	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_60AB **Length:** 1.0 **Position:** 472

Question Name: SR1_Q060A

Concept: Talked with family member - over the phone

Question Text: How did you talk with a family member? Was it...? - Over the telephone (voice only)

Universe: SR1_004F = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	565	2,112,830	6.7
No	2	759	2,614,778	8.2
Valid skip	6	8,463	26,742,560	84.3
Don't know	7	2	7,246	0.0
Refusal	8	2	3,522	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_60AC **Length:** 1.0 **Position:** 473

Question Name: SR1_Q060A

Concept: Talked with family member - using video

Question Text: How did you talk with a family member? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004F = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	252	890,112	2.8
No	2	1,072	3,837,496	12.1
Valid skip	6	8,463	26,742,560	84.3
Don't know	7	2	7,246	0.0
Refusal	8	2	3,522	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_60AD **Length:** 1.0 **Position:** 474

Question Name: SR1_Q060A

Concept: Talked with family member - text message

Question Text: How did you talk with a family member? Was it...? - Text message or written chat

Totals may not add up due to rounding.

Universe: SR1_004F = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	314	1,200,005	3.8
No	2	1,010	3,527,603	11.1
Valid skip	6	8,463	26,742,560	84.3
Don't know	7	2	7,246	0.0
Refusal	8	2	3,522	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G060 **Length:** 1.0 **Position:** 475

Question Name:

Concept: Number of times consulted family member - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004F = (1, 7, 8, 9)

Note: Based on SR1_060B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	492	1,657,073	5.2
11 to 25 times	2	193	751,627	2.4
26 times or more	3	493	1,823,775	5.8
Valid skip	6	8,463	26,742,560	84.3
Not stated	9	220	729,889	2.3
Total		9,861	31,704,923	100.0

Variable Name: SR1_062 **Length:** 1.0 **Position:** 476

Question Name: SR1_Q062

Concept: Perceived level of help received - family member

Question Text: In general, how much would you say this family member helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004F = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	750	2,724,110	8.6
Some	2	357	1,253,635	4.0
A little	3	175	593,237	1.9

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Not at all	4	39	135,564	0.4
Valid skip	6	8,463	26,742,560	84.3
Don't know	7	6	30,964	0.1
Refusal	8	1	866	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_70AA **Length:** 1.0 **Position:** 477

Question Name: SR1_Q070A

Concept: Talked with friend - in person

Question Text: How did you talk with a friend? Was it...? - In person

Universe: SR1_004G = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,021	3,536,006	11.2
No	2	476	1,523,142	4.8
Valid skip	6	8,288	26,396,103	83.3
Don't know	7	4	22,185	0.1
Refusal	8	2	3,499	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_70AB **Length:** 1.0 **Position:** 478

Question Name: SR1_Q070A

Concept: Talked with friend - over the phone

Question Text: How did you talk with a friend? Was it...? - Over the telephone (voice only)

Universe: SR1_004G = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	734	2,518,759	7.9
No	2	763	2,540,388	8.0
Valid skip	6	8,288	26,396,103	83.3
Don't know	7	4	22,185	0.1
Refusal	8	2	3,499	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1_70AC **Length:** 1.0 **Position:** 479

Question Name: SR1_Q070A

Concept: Talked with friend - using video

Question Text: How did you talk with a friend? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004G = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	343	1,026,704	3.2
No	2	1,154	4,032,444	12.7
Valid skip	6	8,288	26,396,103	83.3
Don't know	7	4	22,185	0.1
Refusal	8	2	3,499	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_70AD **Length:** 1.0 **Position:** 480

Question Name: SR1_Q070A

Concept: Talked with friend - text message

Question Text: How did you talk with a friend? Was it...? - Text message or written chat

Universe: SR1_004G = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	641	2,089,666	6.6
No	2	856	2,969,481	9.4
Valid skip	6	8,288	26,396,103	83.3
Don't know	7	4	22,185	0.1
Refusal	8	2	3,499	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G070 **Length:** 1.0 **Position:** 481

Question Name:

Concept: Number of times consulted friend - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004G = (1, 7, 8, 9)

Note: Based on SR1_070B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	630	2,069,108	6.5
11 to 25 times	2	282	1,010,826	3.2
26 times or more	3	448	1,569,256	4.9
Valid skip	6	8,288	26,396,103	83.3
Not stated	9	213	659,630	2.1
Total		9,861	31,704,923	100.0

Variable Name: SR1_072 **Length:** 1.0 **Position:** 482

Question Name: SR1_Q072

Concept: Perceived level of help received - friend

Question Text: In general, how much would you say this friend helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004G = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	789	2,686,381	8.5
Some	2	484	1,597,551	5.0
A little	3	196	680,776	2.1
Not at all	4	30	107,525	0.3
Valid skip	6	8,288	26,396,103	83.3
Don’t know	7	3	11,734	0.0
Refusal	8	1	866	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_80AA **Length:** 1.0 **Position:** 483

Question Name: SR1_Q080A

Concept: Talked with co-worker or supervisor - in person

Question Text: How did you talk with a co-worker, supervisor or boss? Was it...? - In person

Universe: SR1_004H = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	256	1,058,725	3.3
No	2	120	438,193	1.4
Valid skip	6	9,413	29,975,956	94.5

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	2	8,062	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_80AB **Length:** 1.0 **Position:** 484

Question Name: SR1_Q080A

Concept: Talked with co-worker or supervisor - over the phone

Question Text: How did you talk with a co-worker, supervisor or boss? Was it...? - Over the telephone (voice only)

Universe: SR1_004H = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	99	378,244	1.2
No	2	277	1,118,674	3.5
Valid skip	6	9,413	29,975,956	94.5
Don't know	7	2	8,062	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_80AC **Length:** 1.0 **Position:** 485

Question Name: SR1_Q080A

Concept: Talked with co-worker or supervisor - using video

Question Text: How did you talk with a co-worker, supervisor or boss? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004H = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	73	225,392	0.7
No	2	303	1,271,526	4.0
Valid skip	6	9,413	29,975,956	94.5
Don't know	7	2	8,062	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_80AD **Length:** 1.0 **Position:** 486

Totals may not add up due to rounding.

Question Name: SR1_Q080A

Concept: Talked with co-worker or supervisor - text message

Question Text: How did you talk with a co-worker, supervisor or boss? Was it...? - Text message or written chat

Universe: SR1_004H = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	62	219,995	0.7
No	2	314	1,276,923	4.0
Valid skip	6	9,413	29,975,956	94.5
Don't know	7	2	8,062	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G080 **Length:** 1.0 **Position:** 487

Question Name:

Concept: Number of times consulted co-worker or supervisor - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004H = (1, 7, 8, 9)

Note: Based on SR1_080B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	258	984,835	3.1
11 to 25 times	2	51	237,908	0.8
26 times or more	3	51	213,766	0.7
Valid skip	6	9,413	29,975,956	94.5
Not stated	9	88	292,458	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1_082 **Length:** 1.0 **Position:** 488

Question Name: SR1_Q082

Concept: Perceived level of help received - co-work/supervisor

Question Text: In general, how much would you say this co-worker, supervisor or boss helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004H = (1, 7, 8, 9)

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	123	489,327	1.5
Some	2	127	508,345	1.6
A little	3	90	329,620	1.0
Not at all	4	35	167,191	0.5
Valid skip	6	9,413	29,975,956	94.5
Don't know	7	3	10,496	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1100AA **Length:** 1.0 **Position:** 489

Question Name: SR1_Q100A

Concept: Talked with other people - in person

Question Text: How did you talk with other people? Was it...? - In person

Universe: SR1_004I = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	67	293,634	0.9
No	2	40	112,474	0.4
Valid skip	6	9,681	31,064,430	98.0
Don't know	7	3	10,398	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1100AB **Length:** 1.0 **Position:** 490

Question Name: SR1_Q100A

Concept: Talked with other people - over the phone

Question Text: How did you talk with other people? Was it...? - Over the telephone (voice only)

Universe: SR1_004I = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	44	159,766	0.5
No	2	63	246,342	0.8
Valid skip	6	9,681	31,064,430	98.0
Don't know	7	3	10,398	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SR1100AC **Length:** 1.0 **Position:** 491

Question Name: SR1_Q100A

Concept: Talked with other people - using video

Question Text: How did you talk with other people? Was it...? - Using video on a phone, tablet or computer

Universe: SR1_004I = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	35	109,196	0.3
No	2	72	296,912	0.9
Valid skip	6	9,681	31,064,430	98.0
Don't know	7	3	10,398	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1100AD **Length:** 1.0 **Position:** 492

Question Name: SR1_Q100A

Concept: Talked with other people - text message

Question Text: How did you talk with other people? Was it...? - Text message or written chat

Universe: SR1_004I = RESPONSE

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	27	94,001	0.3
No	2	80	312,107	1.0
Valid skip	6	9,681	31,064,430	98.0
Don't know	7	3	10,398	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G100 **Length:** 1.0 **Position:** 493

Question Name:

Concept: Number of times consulted other person - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_004I = (1, 7, 8, 9)

Totals may not add up due to rounding.

Note: Based on SR1_100B

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	58	209,770	0.7
11 to 25 times	2	15	53,553	0.2
26 times or more	3	28	119,863	0.4
Valid skip	6	9,681	31,064,430	98.0
Not stated	9	79	257,308	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_102 **Length:** 1.0 **Position:** 494

Question Name: SR1_Q102

Concept: Perceived level of help received - other person

Question Text: In general, how much would you say this person helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?

Universe: Respondents who answered SR1_004I = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	53	204,951	0.6
Some	2	33	114,020	0.4
A little	3	16	56,537	0.2
Not at all	4	6	33,002	0.1
Valid skip	6	9,681	31,064,430	98.0
Don’t know	7	2	7,996	0.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_110 **Length:** 1.0 **Position:** 495

Question Name: SR1_Q110

Concept: Received help or services from employer - 12 months

Question Text: During the past 12 months, did you receive help or services provided by your employer for problems with your emotions, mental health or use of alcohol or drugs, such as consultations with an Employee Assistance Program (EAP)?

Universe: Respondents who answered (GEN_08 = (1, 7, 8, 9) or SR1_004A = 8 or GEN_01 = (7, 8, 9)) and DHH_AGE <= 75

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	199	731,614	2.3
No	2	5,626	19,307,517	60.9
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	43	155,212	0.5
Refusal	8	2	2,764	0.0
Not stated	9	25	77,833	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_111 **Length:** 1.0 **Position:** 496

Question Name: SR1_Q111

Concept: Used Internet for info/help/support - 12 m

Question Text: During the past 12 months, did you use the Internet to get information, help or support for problems with your emotions, mental health or use of alcohol or drugs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,147	3,700,447	11.7
No	2	8,639	27,741,881	87.5
Don't know	7	52	194,692	0.6
Refusal	8	1	1,335	0.0
Not stated	9	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_112A **Length:** 1.0 **Position:** 497

Question Name: SR1_Q112

Concept: Used Internet - learn about symptoms

Question Text: Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...? - To learn about symptoms (e.g. get an online diagnosis)

Universe: Respondents who answered SR1_111 = (1, 7, 8, 9) or SR1_004A=8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	812	2,585,510	8.2
No	2	302	1,016,258	3.2
Valid skip	6	8,639	27,741,881	87.5
Don't know	7	28	91,821	0.3
Refusal	8	5	6,859	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	75	262,594	0.8
	Total		9,861	31,704,923	100.0

Variable Name: SR1_112B **Length:** 1.0 **Position:** 498

Question Name: SR1_Q112

Concept: Used Internet - to find out where to get help

Question Text: Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...? - To find out where you could get help

Universe: Respondents who answered SR1_111 = (1, 7, 8, 9) or SR1_004A=8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	552	1,751,723	5.5
No		2	562	1,850,045	5.8
Valid skip		6	8,639	27,741,881	87.5
Don't know		7	28	91,821	0.3
Refusal		8	5	6,859	0.0
Not stated		9	75	262,594	0.8
	Total		9,861	31,704,923	100.0

Variable Name: SR1_112C **Length:** 1.0 **Position:** 499

Question Name: SR1_Q112

Concept: Used Internet - discuss with other people

Question Text: Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...? - To discuss with others through forums, support groups or Internet social networks

Universe: Respondents who answered SR1_111 = (1, 7, 8, 9) or SR1_004A=8

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	260	849,758	2.7
No		2	854	2,752,010	8.7
Valid skip		6	8,639	27,741,881	87.5
Don't know		7	28	91,821	0.3
Refusal		8	5	6,859	0.0
Not stated		9	75	262,594	0.8
	Total		9,861	31,704,923	100.0

Variable Name: SR1_112D **Length:** 1.0 **Position:** 500

Totals may not add up due to rounding.

Question Name: SR1_Q112

Concept: Used Internet - to get online therapy

Question Text: Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...? - To get online therapy (e.g. e-therapy, online counselling)

Universe: Respondents who answered SR1_111 = (1, 7, 8, 9) or SR1_004A=8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	241	756,594	2.4
No	2	873	2,845,174	9.0
Valid skip	6	8,639	27,741,881	87.5
Don't know	7	28	91,821	0.3
Refusal	8	5	6,859	0.0
Not stated	9	75	262,594	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_112E **Length:** 1.0 **Position:** 501

Question Name: SR1_Q112

Concept: Used Internet - other

Question Text: Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...? - Other - Specify

Universe: Respondents who answered SR1_111 = (1, 7, 8, 9) or SR1_004A=8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	158	531,704	1.7
No	2	956	3,070,064	9.7
Valid skip	6	8,639	27,741,881	87.5
Don't know	7	28	91,821	0.3
Refusal	8	5	6,859	0.0
Not stated	9	75	262,594	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1_113 **Length:** 1.0 **Position:** 502

Question Name: SR1_Q113

Concept: Self-help group - help with problems - 12 months

Question Text: During the past 12 months, (not counting internet support groups) did you go to a self-help group for help with problems with your emotions, mental health or use of alcohol or drugs?

Totals may not add up due to rounding.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	90	343,668	1.1
No	2	9,708	31,152,452	98.3
Don't know	7	39	137,251	0.4
Refusal	8	2	4,985	0.0
Not stated	9	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1_114A **Length:** 1.0 **Position:** 503

Question Name: SR1_Q114

Concept: Self-help group type - emotional or mental health

Question Text: What type of self-help group did you go to? - Emotional or mental health (e.g. groups for eating disorders, bipolar disorder, bereavement, etc.)

Universe: Respondents who answered SR1_113 = (1, 7, 8, 9) or SR1_004A = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	58	229,460	0.7
No	2	30	110,441	0.3
Valid skip	6	9,708	31,152,452	98.3
Don't know	7	1	598	0.0
Refusal	8	1	3,169	0.0
Not stated	9	63	208,803	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_114B **Length:** 1.0 **Position:** 504

Question Name: SR1_Q114

Concept: Self-help group type - alcohol or drug use

Question Text: What type of self-help group did you go to? - Alcohol or drug use (e.g. Alcoholics Anonymous, Narcotics Anonymous, etc.)

Universe: Respondents who answered SR1_113 = (1, 7, 8, 9) or SR1_004A = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	27	100,378	0.3
No	2	61	239,522	0.8

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	9,708	31,152,452	98.3
Don't know	7	1	598	0.0
Refusal	8	1	3,169	0.0
Not stated	9	63	208,803	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_114C **Length:** 1.0 **Position:** 505

Question Name: SR1_Q114

Concept: Self-help group type - other

Question Text: What type of self-help group did you go to? - Other - Specify

Universe: Respondents who answered SR1_113 = (1, 7, 8, 9) or SR1_004A = 8

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	19	67,114	0.2
No	2	69	272,787	0.9
Valid skip	6	9,708	31,152,452	98.3
Don't know	7	1	598	0.0
Refusal	8	1	3,169	0.0
Not stated	9	63	208,803	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1G115 **Length:** 1.0 **Position:** 506

Question Name:

Concept: Nbr of times went to meeting of self-help group - 12 months (grouped)

Question Text:

Universe: Respondents who answered SR1_113 = (1, 7, 8, 9) or SR1_004A = 8

Note: Based on SR1_115

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	56	217,827	0.7
11 to 25 times	2	9	36,680	0.1
26 times or more	3	24	84,704	0.3
Valid skip	6	9,708	31,152,452	98.3
Not stated	9	64	213,260	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_116 **Length:** 1.0 **Position:** 507

Totals may not add up due to rounding.

Question Name: SR1_Q116

Concept: Used telephone helpline for mental health - 12 months

Question Text: During the past 12 months, did you use a telephone or texting helpline for problems with your emotions, mental health or use of alcohol or drugs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	149	494,865	1.6
No	2	9,652	31,014,110	97.8
Don't know	7	37	128,045	0.4
Refusal	8	1	1,335	0.0
Not stated	9	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1G117 **Length:** 1.0 **Position:** 508

Question Name:

Concept: Number of times used telephone helpline - 12 mo (grouped)

Question Text:

Universe: Respondents who answered SR1_116 = (1, 7, 8, 9) OR SR1_004A = 8

Note: Based on SR1_117

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
1 to 10 times	1	124	402,954	1.3
11 to 25 times	2	12	45,274	0.1
26 times or more	3	5	11,757	0.0
Valid skip	6	9,652	31,014,110	97.8
Not stated	9	68	230,828	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1_118 **Length:** 1.0 **Position:** 509

Question Name: SR1_Q118

Concept: Needed help for emotions but didn't receive it - 12 months

Question Text: During the past 12 months, was there ever a time when you felt that you needed help for your emotions, mental health or use of alcohol or drugs, but you didn't receive it?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	871	2,847,546	9.0
No	2	8,892	28,535,263	90.0
Don't know	7	71	248,407	0.8
Refusal	8	5	7,139	0.0
Not stated	9	22	66,568	0.2
Total		9,861	31,704,923	100.0

Variable Name: SR1G119 **Length:** 1.0 **Position:** 510

Question Name:

Concept: Amount spent on mental health services/products - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1_119

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No money spent	1	8,289	26,167,068	82.5
Less than $5,000	2	1,052	3,980,265	12.6
$5,000 or more	3	42	158,079	0.5
Not stated	9	478	1,399,511	4.4
Total		9,861	31,704,923	100.0

Variable Name: SR1_121 **Length:** 1.0 **Position:** 511

Question Name: SR1_Q121

Concept: Prejudice / discrimination - mental health

Question Text: (During the past 12 months, did you feel that any health professional or other service provider held negative opinions about you or treated you unfairly:)

...because of your past or current problems with your emotions, mental health or use of alcohol or drugs?

Universe: Respondents who answered SR1_004A = (1, 7, 8, 9) or SR1_004B = (1, 7, 8, 9) or SR1_004C = (1, 7, 8, 9) or SR1_004D = (1, 7, 8, 9) or SR1_004E = (1, 7, 8, 9) or SR1_110 = (1, 7, 8, 9) or SR1_113 = (1, 7, 8, 9) or SR1_116 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	124	517,901	1.6
No	2	1,326	4,820,786	15.2
Valid skip	6	8,265	25,880,184	81.6
Don't know	7	13	51,910	0.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Refusal	8	1	8,929	0.0
Not stated	9	132	425,213	1.3
Total		9,861	31,704,923	100.0

Variable Name: SR1_122 **Length:** 1.0 **Position:** 512

Question Name: SR1_Q122

Concept: Prejudice / discrimination - personal characteristics

Question Text: During the past 12 months, did you feel that any health professional or other service provider held negative opinions about you or treated you unfairly:

...because of visible or non-visible characteristics such as your ethnicity, culture, race, skin colour, language or accent, religion or sexual orientation?

Universe: Respondents who answered SR1_004A = (1, 7, 8, 9) or SR1_004B = (1, 7, 8, 9) or SR1_004C = (1, 7, 8, 9) or SR1_004D = (1, 7, 8, 9) or SR1_004E = (1, 7, 8, 9) or SR1_110 = (1, 7, 8, 9) or SR1_113 = (1, 7, 8, 9) or SR1_116 = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	87	270,026	0.9
No	2	1,365	5,093,951	16.1
Valid skip	6	8,265	25,880,184	81.6
Don't know	7	12	31,823	0.1
Refusal	8	1	8,929	0.0
Not stated	9	131	420,010	1.3
Total		9,861	31,704,923	100.0

Variable Name: SR1FPRU **Length:** 1.0 **Position:** 513

Question Name:

Concept: Consultation/services used - professional - 12 m (F)

Question Text:

Universe: All respondents

Note: Based on SR1_004A, SR1_004B, SR1_004C, SR1_004D, SR1_004E, SR1_111, SR1_112D. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,419	5,259,238	16.6
No	2	8,326	26,073,499	82.2
Not stated	9	116	372,186	1.2
Total		9,861	31,704,923	100.0

Variable Name: SR1FNPU **Length:** 1.0 **Position:** 514

Question Name:

Concept: Consultation/services used - non-professional - 12 m (F)

Question Text:

Universe: All respondents

Note: Based on SR1_004F, SR1_004G, SR1_004H, SR1_004I, SR1_110, SR1_111, SR1_112A, SR1_112B, SR1_112C, SR1_113, SR1_116. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,347	7,903,385	24.9
No	2	7,358	23,304,202	73.5
Not stated	9	156	497,336	1.6
Total		9,861	31,704,923	100.0

Variable Name: SR1DYPRT **Length:** 1.0 **Position:** 515

Question Name:

Concept: Number of types - professionals consulted - 12 m (D)

Question Text:

Universe: All respondents

Note: Based on SR1_004A, SR1_004B, SR1_004C, SR1_004D, SR1_004E. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of types	0 - 5	9,791	31,480,936	99.3
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: SR1DYNPT **Length:** 2.0 **Position:** 516

Question Name:

Concept: Number of types - non-professionals consulted - 12 m (D)

Question Text:

Universe: All respondents

Note: Based on SR1_004F, SR1_004G, SR1_004H, SR1_004I, SR1_110, SR1_112A, SR1_112B, SR1_112C, SR1_112E, SR1_114A, SR1_114B, SR1_114C, SR1_116. See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Number of types		00 - 06	9,669	31,086,466	98.0
Not stated		99	192	618,457	2.0
	Total		9,861	31,704,923	100.0

Variable Name: SR1GPRO1 **Length:** 1.0 **Position:** 518

Question Name:

Concept: Hours of consultation - psychiatrist - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPRO1

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
0 to less than 1 hour		1	9,571	30,647,279	96.7
1 to less than 6 hours		2	148	575,531	1.8
6 to less than 11 hours		3	28	110,127	0.3
11 to less than 16 hours		4	17	54,733	0.2
16 hours or more		5	21	79,336	0.3
Not stated		9	76	237,916	0.8
	Total		9,861	31,704,923	100.0

Variable Name: SR1GPRO2 **Length:** 1.0 **Position:** 519

Question Name:

Concept: Hours of consultation - family doctor - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPRO2

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
0 to less than 1 hour		1	9,444	30,215,645	95.3
1 to less than 6 hours		2	286	1,061,669	3.3
6 to less than 11 hours		3	23	77,877	0.2
11 hours or more		4	10	40,695	0.1
Not stated		9	98	309,038	1.0
	Total		9,861	31,704,923	100.0

Variable Name: SR1GPRO3 **Length:** 1.0 **Position:** 520

Totals may not add up due to rounding.

Question Name:

Concept: Hours of consultation - psychologist - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPRO3

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
0 to less than 1 hour	1	9,494	30,407,413	95.9
1 to less than 6 hours	2	148	556,547	1.8
6 to less than 11 hours	3	56	195,970	0.6
11 to less than 16 hours	4	31	104,208	0.3
16 hours or more	5	52	184,844	0.6
Not stated	9	80	255,942	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1GPRO4 **Length:** 1.0 **Position:** 521

Question Name:

Concept: Hours of consultation - nurse - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPRO4

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
0 to less than 1 hour	1	9,729	31,236,557	98.5
1 to less than 6 hours	2	39	158,652	0.5
6 to less than 11 hours	3	7	19,720	0.1
11 hours or more	4	7	40,235	0.1
Not stated	9	79	249,759	0.8
Total		9,861	31,704,923	100.0

Variable Name: SR1GPRO5 **Length:** 1.0 **Position:** 522

Question Name:

Concept: Hours of consultation - social worker/counsellor - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPRO5

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
0 to less than 1 hour	1	9,334	29,776,794	93.9
1 to less than 6 hours	2	197	740,565	2.3
6 to less than 11 hours	3	101	394,660	1.2
11 to less than 16 hours	4	60	244,401	0.8
16 hours or more	5	82	276,204	0.9
Not stated	9	87	272,300	0.9
Total		9,861	31,704,923	100.0

Variable Name: SR1GPROT **Length:** 1.0 **Position:** 523

Question Name:

Concept: Hours of consultation - all professionals - 12 m (grouped)

Question Text:

Universe: All respondents

Note: Based on SR1DPROT

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
0 to less than 1 hour	1	8,843	27,928,895	88.1
1 to less than 6 hours	2	484	1,856,608	5.9
6 to less than 11 hours	3	174	606,931	1.9
11 to less than 16 hours	4	112	444,597	1.4
16 hours or more	5	178	643,905	2.0
Not stated	9	70	223,987	0.7
Total		9,861	31,704,923	100.0

Variable Name: MED_01 **Length:** 1.0 **Position:** 524

Question Name: MED_Q01

Concept: Medication for emotions/mental health/alcohol/drug - 12 m

Question Text: In the past 12 months, that is, from [date 365 days ago] to yesterday, did you take any medication to help you with problems with your emotions, mental health or use of alcohol or drugs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,048	4,136,213	13.0
No	2	8,749	27,357,740	86.3
Don’t know	7	44	150,211	0.5
Refusal	8	20	60,760	0.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: MEDGTNUM **Length:** 1.0 **Position:** 525

Question Name:

Concept: Num med taken for emot/mental health/alcohol/drug - 2 days (grouped)

Question Text:

Universe: Respondents who answered MED_01 = (1, 7, 8, 9)

Note: Based on MED_02

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
0	0	177	632,391	2.0
1	1	517	2,051,360	6.5
2	2	234	926,032	2.9
3	3	60	244,116	0.8
4 or more	4	58	272,742	0.9
Valid skip	6	8,749	27,357,740	86.3
Not stated	9	66	220,542	0.7
Total		9,861	31,704,923	100.0

Variable Name: MED_05 **Length:** 1.0 **Position:** 526

Question Name: MED_Q05

Concept: Insurance that covers all/part of cost of prescription

Question Text: Do you have insurance that covers all or part of the cost of your prescription medication? Include any private, government or employee-paid insurance plans.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7,167	23,217,244	73.2
No	2	2,419	7,830,544	24.7
Don’t know	7	251	585,402	1.8
Refusal	8	24	71,734	0.2
Total		9,861	31,704,923	100.0

Variable Name: MED_06 **Length:** 1.0 **Position:** 527

Question Name: MED_Q06

Concept: Used other health products for mental health - 12 m

Question Text: Many people use other health products such as herbs, minerals or homeopathic products for problems with emotions, alcohol or drug use, energy, concentration, sleep or ability to deal with stress.

Totals may not add up due to rounding.

In the past 12 months, have you used any of these health products?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,326	4,748,956	15.0
No	2	8,463	26,711,554	84.3
Don't know	7	47	171,857	0.5
Refusal	8	23	65,244	0.2
Not stated	9	2	7,312	0.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_01A **Length:** 1.0 **Position:** 528

Question Name: PNC_Q01

Concept: Received help - information

Question Text: During the past 12 months, did you receive the following kinds of help because of problems with your emotions, mental health or use of alcohol or drugs? - Information about these problems, treatments or available services

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	876	3,075,429	9.7
No	2	8,835	28,110,123	88.7
Don't know	7	106	378,942	1.2
Refusal	8	39	120,330	0.4
Not stated	9	5	20,099	0.1
Total		9,861	31,704,923	100.0

Variable Name: PNC_01B **Length:** 1.0 **Position:** 529

Question Name: PNC_Q01

Concept: Received help - medication

Question Text: During the past 12 months, did you receive the following kinds of help because of problems with your emotions, mental health or use of alcohol or drugs? - Medication

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,011	3,953,693	12.5
No	2	8,700	27,231,859	85.9
Don't know	7	106	378,942	1.2
Refusal	8	39	120,330	0.4
Not stated	9	5	20,099	0.1
Total		9,861	31,704,923	100.0

Variable Name: PNC_01C **Length:** 1.0 **Position:** 530

Question Name: PNC_Q01

Concept: Received help - counselling or therapy

Question Text: During the past 12 months, did you receive the following kinds of help because of problems with your emotions, mental health or use of alcohol or drugs? - Counselling, therapy, or help for problems with personal relationships

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,206	4,509,688	14.2
No	2	8,505	26,675,864	84.1
Don't know	7	106	378,942	1.2
Refusal	8	39	120,330	0.4
Not stated	9	5	20,099	0.1
Total		9,861	31,704,923	100.0

Variable Name: PNC_01D **Length:** 1.0 **Position:** 531

Question Name: PNC_Q01

Concept: Received help - other

Question Text: During the past 12 months, did you receive the following kinds of help because of problems with your emotions, mental health or use of alcohol or drugs? - Other - Specify

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	41	165,442	0.5
No	2	9,670	31,020,110	97.8
Don't know	7	106	378,942	1.2
Refusal	8	39	120,330	0.4
Not stated	9	5	20,099	0.1
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_01E **Length:** 1.0 **Position:** 532

Question Name: PNC_Q01

Concept: Received help - none

Question Text: During the past 12 months, did you receive the following kinds of help because of problems with your emotions, mental health or use of alcohol or drugs? - None

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7,841	24,330,599	76.7
No	2	1,870	6,854,954	21.6
Don't know	7	106	378,942	1.2
Refusal	8	39	120,330	0.4
Not stated	9	5	20,099	0.1
Total		9,861	31,704,923	100.0

Variable Name: PNC_02A **Length:** 1.0 **Position:** 533

Question Name: PNC_Q02A

Concept: Received - as much help as needed

Question Text: You mentioned that you received:

[-Information about these problems, treatments or available services/
- Medication/
- Counselling, therapy, or help for problems with personal relationships/
- Other help].

Do you think you got as much of [each of these kinds/this kind] of help as you needed (during the past 12 months)?

Universe: Respondents who answered PNC_01A = (1, 7, 8, 9) or PNC_01B = (1, 7, 8, 9) or PNC_01C = (1, 7, 8, 9) or PNC_01D = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,377	5,021,301	15.8
No	2	439	1,612,843	5.1
Valid skip	6	7,841	24,330,599	76.7
Don't know	7	45	189,072	0.6
Refusal	8	3	9,634	0.0
Not stated	9	156	541,474	1.7
Total		9,861	31,704,923	100.0

Variable Name: PNC_02BA **Length:** 1.0 **Position:** 534

Question Name: PNC_Q02B

Concept: Needed more help - information

Question Text: Which kind of help did you need more of (during the past 12 months)? - Information about these problems, treatments or available services

Universe: Respondents who answered (PNC_01A = 1 and PNC_02A = (2, 7, 8, 9)) or PNC_01A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	127	424,029	1.3
No	2	301	1,163,231	3.7
Valid skip	6	9,218	29,351,900	92.6
Don't know	7	11	25,583	0.1
Not stated	9	204	740,180	2.3
Total		9,861	31,704,923	100.0

Variable Name: PNC_02BB **Length:** 1.0 **Position:** 535

Question Name: PNC_Q02B

Concept: Needed more help - medication

Question Text: Which kind of help did you need more of (during the past 12 months)? - Medication

Universe: Respondents who answered (PNC_01B = 1 and PNC_02A = (2, 7, 8, 9)) or PNC_01B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	63	218,935	0.7
No	2	365	1,368,324	4.3
Valid skip	6	9,218	29,351,900	92.6
Don't know	7	11	25,583	0.1
Not stated	9	204	740,180	2.3
Total		9,861	31,704,923	100.0

Variable Name: PNC_02BC **Length:** 1.0 **Position:** 536

Question Name: PNC_Q02B

Concept: Needed more help - counselling or therapy

Question Text: Which kind of help did you need more of (during the past 12 months)? - Counselling, therapy, or help for problems with personal

Totals may not add up due to rounding.

relationships

Universe: Respondents who answered (PNC_01C = 1 and PNC_02A = (2, 7, 8, 9)) or PNC_01C = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	304	1,201,581	3.8
No	2	124	385,679	1.2
Valid skip	6	9,218	29,351,900	92.6
Don't know	7	11	25,583	0.1
Not stated	9	204	740,180	2.3
Total		9,861	31,704,923	100.0

Variable Name: PNC_02BD **Length:** 1.0 **Position:** 537

Question Name: PNC_Q02B

Concept: Needed more help - other

Question Text: Which kind of help did you need more of (during the past 12 months)? - Other

Universe: Respondents who answered (PNC_01D = 1 and PNC_02A = (2, 7, 8, 9)) or PNC_01D = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	10	36,413	0.1
No	2	418	1,550,846	4.9
Valid skip	6	9,218	29,351,900	92.6
Don't know	7	11	25,583	0.1
Not stated	9	204	740,180	2.3
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AA **Length:** 1.0 **Position:** 538

Question Name:

Concept: Why no more information / self managed

Question Text: Why didn't you get more information about these problems, treatments or available services
(during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	62	164,224	0.5
No	2	61	251,954	0.8
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AB **Length:** 1.0 **Position:** 539

Question Name: PNC_Q03A

Concept: Why no more information / don't know how/where

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	58	209,959	0.7
No	2	65	206,218	0.7
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AC **Length:** 1.0 **Position:** 540

Question Name: PNC_Q03A

Concept: Why no more information / too busy

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	40	114,780	0.4
No	2	83	301,397	1.0
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_03AD **Length:** 1.0 **Position:** 541

Question Name: PNC_Q03A

Concept: Why no more information / job interfered

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	26	91,500	0.3
No	2	97	324,678	1.0
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AE **Length:** 1.0 **Position:** 542

Question Name: PNC_Q03A

Concept: Why no more information / not readily available

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	51	192,898	0.6
No	2	72	223,279	0.7
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AF **Length:** 1.0 **Position:** 543

Question Name: PNC_Q03A

Concept: Why no more information / no confidence in system

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	36	152,673	0.5
No	2	87	263,505	0.8
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AG **Length:** 1.0 **Position:** 544

Question Name: PNC_Q03A

Concept: Why no more information / unaffordable

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	32	148,887	0.5
No	2	91	267,291	0.8
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AH **Length:** 1.0 **Position:** 545

Question Name: PNC_Q03A

Concept: Why no more information / insurance not cover

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	25	118,557	0.4
No	2	98	297,621	0.9
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AI **Length:** 1.0 **Position:** 546

Question Name: PNC_Q03A

Concept: Why no more information / afraid of others opinion

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - You were afraid of what others would think of you

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	19	55,588	0.2
No	2	104	360,590	1.1
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AK **Length:** 1.0 **Position:** 547

Question Name: PNC_Q03A

Concept: Why no more information / help is ongoing

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - Help is ongoing

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	27	102,166	0.3
No	2	96	314,011	1.0
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		9,861	31,704,923	100.0

Variable Name: PNC_03AL **Length:** 1.0 **Position:** 548

Question Name: PNC_Q03A

Concept: Why no more information / other specify

Question Text: Why didn't you get more information about these problems, treatments or available services (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_02BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	7	31,690	0.1
No	2	116	384,487	1.2
Valid skip	6	9,519	30,515,130	96.2
Don't know	7	2	2,814	0.0
Not stated	9	217	770,801	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BA **Length:** 1.0 **Position:** 549

Question Name: PNC_Q03B

Concept: Why no more medication / self managed

Question Text: Why didn't you get more medication (during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	40,138	0.1
No	2	49	170,002	0.5
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BB **Length:** 1.0 **Position:** 550

Totals may not add up due to rounding.

Question Name:

Concept: Why no more medication / don't know how/where

Question Text: Why didn't you get more medication (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	11	46,124	0.1
No	2	50	164,016	0.5
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BC **Length:** 1.0 **Position:** 551

Question Name: PNC_Q03B

Concept: Why no more medication / too busy

Question Text: Why didn't you get more medication (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	49,842	0.2
No	2	49	160,298	0.5
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BD **Length:** 1.0 **Position:** 552

Question Name: PNC_Q03B

Concept: Why no more medication / job interfered

Question Text: Why didn't you get more medication (during the past 12 months)? - Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	6	24,818	0.1
No	2	55	185,323	0.6
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BE **Length:** 1.0 **Position:** 553

Question Name: PNC_Q03B

Concept: Why no more medication / not readily available

Question Text: Why didn't you get more medication (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	20	69,813	0.2
No	2	41	140,327	0.4
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BF **Length:** 1.0 **Position:** 554

Question Name: PNC_Q03B

Concept: Why no more medication / no confidence in system

Question Text: Why didn't you get more medication (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	68,751	0.2
No	2	46	141,390	0.4
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BG **Length:** 1.0 **Position:** 555

Question Name: PNC_Q03B

Concept: Why no more medication / unaffordable

Question Text: Why didn't you get more medication (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	28,285	0.1
No	2	56	181,855	0.6
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BH **Length:** 1.0 **Position:** 556

Question Name: PNC_Q03B

Concept: Why no more medication / insurance not cover

Question Text: Why didn't you get more medication (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	9	32,298	0.1
No	2	52	177,842	0.6
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BI **Length:** 1.0 **Position:** 557

Question Name: PNC_Q03B

Concept: Why no more medication / afraid of others opinion

Question Text: Why didn't you get more medication (during the past 12 months)? - You were afraid of what others would think of you

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4	31,680	0.1
No	2	57	178,460	0.6
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BJ **Length:** 1.0 **Position:** 558

Question Name: PNC_Q03B

Concept: Why no more medication / language problems

Question Text: Why didn't you get more medication (during the past 12 months)? - Language problems

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1	4,016	0.0
No	2	60	206,124	0.7
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BK **Length:** 1.0 **Position:** 559

Question Name: PNC_Q03B

Concept: Why no more medication / help is ongoing

Question Text: Why didn't you get more medication (during the past 12 months)? - Help is ongoing

Totals may not add up due to rounding.

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	14	46,553	0.1
No	2	47	163,587	0.5
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03BL **Length:** 1.0 **Position:** 560

Question Name: PNC_Q03B

Concept: Why no more medication / other specify

Question Text: Why didn't you get more medication (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_02BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	16	46,878	0.1
No	2	45	163,262	0.5
Valid skip	6	9,583	30,720,224	96.9
Don't know	7	2	8,795	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CA **Length:** 1.0 **Position:** 561

Question Name: PNC_Q03C

Concept: Why no more counselling / self managed

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	67	227,157	0.7
No	2	225	931,640	2.9
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CB **Length:** 1.0 **Position:** 562

Question Name: PNC_Q03C

Concept: Why no more counselling / don't know how/where

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	54	197,148	0.6
No	2	238	961,649	3.0
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CC **Length:** 1.0 **Position:** 563

Question Name:

Concept: Why no more counselling / too busy

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	52	181,558	0.6
No	2	240	977,240	3.1
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CD **Length:** 1.0 **Position:** 564

Question Name: PNC_Q03C

Concept: Why no more counselling / job interfered

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	35	158,272	0.5
No	2	257	1,000,525	3.2
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CE **Length:** 1.0 **Position:** 565

Question Name: PNC_Q03C

Concept: Why no more counselling / not readily available

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	126	512,668	1.6
No	2	166	646,130	2.0
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Refusal		8	1	3,372	0.0
Not stated		9	215	765,764	2.4
	Total		9,861	31,704,923	100.0

Variable Name: PNC_03CF **Length:** 1.0 **Position:** 566

Question Name: PNC_Q03C

Concept: Why no more counselling / no confidence in system

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	69	287,378	0.9
No		2	223	871,420	2.7
Valid skip		6	9,342	29,737,579	93.8
Don't know		7	11	39,411	0.1
Refusal		8	1	3,372	0.0
Not stated		9	215	765,764	2.4
	Total		9,861	31,704,923	100.0

Variable Name: PNC_03CG **Length:** 1.0 **Position:** 567

Question Name: PNC_Q03C

Concept: Why no more counselling / unaffordable

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	109	452,258	1.4
No		2	183	706,539	2.2
Valid skip		6	9,342	29,737,579	93.8
Don't know		7	11	39,411	0.1
Refusal		8	1	3,372	0.0
Not stated		9	215	765,764	2.4
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_03CH **Length:** 1.0 **Position:** 568

Question Name: PNC_Q03C

Concept: Why no more counselling / insurance not cover

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	70	294,790	0.9
No	2	222	864,008	2.7
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CI **Length:** 1.0 **Position:** 569

Question Name: PNC_Q03C

Concept: Why no more counselling / afraid of others opinion

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You were afraid of what others would think of you

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	25	100,852	0.3
No	2	267	1,057,945	3.3
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CK **Length:** 1.0 **Position:** 570

Question Name: PNC_Q03C

Concept: Why no more counselling / help is ongoing

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Help is ongoing

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	47	199,807	0.6
No	2	245	958,990	3.0
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03CL **Length:** 1.0 **Position:** 571

Question Name: PNC_Q03C

Concept: Why no more counselling / other specify

Question Text: Why didn't you get more counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_02BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	60,976	0.2
No	2	277	1,097,821	3.5
Valid skip	6	9,342	29,737,579	93.8
Don't know	7	11	39,411	0.1
Refusal	8	1	3,372	0.0
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_03DG **Length:** 1.0 **Position:** 572

Question Name: PNC_Q03D

Concept: Why no more - other / unaffordable

Question Text: Why didn't you get more of the other kind of help you mentioned (during the past 12 months)? - You couldn't afford to pay

Totals may not add up due to rounding.

Universe: Respondents who answered PNC_02BD = (1, 7, 8, 9) or PNC_01D = (7, 8, 9) or PNC_02A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	5	19,774	0.1
No	2	5	16,639	0.1
Valid skip	6	9,636	30,902,746	97.5
Not stated	9	215	765,764	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_04A **Length:** 1.0 **Position:** 573

Question Name: PNC_Q04A

Concept: Help needed but not received

Question Text: You mentioned that you did not receive:

[-Information about these problems, treatments or available services/
- Medication/
- Counselling, therapy, or help for problems with personal relationships/
- Other help].

Do you think you needed [this kind/any of these kinds] of help (during the past 12 months)?

Universe: Respondents who answered PNC_01A = (2, 7, 8, 9) or PNC_01B = (2, 7, 8, 9) or PNC_01C = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	741	2,479,889	7.8
No	2	8,538	27,111,139	85.5
Valid skip	6	353	1,360,177	4.3
Don't know	7	182	612,078	1.9
Refusal	8	27	73,687	0.2
Not stated	9	20	67,953	0.2
Total		9,861	31,704,923	100.0

Variable Name: PNC_04BA **Length:** 1.0 **Position:** 574

Question Name: PNC_Q04B

Concept: Help needed & not received - information

Question Text: Which kind of help did you need (during the past 12 months)? - Information about these problems, treatments or available services

Universe: Respondents who answered (PNC_01A = 2 and PNC_04A = (1, 7, 8, 9)) or PNC_01A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	296	1,003,675	3.2
No	2	418	1,372,420	4.3
Valid skip	6	8,891	28,471,316	89.8
Don't know	7	26	99,530	0.3
Refusal	8	1	661	0.0
Not stated	9	229	757,321	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_04BB **Length:** 1.0 **Position:** 575

Question Name: PNC_Q04B

Concept: Help needed & not received - medication

Question Text: Which kind of help did you need (during the past 12 months)? - Medication

Universe: Respondents who answered (PNC_01B = 2 and PNC_04A = (1, 7, 8, 9)) or PNC_01B = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	87	312,677	1.0
No	2	627	2,063,417	6.5
Valid skip	6	8,891	28,471,316	89.8
Don't know	7	26	99,530	0.3
Refusal	8	1	661	0.0
Not stated	9	229	757,321	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_04BC **Length:** 1.0 **Position:** 576

Question Name: PNC_Q04B

Concept: Help needed & not received - counselling or therapy

Question Text: Which kind of help did you need (during the past 12 months)? - Counselling, therapy, or help for problems with personal relationships

Universe: Respondents who answered (PNC_01C = 2 and PNC_04A = (1, 7, 8, 9)) or PNC_01C = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	481	1,545,236	4.9
No	2	233	830,858	2.6
Valid skip	6	8,891	28,471,316	89.8
Don't know	7	26	99,530	0.3
Refusal	8	1	661	0.0
Not stated	9	229	757,321	2.4
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BA **Length:** 1.0 **Position:** 577

Question Name: PNC_Q05B

Concept: Why no information / self managed

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	115	405,819	1.3
No	2	165	539,010	1.7
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BB **Length:** 1.0 **Position:** 578

Question Name:

Concept: Why no information / don't know how/where

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	112	344,637	1.1
No	2	168	600,192	1.9
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	572	1,907,914	6.0
	Total		9,861	31,704,923	100.0

Variable Name: PNC_05BC **Length:** 1.0 **Position:** 579

Question Name: PNC_Q05B

Concept: Why no information / too busy

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	93	281,916	0.9
No		2	187	662,913	2.1
Valid skip		6	8,995	28,800,862	90.8
Don't know		7	10	41,371	0.1
Refusal		8	4	9,947	0.0
Not stated		9	572	1,907,914	6.0
	Total		9,861	31,704,923	100.0

Variable Name: PNC_05BD **Length:** 1.0 **Position:** 580

Question Name: PNC_Q05B

Concept: Why no information / job interfered

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	48	165,099	0.5
No		2	232	779,730	2.5
Valid skip		6	8,995	28,800,862	90.8
Don't know		7	10	41,371	0.1
Refusal		8	4	9,947	0.0
Not stated		9	572	1,907,914	6.0
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_05BE **Length:** 1.0 **Position:** 581

Question Name: PNC_Q05B

Concept: Why no information / not readily available

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	99	390,360	1.2
No	2	181	554,469	1.7
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BF **Length:** 1.0 **Position:** 582

Question Name: PNC_Q05B

Concept: Why no information / no confidence in system

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	75	250,243	0.8
No	2	205	694,586	2.2
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BG **Length:** 1.0 **Position:** 583

Question Name: PNC_Q05B

Concept: Why no information / unaffordable

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	62	207,860	0.7
No	2	218	736,969	2.3
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BH **Length:** 1.0 **Position:** 584

Question Name: PNC_Q05B

Concept: Why no information / insurance not cover

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	46	160,813	0.5
No	2	234	784,016	2.5
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BI **Length:** 1.0 **Position:** 585

Question Name: PNC_Q05B

Concept: Why no information / afraid of others opinion

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - You were afraid of what others would think of you

Totals may not add up due to rounding.

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	37	110,894	0.3
No	2	243	833,935	2.6
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05BL **Length:** 1.0 **Position:** 586

Question Name: PNC_Q05B

Concept: Why no information / other specify

Question Text: Why didn't you get information about these problems, treatments or available services (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_04BA = (1, 7, 8, 9) or PNC_01A = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	19	57,006	0.2
No	2	261	887,823	2.8
Valid skip	6	8,995	28,800,862	90.8
Don't know	7	10	41,371	0.1
Refusal	8	4	9,947	0.0
Not stated	9	572	1,907,914	6.0
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CA **Length:** 1.0 **Position:** 587

Question Name: PNC_Q05C

Concept: Why no medication / self managed

Question Text: Why didn't you get medication (during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	26	111,875	0.4
No	2	55	182,295	0.6
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CB **Length:** 1.0 **Position:** 588

Question Name: PNC_Q05C

Concept: Why no medication / don't know how/where

Question Text: Why didn't you get medication (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	25	75,848	0.2
No	2	56	218,322	0.7
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CC **Length:** 1.0 **Position:** 589

Question Name:

Concept: Why no medication / too busy

Question Text: Why didn't you get medication (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	27	102,891	0.3
No	2	54	191,279	0.6
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_05CE **Length:** 1.0 **Position:** 590

Question Name: PNC_Q05C

Concept: Why no medication / not readily available

Question Text: Why didn't you get medication (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	29	93,908	0.3
No	2	52	200,262	0.6
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CF **Length:** 1.0 **Position:** 591

Question Name: PNC_Q05C

Concept: Why no medication / no confidence in system

Question Text: Why didn't you get medication (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	15	58,091	0.2
No	2	66	236,080	0.7
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CG **Length:** 1.0 **Position:** 592

Question Name: PNC_Q05C

Concept: Why no medication / unaffordable

Totals may not add up due to rounding.

Question Text: Why didn't you get medication (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	14	51,287	0.2
No	2	67	242,883	0.8
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CH **Length:** 1.0 **Position:** 593

Question Name: PNC_Q05C

Concept: Why no medication / insurance not cover

Question Text: Why didn't you get medication (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	13	59,613	0.2
No	2	68	234,557	0.7
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CI **Length:** 1.0 **Position:** 594

Question Name: PNC_Q05C

Concept: Why no medication / afraid of others opinion

Question Text: Why didn't you get medication (during the past 12 months)? - You were afraid of what others would think of you

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	36,976	0.1
No	2	69	257,194	0.8
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05CL **Length:** 1.0 **Position:** 595

Question Name: PNC_Q05C

Concept: Why no medication / other specify

Question Text: Why didn't you get medication (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_04BB = (1, 7, 8, 9) or PNC_01B = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	12	26,875	0.1
No	2	69	267,295	0.8
Valid skip	6	9,032	29,015,889	91.5
Don't know	7	6	18,507	0.1
Not stated	9	742	2,376,357	7.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DA **Length:** 1.0 **Position:** 596

Question Name: PNC_Q05D

Concept: Why no counselling / self managed

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You preferred to manage yourself

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	221	669,692	2.1
No	2	251	849,605	2.7
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: PNC_05DB **Length:** 1.0 **Position:** 597

Question Name: PNC_Q05D

Concept: Why no counselling / don't know how/where

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You didn't know how or where to get this kind of help

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	132	364,039	1.1
No	2	340	1,155,258	3.6
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DC **Length:** 1.0 **Position:** 598

Question Name: PNC_Q05D

Concept: Why no counselling / too busy

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You haven't gotten around to it (e.g., too busy)

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	161	480,086	1.5
No	2	311	1,039,211	3.3
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DD **Length:** 1.0 **Position:** 599

Question Name:

Totals may not add up due to rounding.

Concept: Why no counselling / job interfered

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	52	146,919	0.5
No	2	420	1,372,378	4.3
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DE **Length:** 1.0 **Position:** 600

Question Name: PNC_Q05D

Concept: Why no counselling / not readily available

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Help was not readily available

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	135	439,018	1.4
No	2	337	1,080,279	3.4
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DF **Length:** 1.0 **Position:** 601

Question Name: PNC_Q05D

Concept: Why no counselling / no confidence in system

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You didn't have confidence in health care system or social services

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	96	318,066	1.0
No	2	376	1,201,231	3.8
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DG **Length:** 1.0 **Position:** 602

Question Name: PNC_Q05D

Concept: Why no counselling / unaffordable

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You couldn't afford to pay

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	121	401,358	1.3
No	2	351	1,117,939	3.5
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DH **Length:** 1.0 **Position:** 603

Question Name: PNC_Q05D

Concept: Why no counselling / insurance not cover

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Insurance did not cover

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	77	253,464	0.8
No	2	395	1,265,833	4.0
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DI **Length:** 1.0 **Position:** 604

Question Name: PNC_Q05D

Concept: Why no counselling / afraid of others opinion

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - You were afraid of what others would think of you

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	64	185,357	0.6
No	2	408	1,333,940	4.2
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNC_05DL **Length:** 1.0 **Position:** 605

Question Name: PNC_Q05D

Concept: Why no counselling / other specify

Question Text: Why didn't you get counselling, therapy, or help for problems with personal relationships (during the past 12 months)? - Other - Specify

Universe: Respondents who answered PNC_04BC = (1, 7, 8, 9) or PNC_01C = (7, 8, 9) or PNC_04A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	52	144,915	0.5
No	2	420	1,374,382	4.3
Valid skip	6	9,034	29,038,019	91.6
Don't know	7	8	23,516	0.1
Refusal	8	1	2,423	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Not stated	9	346	1,121,668	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNCG5D4D **Length:** 2.0 **Position:** 606

Question Name:

Concept: Why preferred to self manage / counselling (grouped)

Question Text:

Universe: Respondents who answered PNC_05DA = (1, 7, 8, 9)

Note: Based on PNC_5D4D

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
You didn't think they knew how to help	01	26	72,596	0.2
You were uncomfortable talking about these problems	02	42	144,838	0.5
You relied on faith and spirituality	03	13	23,809	0.1
You relied on family and friends	04	53	171,963	0.5
You felt you'd be treated differently	05	16	37,737	0.1
You didn't feel ready to seek help	06	35	117,651	0.4
Other	07	28	80,573	0.3
Valid skip	96	9,285	29,887,624	94.3
Not stated	99	363	1,168,131	3.7
Total		9,861	31,704,923	100.0

Variable Name: PNCFH12 **Length:** 1.0 **Position:** 608

Question Name:

Concept: Flag: Help received - past 12 months (F)

Question Text:

Universe: All respondents

Note: Based on PNC_01A, PNC_01B, PNC_01C, PNC_01D, PNC_01E. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,870	6,854,954	21.6
No	2	7,841	24,330,599	76.7
Not stated	9	150	519,371	1.6
Total		9,861	31,704,923	100.0

Variable Name: PNCDHCT **Length:** 1.0 **Position:** 609

Totals may not add up due to rounding.

Question Name:

Concept: Number of types of help received - past 12 months - (D)

Question Text:

Universe: All respondents

Note: Based on PNC_01A, PNC_01B, PNC_01C, PNC_01D, PNC_01E. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of types	0 - 4	9,711	31,185,552	98.4
Not stated	9	150	519,371	1.6
Total		9,861	31,704,923	100.0

Variable Name: PNCDPNI **Length:** 1.0 **Position:** 610

Question Name:

Concept: Perceived need for information - past 12 months (D)

Question Text:

Universe: All respondents

Note: Based on PNC_01A, PNC_02A, PNC_02BA, PNC_04A, PNC_04BA. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No need	1	8,388	26,622,136	84.0
Need met	2	711	2,526,183	8.0
Need partially met	3	127	424,029	1.3
Need not met	4	291	992,193	3.1
Not stated	9	344	1,140,382	3.6
Total		9,861	31,704,923	100.0

Variable Name: PNCDPNM **Length:** 1.0 **Position:** 611

Question Name:

Concept: Perceived need for medication - past 12 months (D)

Question Text:

Universe: All respondents

Note: Based on PNC_01B, PNC_02A, PNC_02BB, PNC_04A, PNC_04BB. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No need	1	8,458	26,445,911	83.4
Need met	2	919	3,624,488	11.4
Need partially met	3	63	218,935	0.7
Need not met	4	84	299,491	0.9
Not stated	9	337	1,116,097	3.5
Total		9,861	31,704,923	100.0

Variable Name: PNCDPNC **Length:** 1.0 **Position:** 612

Question Name:

Concept: Perceived need for counselling - past 12 months (D)

Question Text:

Universe: All respondents

Note: Based on PNC_01C, PNC_02A, PNC_02BC, PNC_04A, PNC_04BC. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No need	1	7,908	24,784,086	78.2
Need met	2	867	3,159,879	10.0
Need partially met	3	304	1,201,581	3.8
Need not met	4	471	1,500,579	4.7
Not stated	9	311	1,058,798	3.3
Total		9,861	31,704,923	100.0

Variable Name: PNCDPNO **Length:** 1.0 **Position:** 613

Question Name:

Concept: Perceived need for other help - past 12 months (D)

Question Text:

Universe: All respondents

Note: Based on PNC_01D, PNC_02A, PNC_02BD. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Did not receive other help	1	9,670	31,020,110	97.8
Need met	2	31	118,292	0.4
Need partially met	3	7	31,824	0.1
Not stated	9	153	534,697	1.7
Total		9,861	31,704,923	100.0

Variable Name: PNCDNEED **Length:** 1.0 **Position:** 614

Totals may not add up due to rounding.

Question Name:

Concept: Overall perceived need in past 12 Months - (D)

Question Text:

Universe: All respondents

Note: Based on PNCDPNI, PNCDPNM, PNCDPNC, PNCDPNO. See document on derived variables.

The classification is based on Meadows, Burgess et al. 2000. "Perceived need for mental health care, findings from the Australian National Survey of Mental Health and Well-being." Psychological Medicine. Vol.30; 645-656.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No perceived need for mental health care	1	7,344	22,826,587	72.0
All perceived needs met	2	1,185	4,336,487	13.7
Perceived needs partially met	3	555	2,057,800	6.5
Perceived needs not met	4	397	1,220,319	3.8
Not stated	9	380	1,263,731	4.0
Total		9,861	31,704,923	100.0

Variable Name: MHE_05A **Length:** 1.0 **Position:** 615

Question Name: MHE_Q05A

Concept: Received mental health treatment - life

Question Text: Have you ever received treatment for an emotional or mental health problem?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	1,863	7,198,445	22.7
No	2	7,906	24,195,805	76.3
Don’t know	7	47	171,665	0.5
Refusal	8	20	58,053	0.2
Not stated	9	25	80,956	0.3
Total		9,861	31,704,923	100.0

Variable Name: MHE_05B **Length:** 1.0 **Position:** 616

Question Name: MHE_Q05B

Concept: Received mental health treatment - 12 m

Question Text: Was this in the past 12 months?

Universe: Respondents who answered MHE_05A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	841	3,273,921	10.3
No	2	1,015	3,908,615	12.3
Valid skip	6	7,906	24,195,805	76.3
Don't know	7	6	13,004	0.0
Refusal	8	1	2,905	0.0
Not stated	9	92	310,674	1.0
Total		9,861	31,704,923	100.0

Variable Name: MHE_06 **Length:** 1.0 **Position:** 617

Question Name: MHE_Q06

Concept: Perceived prejudice/discrimination due to mental health -12m

Question Text: During the past 12 months, did you feel that anyone held negative opinions about you or treated you unfairly because of your past or current emotional or mental health problem?

Universe: Respondents who answered MHE_05B = (1, 7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	158	621,785	2.0
No	2	667	2,590,868	8.2
Valid skip	6	8,921	28,104,420	88.6
Don't know	7	14	55,049	0.2
Not stated	9	101	332,801	1.0
Total		9,861	31,704,923	100.0

Variable Name: MHE_06A **Length:** 3.0 **Position:** 618

Question Name: MHE_Q06A

Concept: Impact - mental health prej/discrimin - family relationships

Question Text: During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:

... your family relationships?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06A	000 - 010	154	600,349	1.9
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	4	21,435	0.1
Not stated	999	115	387,850	1.2
Total		9,861	31,704,923	100.0

Variable Name: MHE_06B **Length:** 3.0 **Position:** 621

Question Name: MHE_Q06B

Concept: Impact - mental health prej/discrim - romantic life

Question Text: (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your romantic life?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06B	000 - 010	147	570,069	1.8
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	11	51,715	0.2
Not stated	999	115	387,850	1.2
Total		9,861	31,704,923	100.0

Variable Name: MHE_06C **Length:** 3.0 **Position:** 624

Question Name: MHE_Q06C

Concept: Impact - mental health prej/discrim - work/school

Question Text: (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your work or school life?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06C	000 - 011	149	585,974	1.8
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	8	35,109	0.1
Refusal	998	1	701	0.0
Not stated	999	115	387,850	1.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		9,861	31,704,923	100.0

Variable Name: MHE_06D **Length:** 3.0 **Position:** 627

Question Name: MHE_Q06D

Concept: Impact - mental health prej/discrim - financial situation

Question Text: (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your financial situation?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06D	000 - 010	148	584,142	1.8
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	9	35,637	0.1
Refusal	998	1	2,006	0.0
Not stated	999	115	387,850	1.2
Total		9,861	31,704,923	100.0

Variable Name: MHE_06E **Length:** 3.0 **Position:** 630

Question Name: MHE_Q06E

Concept: Impact - mental health prej/discrim - housing

Question Text: (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your housing situation?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06E	000 - 010	149	594,106	1.9
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	8	25,673	0.1
Refusal	998	1	2,006	0.0
Not stated	999	115	387,850	1.2
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: MHE_06F **Length:** 3.0 **Position:** 633

Question Name: MHE_Q06F

Concept: Impact - mental health prej/discrim - health care/physical

Question Text: (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your health care for physical health problems?

Universe: Respondents who answered MHE_06 = (1, 7, 8, 9) or MHE_05B = (7, 8, 9) or MHE_05A = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
MHE_Q06F	000 - 010	151	594,085	1.9
Valid skip	996	9,588	30,695,289	96.8
Don't know	997	6	25,693	0.1
Refusal	998	1	2,006	0.0
Not stated	999	115	387,850	1.2
Total		9,861	31,704,923	100.0

Variable Name: FMI_01A **Length:** 1.0 **Position:** 636

Question Name: FMI_Q01A

Concept: Family member - mental health/alcohol/drug problems

Question Text: Do any of your family members have problems with their emotions, mental health or use of alcohol or drugs?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	3,080	11,675,828	36.8
No	2	6,261	18,425,103	58.1
Not applicable / No family members	3	150	408,273	1.3
Don't know	7	291	947,637	3.0
Refusal	8	38	124,254	0.4
Not stated	9	41	123,828	0.4
Total		9,861	31,704,923	100.0

Variable Name: FMI_02 **Length:** 1.0 **Position:** 637

Question Name: FMI_Q02

Concept: Life affected by family member's problem

Question Text: Taking into consideration your time, energy, emotions, finances, and daily activities, would you say that their problems affect your life... ?

Universe: Respondents who answered FMI_01A = (1, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
A lot	1	496	1,871,419	5.9
Some	2	796	2,996,274	9.5
A little	3	956	3,512,616	11.1
Not at all	4	823	3,254,785	10.3
Valid skip	6	6,411	18,833,376	59.4
Don't know	7	7	31,783	0.1
Refusal	8	1	2,356	0.0
Not stated	9	371	1,202,315	3.8
Total		9,861	31,704,923	100.0

Variable Name: SPS_01 **Length:** 1.0 **Position:** 638

Question Name: SPS_Q01

Concept: Has people to depend on

Question Text: There are people I can depend on to help me if I really need it.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,743	19,262,641	60.8
Agree	2	3,614	10,908,089	34.4
Disagree	3	263	779,626	2.5
Strongly disagree	4	80	284,349	0.9
Don't know	7	79	225,410	0.7
Refusal	8	27	87,065	0.3
Not stated	9	55	157,743	0.5
Total		9,861	31,704,923	100.0

Variable Name: SPS_02 **Length:** 1.0 **Position:** 639

Question Name: SPS_Q02

Concept: Has people who enjoy the same activities

Question Text: There are people who enjoy the same social activities I do.

Universe: All respondents

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	4,756	15,965,814	50.4
Agree	2	4,437	13,678,864	43.1
Disagree	3	322	1,000,929	3.2
Strongly disagree	4	53	191,723	0.6
Don't know	7	122	364,991	1.2
Refusal	8	9	31,313	0.1
Not stated	9	162	471,289	1.5
Total		9,861	31,704,923	100.0

Variable Name: SPS_03 **Length:** 1.0 **Position:** 640

Question Name: SPS_Q03

Concept: Has close relationships

Question Text: I have close relationships that provide me with a sense of emotional security and well-being.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,012	17,031,275	53.7
Agree	2	4,224	12,781,340	40.3
Disagree	3	328	1,036,267	3.3
Strongly disagree	4	60	195,933	0.6
Don't know	7	65	165,128	0.5
Refusal	8	4	7,362	0.0
Not stated	9	168	487,619	1.5
Total		9,861	31,704,923	100.0

Variable Name: SPS_04 **Length:** 1.0 **Position:** 641

Question Name: SPS_Q04

Concept: Has someone to talk to about important decisions

Question Text: There is someone I could talk to about important decisions in my life.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,657	18,906,329	59.6
Agree	2	3,678	11,193,049	35.3
Disagree	3	258	814,924	2.6
Strongly disagree	4	59	179,465	0.6

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Don't know	7	33	102,546	0.3
Refusal	8	3	4,141	0.0
Not stated	9	173	504,468	1.6
Total		9,861	31,704,923	100.0

Variable Name: SPS_05 **Length:** 1.0 **Position:** 642

Question Name: SPS_Q05

Concept: Has relationships that recognize competence/skill

Question Text: I have relationships where my competence and skill are recognized.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	4,419	15,117,897	47.7
Agree	2	4,772	14,461,982	45.6
Disagree	3	290	1,008,792	3.2
Strongly disagree	4	47	164,905	0.5
Don't know	7	143	403,370	1.3
Refusal	8	14	35,486	0.1
Not stated	9	176	512,491	1.6
Total		9,861	31,704,923	100.0

Variable Name: SPS_06 **Length:** 1.0 **Position:** 643

Question Name: SPS_Q06

Concept: Has trustworthy person for advice

Question Text: There is a trustworthy person I could turn to for advice if I were having problems.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,514	18,549,732	58.5
Agree	2	3,868	11,731,228	37.0
Disagree	3	229	692,244	2.2
Strongly disagree	4	33	118,992	0.4
Don't know	7	35	88,289	0.3
Refusal	8	3	7,830	0.0
Not stated	9	179	516,609	1.6
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: SPS_07 **Length:** 1.0 **Position:** 644

Question Name: SPS_Q07

Concept: Feel part of a group who shared attitudes/beliefs

Question Text: I feel part of a group of people who share my attitudes and beliefs.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	4,082	13,742,009	43.3
Agree	2	4,779	14,803,831	46.7
Disagree	3	585	1,876,905	5.9
Strongly disagree	4	88	333,684	1.1
Don't know	7	141	413,114	1.3
Refusal	8	5	12,932	0.0
Not stated	9	181	522,447	1.6
Total		9,861	31,704,923	100.0

Variable Name: SPS_08 **Length:** 1.0 **Position:** 645

Question Name: SPS_Q08

Concept: Has strong emotional bond

Question Text: I feel a strong emotional bond with at least one other person.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,642	19,113,178	60.3
Agree	2	3,669	11,001,301	34.7
Disagree	3	276	802,190	2.5
Strongly disagree	4	39	120,211	0.4
Don't know	7	46	130,164	0.4
Refusal	8	7	13,710	0.0
Not stated	9	182	524,169	1.7
Total		9,861	31,704,923	100.0

Variable Name: SPS_09 **Length:** 1.0 **Position:** 646

Question Name: SPS_Q09

Concept: Has people who admire talents/abilities

Question Text: There are people who admire my talents and abilities.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	4,045	13,578,465	42.8
Agree	2	5,101	15,908,116	50.2
Disagree	3	268	834,658	2.6
Strongly disagree	4	37	172,199	0.5
Don't know	7	214	659,951	2.1
Refusal	8	9	19,269	0.1
Not stated	9	187	532,265	1.7
Total		9,861	31,704,923	100.0

Variable Name: SPS_10 **Length:** 1.0 **Position:** 647

Question Name: SPS_Q10

Concept: Has people to count on in emergency

Question Text: There are people I can count on in an emergency.

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	5,882	19,593,966	61.8
Agree	2	3,604	10,969,532	34.6
Disagree	3	134	427,560	1.3
Strongly disagree	4	31	138,860	0.4
Don't know	7	20	40,255	0.1
Refusal	8	3	2,484	0.0
Not stated	9	187	532,265	1.7
Total		9,861	31,704,923	100.0

Variable Name: SPSDCON **Length:** 2.0 **Position:** 648

Question Name:

Concept: Social Provisions Scale - overall score - (D)

Question Text:

Universe: All respondents

Note: Based on SPS_01, SPS_02, SPS_03, SPS_04, SPS_05, SPS_06, SPS_07, SPS_08, SPS_09, SPS_10. See document on derived variables.

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on Social Provisions Scale	10 - 40	9,115	29,516,800	93.1
Not stated	99	746	2,188,123	6.9
Total		9,861	31,704,923	100.0

Variable Name: SPSDATT **Length:** 1.0 **Position:** 650

Question Name:

Concept: Social Provisions Scale - attachment - (D)

Question Text:

Universe: All respondents

Note: Based on SPS_03, SPS_08. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on Social Provisions Scale -Attachment	2 - 5	515	1,581,991	5.0
Valid skip	6	2,971	8,961,714	28.3
Don't know	7	1,611	4,879,308	15.4
Refusal	8	4,474	15,479,295	48.8
Not stated	9	290	802,615	2.5
Total		9,861	31,704,923	100.0

Variable Name: SPSDGUI **Length:** 1.0 **Position:** 651

Question Name:

Concept: Social Provisions Scale - guidance - (D)

Question Text:

Universe: All respondents

Note: Based on SPS_04, SPS_06. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on Social Provisions Scale -Guidance	2 - 5	380	1,192,867	3.8
Valid skip	6	3,097	9,446,361	29.8
Don't know	7	1,171	3,455,749	10.9
Refusal	8	4,971	16,924,689	53.4
Not stated	9	242	685,258	2.2
Total		9,861	31,704,923	100.0

Variable Name: SPSDALL **Length:** 1.0 **Position:** 652

Totals may not add up due to rounding.

Question Name:

Concept: Social Provisions Scale - reliable alliance - (D)

Question Text:

Universe: All respondents

Note: Based on SPS_01, SPS_10. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on Social Provisions Scale-Reliable Alliance	2 - 5	360	1,174,804	3.7
Valid skip	6	2,597	7,901,404	24.9
Don't know	7	1,864	5,520,626	17.4
Refusal	8	4,830	16,533,084	52.1
Not stated	9	210	575,005	1.8
Total		9,861	31,704,923	100.0

Variable Name: SPSDINT **Length:** 1.0 **Position:** 653

Question Name:

Concept: Social Provisions Scale - social integration - (D)

Question Text:

Universe: All respondents

Note: Based on SPS_02, SPS_07. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obtained on Social Provisions Scale-Social Integration	2 - 5	712	2,308,669	7.3
Valid skip	6	3,509	10,819,338	34.1
Don't know	7	1,785	5,570,119	17.6
Refusal	8	3,425	11,741,449	37.0
Not stated	9	430	1,265,348	4.0
Total		9,861	31,704,923	100.0

Variable Name: SPSDWOR **Length:** 1.0 **Position:** 654

Question Name:

Concept: Social Provisions Scale - reassurance of worth (D)

Question Text:

Universe: All respondents

Note: Based on SPS_05, SPS_09. See document on derived variables.

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Score obt. on Social Provisions Scale-Reassurance of Worth	2 - 5	454	1,534,277	4.8
Valid skip	6	3,890	11,793,569	37.2
Don't know	7	1,660	5,398,364	17.0
Refusal	8	3,352	11,502,845	36.3
Not stated	9	505	1,475,867	4.7
Total		9,861	31,704,923	100.0

Variable Name: NSI_01 **Length:** 1.0 **Position:** 655

Question Name: NSI_Q01

Concept: Negative social interactions - detrimental to well-being

Question Text: Are there persons with whom you are in regular contact that are detrimental to your well-being because they are a source of discomfort and stress?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	2,386	8,285,772	26.1
No	2	7,128	22,376,771	70.6
Don't know	7	212	660,345	2.1
Refusal	8	31	105,200	0.3
Not stated	9	104	276,835	0.9
Total		9,861	31,704,923	100.0

Variable Name: NSI_02 **Length:** 1.0 **Position:** 656

Question Name: NSI_Q02

Concept: Negative social interactions - made too many demands

Question Text: During the past month, how often have you felt that others made too many demands on you?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	4,072	12,859,150	40.6
Once in a while	2	4,110	13,283,974	41.9
Fairly often	3	907	3,045,495	9.6
Very often	4	364	1,303,782	4.1
Don't know	7	49	133,964	0.4
Refusal	8	7	15,391	0.0

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
Not stated		9	352	1,063,166	3.4
	Total		9,861	31,704,923	100.0

Variable Name: NSI_03 **Length:** 1.0 **Position:** 657

Question Name: NSI_Q03

Concept: Negative social interactions - critical of behaviour

Question Text: During the past month, how often have you felt that others were critical of you and things you did?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Never		1	4,479	14,218,075	44.8
Once in a while		2	3,998	13,106,198	41.3
Fairly often		3	618	1,995,671	6.3
Very often		4	270	971,283	3.1
Don’t know		7	129	311,360	1.0
Refusal		8	10	19,952	0.1
Not stated		9	357	1,082,384	3.4
	Total		9,861	31,704,923	100.0

Variable Name: NSI_04 **Length:** 1.0 **Position:** 658

Question Name: NSI_Q04

Concept: Negative social interactions - thoughtless/inconsiderate

Question Text: During the past month, how often have you felt that others did things that were thoughtless or inconsiderate?

Universe: All respondents

Note:

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Never		1	4,387	13,854,139	43.7
Once in a while		2	4,040	13,163,901	41.5
Fairly often		3	706	2,297,905	7.2
Very often		4	258	999,695	3.2
Don’t know		7	104	291,169	0.9
Refusal		8	5	9,449	0.0
Not stated		9	361	1,088,664	3.4
	Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: NSI_05 **Length:** 1.0 **Position:** 659

Question Name: NSI_Q05

Concept: Negative social interactions - angry/upset

Question Text: During the past month, how often have you felt that others acted angry or upset with you?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	5,227	16,974,824	53.5
Once in a while	2	3,682	11,754,581	37.1
Fairly often	3	369	1,140,629	3.6
Very often	4	128	486,288	1.5
Don't know	7	89	241,418	0.8
Refusal	8	3	4,654	0.0
Not stated	9	363	1,102,529	3.5
Total		9,861	31,704,923	100.0

Variable Name: NSIDSC **Length:** 2.0 **Position:** 660

Question Name:

Concept: Negative social interactions - scale - (D)

Question Text:

Universe: All respondents

Note: Based on NSI_02, NSI_03, NSI_04, NSI_05. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Negative social interactions scale	00 - 12	9,210	29,832,146	94.1
Not stated	99	651	1,872,777	5.9
Total		9,861	31,704,923	100.0

Variable Name: CEX_01 **Length:** 1.0 **Position:** 662

Question Name: CEX_Q01

Concept: Num of times - saw/heard parent hit other adult in your home

Question Text: Before age 16, how many times did you see or hear any one of your parents, step-parents or guardians hit each other or another adult in your home? By adult, I mean anyone 18 years and over.

Universe: Respondents aged 18 and over

Totals may not add up due to rounding.

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	7,277	24,295,512	76.6
1 or 2 times	2	718	2,241,595	7.1
3 to 5 times	3	238	715,477	2.3
6 to 10 times	4	109	328,977	1.0
More than 10 times	5	312	1,066,739	3.4
Valid skip	6	894	2,127,512	6.7
Don't know	7	132	386,309	1.2
Refusal	8	48	154,244	0.5
Not stated	9	133	388,558	1.2
Total		9,861	31,704,923	100.0

Variable Name: CEX_02 **Length:** 1.0 **Position:** 663

Question Name: CEX_Q02

Concept: Num of times - slapped/hit/spanked

Question Text: Before age 16, how many times did an adult slap you on the face, head or ears or hit or spank you with something hard to hurt you?

Universe: Respondents aged 18 and over

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	5,078	16,669,476	52.6
1 or 2 times	2	1,507	4,925,200	15.5
3 to 5 times	3	660	2,144,290	6.8
6 to 10 times	4	350	1,187,373	3.7
More than 10 times	5	1,007	3,530,928	11.1
Valid skip	6	894	2,127,512	6.7
Don't know	7	166	515,215	1.6
Refusal	8	64	213,241	0.7
Not stated	9	135	391,688	1.2
Total		9,861	31,704,923	100.0

Variable Name: CEX_03 **Length:** 1.0 **Position:** 664

Question Name: CEX_Q03

Concept: Num of times - pushed/grabbed/shoved/threw things at you

Question Text: Before age 16, how many times did an adult push, grab, shove or throw something at you to hurt you?

Universe: Respondents aged 18 and over

Note:

Totals may not add up due to rounding.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	6,886	22,768,587	71.8
1 or 2 times	2	878	2,758,068	8.7
3 to 5 times	3	315	1,035,596	3.3
6 to 10 times	4	156	562,525	1.8
More than 10 times	5	391	1,455,430	4.6
Valid skip	6	894	2,127,512	6.7
Don't know	7	147	410,599	1.3
Refusal	8	55	177,981	0.6
Not stated	9	139	408,624	1.3
Total		9,861	31,704,923	100.0

Variable Name: CEX_04 **Length:** 1.0 **Position:** 665

Question Name: CEX_Q04

Concept: Num of times - physically attacked

Question Text: Before age 16, how many times did an adult kick, bite, punch, choke, burn you, or physically attack you in some way?

Universe: Respondents aged 18 and over

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	7,836	25,879,265	81.6
1 or 2 times	2	448	1,389,975	4.4
3 to 5 times	3	134	415,494	1.3
6 to 10 times	4	67	263,895	0.8
More than 10 times	5	198	782,253	2.5
Valid skip	6	894	2,127,512	6.7
Don't know	7	94	267,507	0.8
Refusal	8	49	165,637	0.5
Not stated	9	141	413,385	1.3
Total		9,861	31,704,923	100.0

Variable Name: CEX_05 **Length:** 1.0 **Position:** 666

Question Name: CEX_Q05

Concept: Num of times - forced unwanted sexual activity

Question Text: Before age 16, how many times did an adult force you or attempt to force you into any unwanted sexual activity, by threatening you, holding you down or hurting you in some way?

Universe: Respondents aged 18 and over

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	8,218	26,951,487	85.0
1 or 2 times	2	292	1,053,946	3.3
3 to 5 times	3	87	306,243	1.0
6 to 10 times	4	32	107,545	0.3
More than 10 times	5	77	325,014	1.0
Valid skip	6	894	2,127,512	6.7
Don't know	7	67	243,870	0.8
Refusal	8	49	164,300	0.5
Not stated	9	145	425,005	1.3
Total		9,861	31,704,923	100.0

Variable Name: CEX_06 **Length:** 1.0 **Position:** 667

Question Name: CEX_Q06

Concept: Num of times - sexual touching

Question Text: Before age 16, how many times did an adult touch you against your will in any sexual way? By this, I mean anything from unwanted touching or grabbing, to kissing or fondling.

Universe: Respondents aged 18 and over

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Never	1	7,833	25,609,006	80.8
1 or 2 times	2	530	1,823,729	5.8
3 to 5 times	3	150	546,674	1.7
6 to 10 times	4	59	248,415	0.8
More than 10 times	5	112	459,244	1.4
Valid skip	6	894	2,127,512	6.7
Don't know	7	83	279,084	0.9
Refusal	8	55	186,254	0.6
Not stated	9	145	425,005	1.3
Total		9,861	31,704,923	100.0

Variable Name: CEX_07 **Length:** 1.0 **Position:** 668

Question Name: CEX_Q07

Concept: Saw/talked w child protection organization

Question Text: Before age 16, did you ever see or talk to anyone from a child protection organization about difficulties at home?

Universe: Respondents aged 18 and over

Note:

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	258	1,097,771	3.5
No	2	8,457	27,684,127	87.3
Valid skip	6	894	2,127,512	6.7
Don't know	7	72	247,120	0.8
Refusal	8	35	123,389	0.4
Not stated	9	145	425,005	1.3
Total		9,861	31,704,923	100.0

Variable Name: CEXDNUM **Length:** 2.0 **Position:** 669

Question Name:

Concept: Number of types of childhood maltreatment experienced (D)

Question Text:

Universe: Respondents aged 18 and over

Note: Based on CEX_01, CEX_02, CEX_03, CEX_04, CEX_05, CEX_06, DV_AGE. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Number of types	00 - 06	8,408	27,882,663	87.9
Valid skip	96	894	2,127,512	6.7
Not stated	99	559	1,694,748	5.3
Total		9,861	31,704,923	100.0

Variable Name: SPI_01 **Length:** 1.0 **Position:** 671

Question Name: SPI_Q01

Concept: Spiritual values - play important role in life

Question Text: In general, how important are religious or spiritual beliefs in your daily life?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very important	1	3,291	8,591,520	27.1
Somewhat important	2	2,252	7,435,076	23.5
Not very important	3	1,785	6,274,512	19.8
Not at all important	4	2,282	8,643,765	27.3
Don't know	7	55	185,465	0.6
Refusal	8	32	100,805	0.3
Not stated	9	164	473,780	1.5
Total		9,861	31,704,923	100.0

Variable Name: LMAM_01 **Length:** 1.0 **Position:** 672

Question Name: LMAM_Q01

Concept: Worked at job or business last week

Question Text: Last week, did you work at a job or business?

Universe: Respondents aged 15 to 75

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,934	17,125,512	54.0
No	2	2,284	7,674,615	24.2
Valid skip	6	2,504	6,483,377	20.4
Not stated	9	139	421,418	1.3
Total		9,861	31,704,923	100.0

Variable Name: LMAM_02 **Length:** 1.0 **Position:** 673

Question Name: LMAM_Q02

Concept: Absent from job or business last week

Question Text: Last week, did you have a job or business from which you were absent?

Universe: Respondents who answered LMAM_01 = (2, 7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	298	1,190,620	3.8
No	2	1,986	6,483,995	20.5
Valid skip	6	7,438	23,608,889	74.5
Not stated	9	139	421,418	1.3
Total		9,861	31,704,923	100.0

Variable Name: LMAMG03 **Length:** 2.0 **Position:** 674

Question Name:

Concept: Absent from job / business - reason - last week (grouped)

Question Text:

Universe: Respondents who answered LMAM_02 = 1

Note: Based on LMAM_03

Source:

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Vacation	01	76	263,710	0.8
Own illness or disability	02	102	415,044	1.3
Maternity or parental leave	03	57	242,186	0.8
Other	04	82	309,984	1.0
Valid skip	96	9,374	29,967,634	94.5
Not stated	99	170	506,364	1.6
Total		9,861	31,704,923	100.0

Variable Name: LBSDWSS **Length:** 1.0 **Position:** 676

Question Name:

Concept: Working status last week - (D)

Question Text:

Universe: Respondents aged 15 to 75

Note: Based on LMAM_01, LMAM_02, DV_AGE. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Worked at a job or business	1	4,934	17,125,512	54.0
Had a job but did not work (absent)	2	298	1,190,620	3.8
Did not have a job	3	1,986	6,483,995	20.5
Valid skip	6	2,504	6,483,377	20.4
Not stated	9	139	421,418	1.3
Total		9,861	31,704,923	100.0

Variable Name: LBSGSOC **Length:** 1.0 **Position:** 677

Question Name:

Concept: Occupation group - (grouped)

Question Text:

Universe: Respondents aged 15 to 75 who answered LMAM_01 = (1, 7, 8, 9) or LMAM_02 = (1, 7, 8, 9)

Note: Based on LBSDOCG

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Manag, Nat & Appl Sc & Rel, Health, Ed, Law & Soc, Comm, Gov	1	1,880	6,015,746	19.0
Business, Finance and Administration Occupations	2	1,027	3,518,389	11.1
Sales and Service Occupations	3	1,153	4,055,803	12.8
Trades, Transport and Equipment Operators, Related Occup.	4	618	2,603,932	8.2
Nat res, agr & related prod occ, Occ in manuf & utilities	5	251	1,019,027	3.2

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Valid skip	6	4,490	12,967,372	40.9
Not stated	9	442	1,524,654	4.8
Total		9,861	31,704,923	100.0

Variable Name: WST_401 **Length:** 1.0 **Position:** 678

Question Name: WST_Q401

Concept: Work stress - learn new things

Question Text: Your job required that you learn new things.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,421	8,190,016	25.8
Agree	2	2,535	8,796,082	27.7
Neither agree nor disagree	3	261	926,527	2.9
Disagree	4	364	1,332,761	4.2
Strongly disagree	5	88	327,288	1.0
Valid skip	6	3,966	11,429,984	36.1
Don’t know	7	73	222,813	0.7
Refusal	8	23	78,270	0.2
Not stated	9	130	401,182	1.3
Total		9,861	31,704,923	100.0

Variable Name: WST_402 **Length:** 1.0 **Position:** 679

Question Name: WST_Q402

Concept: Work stress - high level of skill

Question Text: Your job required a high level of skill.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,029	7,139,505	22.5
Agree	2	2,434	8,568,367	27.0
Neither agree nor disagree	3	480	1,617,520	5.1
Disagree	4	648	2,017,139	6.4
Strongly disagree	5	81	251,655	0.8
Valid skip	6	3,966	11,429,984	36.1
Don’t know	7	67	187,708	0.6
Refusal	8	2	11,997	0.0

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Not stated	9	154	481,049	1.5
Total		9,861	31,704,923	100.0

Variable Name: WST_403 **Length:** 1.0 **Position:** 680

Question Name: WST_Q403

Concept: Work stress - freedom to decide

Question Text: Your job allowed you freedom to decide how you did your job.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	1,572	5,729,101	18.1
Agree	2	2,667	9,029,053	28.5
Neither agree nor disagree	3	617	2,134,858	6.7
Disagree	4	671	2,210,962	7.0
Strongly disagree	5	131	451,201	1.4
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	77	224,316	0.7
Refusal	8	5	13,788	0.0
Not stated	9	155	481,660	1.5
Total		9,861	31,704,923	100.0

Variable Name: WST_404 **Length:** 1.0 **Position:** 681

Question Name: WST_Q404

Concept: Work stress - repetitive tasks

Question Text: Your job required that you do things over and over.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	1,424	5,084,271	16.0
Agree	2	2,622	8,888,622	28.0
Neither agree nor disagree	3	568	1,947,098	6.1
Disagree	4	883	3,040,068	9.6
Strongly disagree	5	161	607,191	1.9
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	79	222,581	0.7
Refusal	8	2	2,061	0.0
Not stated	9	156	483,047	1.5

Totals may not add up due to rounding.

Answer Categories	Code	Frequency	Weighted Frequency	%
Total		9,861	31,704,923	100.0

Variable Name: WST_405 **Length:** 1.0 **Position:** 682

Question Name: WST_Q405

Concept: Work stress - job hectic

Question Text: Your job was very hectic.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	1,114	4,186,035	13.2
Agree	2	2,030	6,858,941	21.6
Neither agree nor disagree	3	864	2,938,122	9.3
Disagree	4	1,408	4,716,715	14.9
Strongly disagree	5	232	808,456	2.5
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	85	257,554	0.8
Refusal	8	6	26,069	0.1
Not stated	9	156	483,047	1.5
Total		9,861	31,704,923	100.0

Variable Name: WST_406 **Length:** 1.0 **Position:** 683

Question Name: WST_Q406

Concept: Work stress - free from conflicting demands

Question Text: You were free from conflicting demands that others made.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	703	2,528,378	8.0
Agree	2	2,317	7,740,852	24.4
Neither agree nor disagree	3	764	2,590,571	8.2
Disagree	4	1,463	5,131,725	16.2
Strongly disagree	5	343	1,316,371	4.2
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	143	467,089	1.5
Refusal	8	6	16,906	0.1
Not stated	9	156	483,047	1.5
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: WST_407 **Length:** 1.0 **Position:** 684

Question Name: WST_Q407

Concept: Work stress - good job security

Question Text: Your job security was good.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	2,168	8,075,222	25.5
Agree	2	2,731	9,029,794	28.5
Neither agree nor disagree	3	279	845,092	2.7
Disagree	4	375	1,208,379	3.8
Strongly disagree	5	93	360,096	1.1
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	86	252,642	0.8
Refusal	8	5	9,989	0.0
Not stated	9	158	493,724	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_408 **Length:** 1.0 **Position:** 685

Question Name: WST_Q408

Concept: Work stress - a lot of physical effort

Question Text: Your job required a lot of physical effort.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	885	3,306,785	10.4
Agree	2	1,519	5,400,326	17.0
Neither agree nor disagree	3	456	1,574,905	5.0
Disagree	4	1,914	6,357,605	20.1
Strongly disagree	5	889	2,938,556	9.3
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	68	194,083	0.6
Refusal	8	5	7,446	0.0
Not stated	9	159	495,233	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_409 **Length:** 1.0 **Position:** 686

Totals may not add up due to rounding.

Question Name: WST_Q409

Concept: Work stress - had own job input

Question Text: You had a lot to say about what happened in your job.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	1	1,153	4,391,348	13.9
Agree	2	2,528	8,878,289	28.0
Neither agree nor disagree	3	750	2,384,983	7.5
Disagree	4	1,000	3,160,696	10.0
Strongly disagree	5	163	564,449	1.8
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	133	379,824	1.2
Refusal	8	9	20,117	0.1
Not stated	9	159	495,233	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_410 **Length:** 2.0 **Position:** 687

Question Name: WST_Q410

Concept: Work stress - hostility or conflict with others

Question Text: You were exposed to hostility or conflict from the people you worked with.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	01	231	923,592	2.9
Agree	02	931	3,311,690	10.4
Neither agree nor disagree	03	439	1,498,687	4.7
Disagree	04	2,424	8,078,646	25.5
Strongly disagree	05	1,355	4,710,991	14.9
Not applicable	06	263	975,502	3.1
Valid skip	96	3,966	11,429,984	36.1
Don't know	97	81	241,770	0.8
Refusal	98	10	34,180	0.1
Not stated	99	161	499,882	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_411 **Length:** 2.0 **Position:** 689

Question Name: WST_Q411

Totals may not add up due to rounding.

Concept: Work stress - supervisor helpful

Question Text: Your supervisor was helpful in getting the job done.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	01	1,578	5,328,436	16.8
Agree	02	2,743	9,157,457	28.9
Neither agree nor disagree	03	368	1,299,624	4.1
Disagree	04	375	1,336,524	4.2
Strongly disagree	05	106	439,534	1.4
Not applicable	06	484	1,983,075	6.3
Valid skip	96	3,966	11,429,984	36.1
Don't know	97	73	215,500	0.7
Refusal	98	7	14,907	0.0
Not stated	99	161	499,882	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_412 **Length:** 2.0 **Position:** 691

Question Name: WST_Q412

Concept: Work stress - co-workers helpful

Question Text: The people you worked with were helpful in getting the job done.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Strongly agree	01	1,807	6,181,585	19.5
Agree	02	3,148	10,706,876	33.8
Neither agree nor disagree	03	298	1,104,265	3.5
Disagree	04	181	688,452	2.2
Strongly disagree	05	32	118,677	0.4
Not applicable	06	200	781,434	2.5
Valid skip	96	3,966	11,429,984	36.1
Don't know	97	62	182,075	0.6
Refusal	98	6	11,695	0.0
Not stated	99	161	499,882	1.6
Total		9,861	31,704,923	100.0

Variable Name: WST_413 **Length:** 1.0 **Position:** 693

Question Name: WST_Q413

Concept: Work stress - job satisfaction

Question Text: How satisfied were you with your job?

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Very satisfied	1	2,563	9,421,222	29.7
Somewhat satisfied	2	2,579	8,500,154	26.8
Not too satisfied	3	382	1,183,065	3.7
Not at all satisfied	4	123	439,806	1.4
Valid skip	6	3,966	11,429,984	36.1
Don't know	7	76	207,756	0.7
Refusal	8	10	20,728	0.1
Not stated	9	162	502,208	1.6
Total		9,861	31,704,923	100.0

Variable Name: WSTDSKI **Length:** 2.0 **Position:** 694

Question Name:

Concept: Work stress - decision latitude/discretion - (D)

Question Text:

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WST_402, WST_404, WSTT401, WSTT402, WSTT404. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	00 - 12	8,140	25,960,596	81.9
Valid skip	96	1,462	4,946,607	15.6
Not stated	99	259	797,720	2.5
Total		9,861	31,704,923	100.0

Variable Name: WSTDAUT **Length:** 2.0 **Position:** 696

Question Name:

Concept: Work stress - decision latitude / authority - (D)

Question Text:

Totals may not add up due to rounding.

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WST_403, WST_409, WSTT403, WSTT409. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	00 - 08	8,079	25,799,825	81.4
Valid skip	96	1,462	4,946,607	15.6
Not stated	99	320	958,491	3.0
Total		9,861	31,704,923	100.0

Variable Name: WSTDPSY **Length:** 2.0 **Position:** 698

Question Name:

Concept: Work stress - psychological demands - (D)

Question Text:

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WST_405, WST_406, WSTT405, WSTT406. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	00 - 08	8,073	25,711,189	81.1
Valid skip	96	1,462	4,946,607	15.6
Not stated	99	326	1,047,127	3.3
Total		9,861	31,704,923	100.0

Variable Name: WSTDJIN **Length:** 1.0 **Position:** 700

Question Name:

Concept: Work stress - job insecurity - (D)

Question Text:

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WSTT407. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	0 - 4	5,646	19,518,583	61.6
Valid skip	6	3,966	11,429,984	36.1
Not stated	9	249	756,355	2.4
Total		9,861	31,704,923	100.0

Variable Name: WSTDPHY **Length:** 1.0 **Position:** 701

Question Name:

Concept: Work stress - physical exertion - (D)

Question Text:

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WST_408, WSTT408. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	0 - 4	5,663	19,578,177	61.8
Valid skip	6	3,966	11,429,984	36.1
Not stated	9	232	696,762	2.2
Total		9,861	31,704,923	100.0

Variable Name: WSTDSOC **Length:** 2.0 **Position:** 702

Question Name:

Concept: Work stress - social support - (D)

Question Text:

Universe: Respondents who answered (WST_410 = (1, 2, 3, 4, 5, 97, 98, 99) and WST_411 = (1, 2, 3, 4, 5, 97, 98, 99) and WST_412 = (1, 2, 3, 4, 5, 97, 98, 99)) or WST_401 = 8 or GEN_08 = (7, 8, 9)

Note: Based on WST_401, WST_410, WST_411, WST_412, WSTT410, WSTT411, WSTT412. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Please note that a "Not applicable" response category was added to each of the questions used in the creation of this DV (WST_410, WST_411, WST_412), to be selected when the respondent worked alone, or did not have a supervisor. For this DV, respondents are assigned the value 96 (Not applicable) when a response of "Not applicable"

Totals may not add up due to rounding.

is reported in any of these three items (WST_410, WST_411, WST_412).

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Index score	00 - 12	7,463	23,304,346	73.5
Valid skip	96	2,138	7,589,758	23.9
Not stated	99	260	810,819	2.6
Total		9,861	31,704,923	100.0

Variable Name: WSTDJST **Length:** 4.2 **Position:** 704

Question Name:

Concept: Work stress - job strain - (D)

Question Text:

Universe: Respondents <= 75 years old who answered GEN_08 = (1, 7, 8, 9) or GEN_01 = (7, 8, 9)

Note: Based on WST_401, WST_402, WST_403, WST_404, WST_405, WST_406, WST_409, WSTT401, WSTT402, WSTT403, WSTT404, WSTT405, WSTT406, WSTT409. See document on derived variables.

Respondents less than 15 years old or more than 75 years old and respondents who have not worked at a job or business at any time in the past 12 months were excluded from the population. Higher scores indicate greater work stress.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
	0.20 - 6.00	7,961	25,378,635	80.0
	9.96	1,462	4,946,607	15.6
	9.99	438	1,379,681	4.4
Total		9,861	31,704,923	100.0

Variable Name: SORLGBTS **Length:** 1.0 **Position:** 708

Question Name:

Concept: LGBTQ2+ Status

Question Text:

Universe: Respondents aged 15 and older with DOSDC = 1

Note: Based on GDR_005, GDR_010, SDC_037. See documentation on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
LGBTQ2+ person	1	587	2,018,029	6.4
Non-LGBTQ2+ (Heterosexual and cisgender) person	2	8,976	28,837,623	91.0
Not stated	9	298	849,271	2.7

Totals may not add up due to rounding.

Answer Categories		Code	Frequency	Weighted Frequency	%
	Total		9,861	31,704,923	100.0

Variable Name: SDCFIMM **Length:** 1.0 **Position:** 709

Question Name:

Concept: Immigration - (F)

Question Text:

Universe: All respondents

Note: Based on IMM_02. See document on derived variables.

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
Yes		1	4,142	9,276,656	29.3
No		2	5,457	21,700,943	68.4
Not stated		9	262	727,324	2.3
	Total		9,861	31,704,923	100.0

Variable Name: SDCGRES **Length:** 1.0 **Position:** 710

Question Name:

Concept: Number of years in Canada since immigration - (grouped)

Question Text:

Universe: Respondents who answered IMM_01 <> 1

Note: Based on SDCDRES

Source:

Answer Categories		Code	Frequency	Weighted Frequency	%
0 to 9 years		1	1,145	2,285,654	7.2
10 to 19 years		2	1,061	2,272,262	7.2
20 years or more		3	1,936	4,718,740	14.9
Valid skip		6	5,457	21,700,943	68.4
Not stated		9	262	727,324	2.3
	Total		9,861	31,704,923	100.0

Variable Name: SDCGVVM **Length:** 2.0 **Position:** 711

Question Name:

Concept: Visible minority group of respondent (grouped)

Question Text:

Totals may not add up due to rounding.

Universe: All respondents

Note: Based on SDCDVVM

Visible minority is derived from responses to the Population group and Indigenous group questions.
Indigenous persons are classified in the category "Not a visible minority". All others are classified according to their responses to the population group question as either belonging to a specific visible minority group, belonging to a visible minority group not indicated elsewhere, or not being in a visible minority group. The "Not a visible minority" category includes persons who gave a response of "White" only; persons who gave a response of "White and Latin American", "White and Arab", or "White and West Asian"; persons who gave a response of "Latin American", "Arab", or "West Asian" only, along with a European response; and persons who gave a response that is not classified as a visible minority.
The variables VMRNIE (visible minority not indicated elsewhere) and VMROTHER (not a visible minority) were created by coding the participant's write-in responses.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
South Asian	01	993	2,106,813	6.6
Chinese	02	986	1,483,389	4.7
Black	03	990	1,157,367	3.7
Filipino	04	760	807,590	2.5
Arab, Lat Amer, SE Asian, W Asian, Kor, Jap, Vis min	05	683	2,349,112	7.4
Not a visible minority	06	5,081	22,715,416	71.6
Not stated	99	368	1,085,236	3.4
Total		9,861	31,704,923	100.0

Variable Name: SDCDVFLA **Length:** 1.0 **Position:** 713

Question Name:

Concept: Visible minority - (F)

Question Text:

Universe: All respondents

Note: Based on SDCDVVM. See document on derived variables.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Yes	1	4,412	7,904,271	24.9
No	2	5,081	22,715,416	71.6
Not stated	9	368	1,085,236	3.4
Total		9,861	31,704,923	100.0

Variable Name: EDU_05 **Length:** 2.0 **Position:** 714

Question Name: EDU_Q05

Concept: Highest degree / certificate / diploma obtained

Question Text: What is the highest certificate, diploma or degree that you have completed?

Universe: All respondents

Note:

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Less than high school diploma or its equivalent	01	898	3,358,575	10.6
High school diploma or a high school equivalency certificate	02	2,259	7,671,466	24.2
Trades certificate or diploma	03	551	2,225,638	7.0
College, CEGEP, other non-university certificate or diploma	04	1,899	6,883,521	21.7
University certificate or diploma below the bachelor's level	05	435	1,382,255	4.4
Bachelor's degree	06	2,256	5,967,111	18.8
University certif., diploma, degree above bachelor's level	07	1,331	3,555,121	11.2
Not stated	99	232	661,235	2.1
Total		9,861	31,704,923	100.0

Variable Name: INCDVP19 **Length:** 2.0 **Position:** 716

Question Name:

Concept: Personal income from all sources for 2019 - Grouped

Question Text:

Universe: Respondents 18 years old and over

Note: Based on INCP2019. See document on derived variables.

This variable indicates the respondent's personal income from all sources for 2019. A range category is previously assigned by the application to respondents who provided an exact amount in question INCP2019.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No income or income loss	01	489	1,097,770	3.5
Less than $5,000	02	634	1,729,272	5.5
$5,000 to $9,999	03	555	1,637,040	5.2
$10,000 to $14,999	04	603	1,888,676	6.0
$15,000 to $19,999	05	678	2,123,376	6.7
$20,000 to $29,999	06	1,151	3,987,285	12.6
$30,000 to $39,999	07	956	3,330,688	10.5
$40,000 to $49,999	08	884	3,081,545	9.7
$50,000 to $59,999	09	760	2,602,237	8.2
$60,000 to $69,999	10	613	2,046,635	6.5
$70,000 to $79,999	11	457	1,480,311	4.7
$80,000 to $89,999	12	379	1,310,199	4.1
$90,000 to $99,999	13	272	932,290	2.9
$100,000 or more	14	909	3,126,995	9.9
Valid skip	96	449	1,067,640	3.4
Not stated	99	72	262,964	0.8
Total		9,861	31,704,923	100.0

Totals may not add up due to rounding.

Variable Name: INCDVP20 **Length:** 2.0 **Position:** 718

Question Name:

Concept: Personal income from all sources for 2020 - Grouped

Question Text:

Universe: Respondents 18 years old and over

Note: Based on INCP2020. See document on derived variables.

This variable indicates the respondent's personal income from all sources for 2020. A range category is previously assigned by the application to respondents who provided an exact amount in question INCP2020.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
No income or income loss	01	276	679,250	2.1
Less than $5,000	02	428	1,237,278	3.9
$5,000 to $9,999	03	395	1,053,138	3.3
$10,000 to $14,999	04	476	1,371,066	4.3
$15,000 to $19,999	05	674	2,082,034	6.6
$20,000 to $29,999	06	1,378	4,630,844	14.6
$30,000 to $39,999	07	1,120	3,788,021	11.9
$40,000 to $49,999	08	975	3,407,084	10.7
$50,000 to $59,999	09	829	2,833,254	8.9
$60,000 to $69,999	10	635	2,047,417	6.5
$70,000 to $79,999	11	499	1,622,772	5.1
$80,000 to $89,999	12	411	1,342,746	4.2
$90,000 to $99,999	13	295	931,505	2.9
$100,000 or more	14	949	3,347,909	10.6
Valid skip	96	449	1,067,640	3.4
Not stated	99	72	262,964	0.8
Total		9,861	31,704,923	100.0

Variable Name: INCDVHH **Length:** 2.0 **Position:** 720

Question Name:

Concept: Household income from all sources for 2020 - Grouped

Question Text:

Universe: All respondents

Note: Based on INCH2020. See document on derived variables.

This variable groups the total household income from all sources. A range category is previously assigned by the application to respondents who provided an exact amount in question INCH2020.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%

Answer Categories	Code	Frequency	Weighted Frequency	%
No income or income loss	01	37	87,480	0.3
Less than $5,000	02	69	175,897	0.6
$5,000 to $9,999	03	38	103,552	0.3
$10,000 to $14,999	04	57	175,881	0.6
$15,000 to $19,999	05	96	336,528	1.1
$20,000 to $29,999	06	364	1,281,995	4.0
$30,000 to $39,999	07	421	1,390,733	4.4
$40,000 to $49,999	08	497	1,780,492	5.6
$50,000 to $59,999	09	526	1,843,677	5.8
$60,000 to $69,999	10	571	1,973,305	6.2
$70,000 to $79,999	11	561	1,899,917	6.0
$80,000 to $89,999	12	605	1,856,470	5.9
$90,000 to $99,999	13	621	2,133,263	6.7
$100,000 to less than $150,000	14	2,440	7,543,560	23.8
$150,000 or more	15	2,895	8,879,930	28.0
Not stated	99	63	242,242	0.8
Total		9,861	31,704,923	100.0

Variable Name: DABTIPPE **Length:** 2.0 **Position:** 722

Question Name:

Concept: Neighbourhood income decile before tax (in CMA/CA)

Question Text:

Universe:

Note: Based on Postal Code from the Postal Code Conversion File+. See PCCF+ documentation for more information on the calculation of this variable.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Decile 1	01	959	2,899,644	9.1
Decile 2	02	1,023	3,171,408	10.0
Decile 3	03	988	3,151,445	9.9
Decile 4	04	1,002	3,320,726	10.5
Decile 5	05	1,052	3,337,226	10.5
Decile 6	06	962	3,085,217	9.7
Decile 7	07	1,018	3,409,208	10.8
Decile 8	08	973	3,141,256	9.9
Decile 9	09	950	3,141,047	9.9
Decile 10	10	932	3,045,717	9.6
Not stated	99	2	2,028	0.0
Total		9,861	31,704,923	100.0

Variable Name: DNBTIPPE **Length:** 2.0 **Position:** 724

Question Name:

Totals may not add up due to rounding.

Concept: Neighbourhood income decile before tax (national)

Question Text:

Universe:

Note: Based on Postal Code from the Postal Code Conversion File+. See PCCF+ documentation for more information on the calculation of this variable.

Source:

Answer Categories	Code	Frequency	Weighted Frequency	%
Decile 1	01	902	2,967,705	9.4
Decile 2	02	927	3,114,286	9.8
Decile 3	03	971	3,283,552	10.4
Decile 4	04	941	3,122,531	9.8
Decile 5	05	1,000	3,328,093	10.5
Decile 6	06	1,028	3,298,111	10.4
Decile 7	07	1,013	3,241,150	10.2
Decile 8	08	1,059	3,201,812	10.1
Decile 9	09	1,022	3,114,989	9.8
Decile 10	10	996	3,030,667	9.6
Not stated	99	2	2,028	0.0
Total		9,861	31,704,923	100.0

Variable Name: WTS_M **Length:** 7.2 **Position:** 726

Question Name:

Concept: Weights - Master

Question Text:

Universe: All respondents

Note:

Source:

Totals may not add up due to rounding.

Topical Index

Variable	Description	Page
AUD: Alcohol Use, Abuse and Dependence		
AUDDINT	Alcohol - Interference - Mean - 12 m - (D)	113
AUDDL	Alcohol abuse or dependence - Algorithm - life - (D)	112
AUDDLA	Alcohol abuse - Algorithm - life - (D)	111
AUDDLD	Alcohol dependence - Algorithm - life - (D)	110
AUDDTTM	Alcohol - Type of drinker - 12 m - (D)	109
AUDDWDY	Alcohol - Type of drinker - year most frequent drinking (D)	110
AUDDY	Alcohol abuse or dependence - Algorithm - 12 m - (D)	112
AUDDYA	Alcohol abuse - Algorithm - 12 m - (D)	111
AUDDYD	Alcohol dependence - Algorithm - 12 m - (D)	110
AUDFINT	Flag: Alcohol - Interference - 12 m - (F)	112
AUDFWDY	Flag: Ever drank more than in past 12 months (F)	109
AUDG06	Number of drinks per day - 12 m (grouped)	106
AUDG11	Drinks per day - years when drank most (grouped)	108
AUD_01	Drank alcohol in past 12 months	104
AUD_02	Alcohol consumption - frequency - 12 m	105
AUD_03	Having 5 or more drinks - frequency - 12 m	105
AUD_04	Ever had a drink - life	105
AUD_05	Drank 12 or more drinks - frequency - 12 m	106
AUD_08	Drank more in earlier year than past 12 months	107
AUD_10	Alcohol consumption - years when drank most - frequency	107
AUD_39	Alcohol - consulted MD/other professional - life	108
BIP: Bipolar Disorder		
BIPD1	Bipolar I - Algorithm - life - (D)	78
BIPD1Y	Bipolar I - Algorithm - 12 m - (D)	78
BIPD2	Bipolar II - Algorithm - life - (D)	78
BIPD2Y	Bipolar II - Algorithm - 12 m - (D)	79
BIPDINT	Bipolar Disorder - Interference - Mean - (D)	80
BIPDINT1	Bipolar I - Interference - Mean - (D)	80
BIPDINT2	Bipolar II - Interference - Mean - (D)	80
BIPDL	Bipolar Disorder - Algorithm - life - (D)	79
BIPDY	Bipolar Disorder - Algorithm - 12 m - (D)	79
BIPFINT	Flag: Bipolar Disorder - Interference - (F)	82
BIPFINT1	Flag: Bipolar I - Interference - (F)	81
BIPFINT2	Flag: Bipolar II - Interference - (F)	81
CCC: Chronic Conditions		
CCC280BA	Has mood disorder - depression	35
CCC290BA	Has an anxiety disorder - phobia	36
CCC290BB	Has an anxiety disorder - obsessive-compulsive disorder	36
CCC290BC	Has an anxiety disorder - panic disorder	37
CCC290BD	Has an anxiety disorder - other	37
CCCDCNCR	Has or previously diagnosed with cancer (D)	40
CCCDHBP	Has or previously diagnosed with high blood pressure (D)	40
CCCDPSYC	Has or previously diagnosed with psychosis (D)	41
CCCDSCZO	Has or previously diagnosed with schizophrenia (D)	40
CCCF1	Has a chronic condition - (F)	39
CCCG28AE	Has mood disorder - other (grouped)	35
CCCG901	Has other long-term physical or mental health condition (grouped)	39
CCC_031	Has asthma	28
CCC_051	Has arthritis	28
CCC_061	Has back problems excluding fibromyalgia and arthritis	29
CCC_062	Has fibromyalgia	29
CCC_071	Has high blood pressure	30

CCC_072 Ever diagnosed with high blood pressure 30
CCC_081 Has migraine headaches 30
CCC_091 Has chronic bronchitis / emphysema / COPD 31
CCC_101 Has diabetes 31
CCC_121 Has heart disease 32
CCC_131 Has cancer 32
CCC_132 Ever had cancer 33
CCC_171A Has bowel disorder / Crohn's Disease / ulcerative colitis 33
CCC_251 Has chronic fatigue syndrome 33
CCC_261 Suffers from multiple chemical sensitivities 34
CCC_280A Has a mood disorder 34
CCC_290A Has an anxiety disorder 36
CCC_311 Has post-traumatic stress disorder 38
CCC_331 Has a learning disability 38
CCC_332 Has Attention Deficit Disorder 38

CEX: Childhood Experiences

CEXDNUM Number of types of childhood maltreatment experienced (D) 256
CEX_01 Num of times - saw/heard parent hit other adult in your home 252
CEX_02 Num of times - slapped/hit/spanked 253
CEX_03 Num of times - pushed/grabbed/shoved/threw things at you 253
CEX_04 Num of times - physically attacked 254
CEX_05 Num of times - forced unwanted sexual activity 254
CEX_06 Num of times - sexual touching 255
CEX_07 Saw/talked w child protection organization 255

DAS: WHO Disability Assessment Schedule 2.0

DASG01 Difficulty - standing for long periods - 30 d (grouped) 129
DASG02 Difficulty - household responsibilities - 30 d (grouped) 129
DASGSCR WHO Disability Assessment Schedule 2.0 (grouped) 133
DAS_04 Difficulty - joining in community activities - 30 d 129
DAS_05 Emotionally affected by health problems - 30 d 130
DAS_06 Difficulty - concentrating - 30 d 130
DAS_07 Difficulty - walking long distance - 30 d 131
DAS_10 Difficulty - dealing with people you do not know - 30 d 131
DAS_11 Difficulty - maintaining a friendship - 30 d 132
DAS_12 Difficulty - day to day work/school - 30 d 132
DAS_13 Interference - difficulties - 30 days 133

DEP: Depression

DEPDDPS Major Depressive Episode - Algorithm - life - (D) 68
DEPDDY Major Depressive Episode - Algorithm - 12 m - (D) 70
DEPDINT Depression - Interference - Mean - 12 m - (D) 71
DEPFINT Flag: Depression - Interference - 12 m - (F) 71
DEPFSLT Flag: Suicide - thought - life - (F) 70
DEPFSYT Flag: Suicide - thought - 12 m - (F) 71
DEPGPER Major depressive episode - Persistence (grouped) 69
DEPGREC Major depressive episode - Recency Age (grouped) 69
DEP_72 Depression - consulted MD/other professional - life 67
DEP_86 Depression - professional treatment - 12 m 67
DEP_87 Depression - hospitalized overnight - life 68

DIS: Distress

DISDCHR Chronicity of distress/impairment scale - past month (D) 65
DISDDSX Distress scale - K10 - past month - (D) 65
DISDK6 Distress scale - K6 - past month - (D) 64
DIS_01A Freq/distress: felt tired out - past month 57
DIS_01B Freq/distress: felt nervous - past month 58
DIS_01C Freq/distress: so nervous nothing calms down - past month 58

DIS_01D Freq/distress: felt hopeless - past month 59
DIS_01E Freq/distress: felt restless / fidgety - past month 59
DIS_01F Freq/distress: could not sit still - past month 60
DIS_01G Freq/distress: felt sad / depressed - past month 60
DIS_01H Freq/distress: depressed/nothing cheers - past month 61
DIS_01I Freq/distress: felt everything effort - past month 61
DIS_01J Freq/distress: felt worthless - past month 62
DIS_01K Freq/distress: occurrence of feelings - past month 62
DIS_01L Degree of higher occurrence of feelings - past month 63
DIS_01M Degree of lower occurrence of feelings - past month 63
DIS_01N Interference - feelings in life / activities - past month 64

EDU: Education

EDU_05 Highest degree / certificate / diploma obtained 270

FMI: Family Mental Health Impact

FMI_01A Family member - mental health/alcohol/drug problems 242
FMI_02 Life affected by family member's problem 242

GAD: Generalized Anxiety Disorder

GADDDY Generalized anxiety disorder - algorithm - 12 m - (D) 84
GADDGDS Generalized anxiety disorder - algorithm - life - (D) 83
GADDINT Generalized anxiety disorder - Interference - Mean -12 m (D) 85
GADFINT Generalized anxiety disorder - Interference - 12 m - (F) 85
GADGREC Gen anx dis - Recency Age (grouped) 84
GAD_44 Gen anx dis - consulted MD/other professional - life 82
GAD_58 Gen anx dis - professional treatment - 12 m 83
GAD_59 Gen anx dis - hospitalized overnight - life 83

GDR: Sex and Gender

GENDER Gender (2) 14

GEN: General Health

GENDHDI Perceived health - (D) 19
GENGSWL Satisfaction with life in general - (G) 20
GEN_01 Self-perceived health 14
GEN_02A Self-perceived health compared to one year ago 15
GEN_02A1 Frequency - trouble sleeping 16
GEN_02B Satisfaction with life in general - 11 point scale 17
GEN_07 Perceived life stress 17
GEN_08 Worked at job or business 18
GEN_08B Self-perceived mental health 15
GEN_08C Self-perceived mental health compared to one year ago 16
GEN_09 Self-perceived work stress 18
GEN_10 Sense of belonging to local community 19

GEO: Geography

GEODVPSZ Population centre or rural area classification - (D) 13

HUP: Pain and discomfort

HUPDPAD Pain (function code) - (D) 41

HYP: Hypomania

HYPDEY Hypomania - Algorithm - 12 m - (D) 76
HYPDINT Hypomania - Interference - Mean - 12 m - (D) 77

HYPDL Hypomania - Algorithm - life - (D) 76
HYPFINT Flag: Hypomania - Interference - 12 m - (F) 77

IM: Impacts of COVID-19

IM_10AB COVID-19 impacts - Loss of job or income, Financial difficulties 43
IM_10CN COVID-19 impacts - Other 45
IM_10DE COVID-19 impacts - Accessing medication/health care services difficult 43
IM_10FG COVID-19 impacts - Diagnosed with COVID-19, Hospitalized due COVID-19 44
IM_10HI COVID-19 impacts - Severe illness of a loved one, Death of a loved one 44
IM_10JK COVID-19 impacts - Feelings loneliness/isolation, Emotional distress 45
IM_10L COVID-19 impacts - Physical health problems 42
IM_10M COVID-19 impacts - Relationships challenges with household members 42
IM_10O COVID-19 impacts - None 43

INC: Income

DABTIPPE Neighbourhood income decile before tax (in CMA/CA) 273
DNBTIPPE Neighbourhood income decile before tax (national) 273
INCDVHH Household income from all sources for 2020 - Grouped 272
INCDVP19 Personal income from all sources for 2019 - Grouped 271
INCDVP20 Personal income from all sources for 2020 - Grouped 272

LF2: Labour Force

LBSDWSS Working status last week - (D) 258
LBSGSOC Occupation group - (grouped) 258

LMAM: Labour market activities

LMAMG03 Absent from job / business - reason - last week (grouped) 257
LMAM_01 Worked at job or business last week 256
LMAM_02 Absent from job or business last week 257

MED: Medication Use

MEDGTNUM Num med taken for emot/mental health/alcohol/drug - 2 days (grouped) 199
MED_01 Medication for emotions/mental health/alcohol/drug - 12 m 198
MED_05 Insurance that covers all/part of cost of prescription 199
MED_06 Used other health products for mental health - 12 m 199

MHE: Mental Health Experiences

MHE_05A Received mental health treatment - life 238
MHE_05B Received mental health treatment - 12 m 238
MHE_06 Perceived prejudice/discrimination due to mental health -12m 239
MHE_06A Impact - mental health prej/discrimin - family relationships 239
MHE_06B Impact - mental health prej/discrim - romantic life 240
MHE_06C Impact - mental health prej/discrim - work/school 240
MHE_06D Impact - mental health prej/discrim - financial situation 241
MHE_06E Impact - mental health prej/discrim - housing 241
MHE_06F Impact - mental health prej/discrim - health care/physical 242

MHP: Mental health profile

MHPFINT Any selected disorder (mental/subst) - Interfere -12 m (F) 128
MHPFL Any selected disorder (mental or substance) - life (F) 125
MHPFLA Any anxiety disorder - life - (F) 126
MHPFLM Any mood disorder - life - (F) 125
MHPFLSA Any substance use disorder (alcohol/drug) - life - (F) 126
MHPFY Any selected disorder (mental/substance) - 12 m - (F) 126
MHPFYA Any anxiety disorder - 12 m - (F) 127
MHPFYM Any mood disorder - 12 m - (F) 127

MHPFYSA Any substance use disorder (alcohol/drug) - 12 m - (F) 128

MIA: Mania

MIADEPS Mania - 2002 Algorithm - life - (D) 73
MIADEY Mania - 2002 Algorithm - 12 m - (D) 74
MIADINT Mania - Interference - Mean - 12 m - (D) 75
MIAFINT Flag: Mania - Interference - 12 m - (F) 75
MIAGPER Mania - Persistence (grouped) 74
MIAGREC Mania - Recency Age (grouped) 73
MIA_33 Mania - consulted MD/other professional - life 72
MIA_47 Mania - professional treatment - 12 m 72

MS: Marital status

DHHGMS Marital status (grouped) 13

NSI: Negative Social Interactions

NSIDSC Negative social interactions - scale - (D) 252
NSI_01 Negative social interactions - detrimental to well-being 250
NSI_02 Negative social interactions - made too many demands 250
NSI_03 Negative social interactions - critical of behaviour 251
NSI_04 Negative social interactions - thoughtless/inconsiderate 251
NSI_05 Negative social interactions - angry/upset 251

PHS: Physical Activity - Short Form

PHSFPPA Flag: moderate/vigorous physical activity - 7 days (F) 42

PMH: Positive Mental Health

PMHDCLA Positive mental health - classification - (D) 54
PMHDHEM High emotional well-being - (D) 52
PMHDHFU High positive functioning - (D) 53
PMHDLEM Low emotional well-being - (D) 53
PMHDLFU Low positive functioning - (D) 53
PMHDSCR Positive mental health - continuous score - (D) 54
PMH_01 Pos ment hlth - happy - freq 1 mo 45
PMH_02 Pos ment hlth - interested in life - freq 1 mo 46
PMH_03 Pos ment hlth - satisfied with life - freq 1 m 46
PMH_04 Pos ment hlth - had somethng to contribut to soc - freq 1 mo 47
PMH_05 Pos ment hlth - belong to a community - freq 1 mo 47
PMH_06 Pos ment hlth - society becoming a better place - freq 1 mo 48
PMH_07 Pos ment hlth - people basically good - freq 1 mo 48
PMH_08 Pos ment hlth - society makes sense - freq 1 mo 49
PMH_09 Pos ment hlth - liked most parts of personality - freq 1 mo 49
PMH_10 Pos ment hlth - good at managing daily life - freq 1 mo 50
PMH_11 Pos ment hlth - have warm/trusting relationships - freq 1 mo 50
PMH_12 Pos ment hlth - challenged to become better - freq 1 mo 51
PMH_13 Pos ment hlth - confident to express opinions - freq 1 mo 51
PMH_14 Pos ment hlth - life has meaning - freq 1 mo 52

PNC: Perceived Need for Care

PNCDHCT Number of types of help received - past 12 months - (D) 235
PNCDNEED Overall perceived need in past 12 Months - (D) 237
PNCDPNC Perceived need for counselling - past 12 months (D) 237
PNCDPNI Perceived need for information - past 12 months (D) 236
PNCDPNM Perceived need for medication - past 12 months (D) 236
PNCDPNO Perceived need for other help - past 12 months (D) 237
PNCFH12 Flag: Help received - past 12 months (F) 235
PNCG5D4D Why preferred to self manage / counselling (grouped) 235

PNC_01A Received help - information 200
PNC_01B Received help - medication 200
PNC_01C Received help - counselling or therapy 201
PNC_01D Received help - other 201
PNC_01E Received help - none 202
PNC_02A Received - as much help as needed 202
PNC_02BA Needed more help - information 202
PNC_02BB Needed more help - medication 203
PNC_02BC Needed more help - counselling or therapy 203
PNC_02BD Needed more help - other 204
PNC_03AA Why no more information / self managed 204
PNC_03AB Why no more information / don’t know how/where 205
PNC_03AC Why no more information / too busy 205
PNC_03AD Why no more information / job interfered 206
PNC_03AE Why no more information / not readily available 206
PNC_03AF Why no more information / no confidence in system 206
PNC_03AG Why no more information / unaffordable 207
PNC_03AH Why no more information / insurance not cover 207
PNC_03AI Why no more information / afraid of others opinion 208
PNC_03AK Why no more information / help is ongoing 208
PNC_03AL Why no more information / other specify 209
PNC_03BA Why no more medication / self managed 209
PNC_03BB Why no more medication / don’t know how/where 209
PNC_03BC Why no more medication / too busy 210
PNC_03BD Why no more medication / job interfered 210
PNC_03BE Why no more medication / not readily available 211
PNC_03BF Why no more medication / no confidence in system 211
PNC_03BG Why no more medication / unaffordable 212
PNC_03BH Why no more medication / insurance not cover 212
PNC_03BI Why no more medication / afraid of others opinion 213
PNC_03BJ Why no more medication / language problems 213
PNC_03BK Why no more medication / help is ongoing 213
PNC_03BL Why no more medication / other specify 214
PNC_03CA Why no more counselling / self managed 214
PNC_03CB Why no more counselling / don’t know how/where 215
PNC_03CC Why no more counselling / too busy 215
PNC_03CD Why no more counselling / job interfered 216
PNC_03CE Why no more counselling / not readily available 216
PNC_03CF Why no more counselling / no confidence in system 217
PNC_03CG Why no more counselling / unaffordable 217
PNC_03CH Why no more counselling / insurance not cover 218
PNC_03CI Why no more counselling / afraid of others opinion 218
PNC_03CK Why no more counselling / help is ongoing 218
PNC_03CL Why no more counselling / other specify 219
PNC_03DG Why no more - other / unaffordable 219
PNC_04A Help needed but not received 220
PNC_04BA Help needed & not received - information 220
PNC_04BB Help needed & not received - medication 221
PNC_04BC Help needed & not received - counselling or therapy 221
PNC_05BA Why no information / self managed 222
PNC_05BB Why no information / don’t know how/where 222
PNC_05BC Why no information / too busy 223
PNC_05BD Why no information / job interfered 223
PNC_05BE Why no information / not readily available 224
PNC_05BF Why no information / no confidence in system 224
PNC_05BG Why no information / unaffordable 224
PNC_05BH Why no information / insurance not cover 225
PNC_05BI Why no information / afraid of others opinion 225
PNC_05BL Why no information / other specify 226
PNC_05CA Why no medication / self managed 226
PNC_05CB Why no medication / don’t know how/where 227
PNC_05CC Why no medication / too busy 227
PNC_05CE Why no medication / not readily available 228

PNC_05CF Why no medication / no confidence in system 228
PNC_05CG Why no medication / unaffordable 228
PNC_05CH Why no medication / insurance not cover 229
PNC_05CI Why no medication / afraid of others opinion 229
PNC_05CL Why no medication / other specify 230
PNC_05DA Why no counselling / self managed 230
PNC_05DB Why no counselling / don't know how/where 231
PNC_05DC Why no counselling / too busy 231
PNC_05DD Why no counselling / job interfered 231
PNC_05DE Why no counselling / not readily available 232
PNC_05DF Why no counselling / no confidence in system 232
PNC_05DG Why no counselling / unaffordable 233
PNC_05DH Why no counselling / insurance not cover 233
PNC_05DI Why no counselling / afraid of others opinion 234
PNC_05DL Why no counselling / other specify 234

SCR: Screening Section

SCRDDEP Screener - Depression (F) 26
SCRDGAD Screener - Generalized Anxiety Disorder (F) 27
SCRDMEN Self-rated Mental Health - (D) 26
SCRDMIA Screener - Mania (F) 27
SCRDSOP Screener - Social Phobia (F) 27
SCR_21 Screener: felt sad/empty/depressed for several days - life 20
SCR_22 Screener: was very discouraged several days or longer - life 20
SCR_23 Screener: lost interest in things for several days - life 21
SCR_24 Screener: had mania-like period lasting several days - life 21
SCR_25A Screener: very irritable/grumpy/ for several days - life 22
SCR_25B Screener: so irritable started arguments/shouted/... - life 22
SCR_26A Screener: worried about things more than most people - life 23
SCR_26B Screener: more nervous/anxious than most people - life 23
SCR_26C Screener: 6 months when anxious/worried most days - life 23
SCR_29A Screener: intense fear or shyness with people - life 24
SCR_29B Screener: intense fear or shyness in front of a group - life 24
SCR_29C Screener: upset or nervousness in front of a group - life 25
SCR_29D Screener: stayed away because of fear in front of a group - life 25
SCR_29E Screener: think the fear was much stronger than it should have been 25

SDC: Socio-demographic characteristics

DHHGAGE Age (grouped) 14
SDCDVFLA Visible minority - (F) 270
SDCFIMM Immigration - (F) 269
SDCGRES Number of years in Canada since immigration - (grouped) 269
SDCGVVM Visible minority group of respondent (grouped) 269

SMK: Smoking

SMKDSTY Type of smoker - (D) 103
SMKDYCS Number of years smoked (current daily smokers) - (D) 104
SMKG01C Age smoked first whole cigarette (grouped) 95
SMKG06C Number of years since stopped smoking (grouped) 99
SMKG09C Number of years since stopped smoking (daily, grouped) 102
SMKG10C Nbr of yrs since stopped smoking daily, former smoker (grouped) 101
SMKG203 Age started smoking daily - (daily smoker) (grouped) 96
SMKG207 Age started smoking daily -former daily smoker (grouped) 99
SMKG210B Stopped smoking completely - when (former daily smoker) (grouped) 102
SMKGSTP Number of years since stopped smoking completely (grouped) 103
SMK_201A Smoked 100 or more cigarettes - life 95
SMK_201B Ever smoked whole cigarette 95
SMK_202 Type of smoker 96
SMK_204 Number of cigarettes smoked per day (daily smoker) 97
SMK_205B Number of cigarettes smoked per day (occasional smoker) 97

SMK_205C Number of days - smoked 1 cigarette or more (occ. smoker) 98
SMK_205D Ever smoked cigarettes daily 98
SMK_206A Stopped smoking - when (was never a daily smoker) 99
SMK_208 Number of cigarettes smoked per day (former daily smoker) 100
SMK_209A Stopped smoking daily - when stopped (former daily smoker) 100
SMK_210A Quit smoking completely (former daily smoker) 101

SOP: Social Phobia

SOPD02 Social Phobia - Algorithm - life - (D) 91
SOPD09 Social Phobia - Symptoms of anxiety or panic - (D) 88
SOPD215 Social Phobia - Interference - work/social - (D) 90
SOPDA Social Phobia - Criterion A (Parts 1, 2 Combined) - life - (D) 86
SOPDA1 Social Phobia - Criterion A, Part 1 - life - (D) 85
SOPDA2 Social Phobia - Criterion A, Part 2 - life - (D) 86
SOPDB Social Phobia - Criterion B - life - (D) 87
SOPDC Social Phobia - Criterion C - life - (D) 87
SOPDD Social Phobia - Criterion D (Parts 1, 2 combined) - life - (D) 89
SOPDD1 Social Phobia - Criterion D, Part 1 - life - (D) 88
SOPDD2 Social Phobia - Criterion D, Part 2 - life - (D) 89
SOPDE Social Phobia - Criterion E - life - (D) 90
SOPDINT Social Phobia - Interference - Mean - 12 m - (D) 94
SOPDPY Social Phobia - Algorithm - 12 m - (D) 93
SOPDREC Social Phobia - Most recent episode - age - (D) 91
SOPDYA Social Phobia - Criterion A - 12 m - (D) 92
SOPDYB Social Phobia - Criterion B - 12 m - (D) 92
SOPDYC Social Phobia - Criterion C - 12 m - (D) 93
SOPFINT Flag: Social Phobia - Interference - 12 m - (F) 94

SOR: Sexual Orientation

SORLGBTS LGBTQ2+ Status 268

SPI: Spirituality

SPI_01 Spiritual values - play important role in life 256

SPS: Social Provisions Scale 10 Items

SPSDALL Social Provisions Scale - reliable alliance - (D) 248
SPSDATT Social Provisions Scale - attachment - (D) 248
SPSDCON Social Provisions Scale - overall score - (D) 247
SPSDGUI Social Provisions Scale - guidance - (D) 248
SPSDINT Social Provisions Scale - social integration - (D) 249
SPSDWOR Social Provisions Scale - reassurance of worth (D) 249
SPS_01 Has people to depend on 243
SPS_02 Has people who enjoy the same activities 243
SPS_03 Has close relationships 244
SPS_04 Has someone to talk to about important decisions 244
SPS_05 Has relationships that recognize competence/skill 245
SPS_06 Has trustworthy person for advice 245
SPS_07 Feel part of a group who shared attitudes/beliefs 245
SPS_08 Has strong emotional bond 246
SPS_09 Has people who admire talents/abilities 246
SPS_10 Has people to count on in emergency 247

SR1: Mental Health Services

SR1100AA Talked with other people - in person 184
SR1100AB Talked with other people - over the phone 184
SR1100AC Talked with other people - using video 185
SR1100AD Talked with other people - text message 185
SR1DYNPT Number of types - non-professionals consulted - 12 m (D) 195

SR1DYPRT	Number of types - professionals consulted - 12 m (D)	195
SR1FNPU	Consultation/services used - non-professional - 12 m (F)	195
SR1FPRU	Consultation/services used - professional - 12 m (F)	194
SR1G010	Number of times consulted psychiatrist - 12 mo (grouped)	140
SR1G020	Number of times consulted family doctor - 12 mo (grouped)	147
SR1G030	Number of times consulted psychologist - 12 mo (grouped)	155
SR1G040	Number of times consulted nurse - 12 mo (grouped)	162
SR1G050	Number of times consulted social worker - 12 mo (grouped)	170
SR1G060	Number of times consulted family member - 12 mo (grouped)	178
SR1G070	Number of times consulted friend - 12 mo (grouped)	180
SR1G080	Number of times consulted co-worker or supervisor - 12 mo (grouped)	183
SR1G100	Number of times consulted other person - 12 mo (grouped)	185
SR1G115	Nbr of times went to meeting of self-help group - 12 months (grouped)	191
SR1G117	Number of times used telephone helpline - 12 mo (grouped)	192
SR1G119	Amount spent on mental health services/products - 12 m (grouped)	193
SR1GPRO1	Hours of consultation - psychiatrist - 12 m (grouped)	196
SR1GPRO2	Hours of consultation - family doctor - 12 m (grouped)	196
SR1GPRO3	Hours of consultation - psychologist - 12 m (grouped)	196
SR1GPRO4	Hours of consultation - nurse - 12 m (grouped)	197
SR1GPRO5	Hours of consultation - social worker/counsellor - 12 m (grouped)	197
SR1GPROT	Hours of consultation - all professionals - 12 m (grouped)	198
SR1_001	Hospitalized for mental health/alcohol/drug - 12 m	134
SR1_004A	Consulted for mental health/alc/drugs - psychiatrist - 12 m	134
SR1_004B	Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m	135
SR1_004C	Consulted for mental health/alc/drugs - psychologist - 12 m	135
SR1_004D	Consulted for ment hlth/alc/drugs - nurse - 12 m	136
SR1_004E	Consulted social worker or counsellor - 12 months	136
SR1_004F	Consulted for ment hlth/alc/drugs - family member - 12 m	136
SR1_004G	Consulted for ment hlth/alc/drugs - friend - 12 m	137
SR1_004H	Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m	137
SR1_004I	Consulted for ment hlth/alc/drugs - other - 12 m	138
SR1_004J	Consulted for ment hlth/alc/drugs - none - 12 m	138
SR1_012	Perceived level of help received - psychiatrist	140
SR1_013	Stopped seeing this professional - psychiatrist	141
SR1_014A	Reason stopped - psychia - felt better	141
SR1_014B	Reason stopped - psychia - completed recommended treatment	142
SR1_014C	Reason stopped - psychia - thought it was not helping	142
SR1_014D	Reason stopped - psychia - problem get better without help	142
SR1_014E	Reason stopped - psychia - couldn’t afford to pay	143
SR1_014G	Reason stopped - psychia - solve the problem without help	143
SR1_014H	Reason stopped - psychia - prob like transport/ childcare	144
SR1_014I	Reason stopped - psychia - service/prog no longer available	144
SR1_014J	Reason stopped - psychia - not comfortable w prof approach	144
SR1_014L	Reason stopped - psychia - other reason	145
SR1_022	Perceived level of help received from prof. - family doctor	147
SR1_023	Stopped seeing prof. - family doctor	148
SR1_024A	Reason stopped - dr - felt better	148
SR1_024B	Reason stopped - dr - completed the recommended treatment	149
SR1_024C	Reason stopped - dr - thought it was not helping	149
SR1_024D	Reason stopped - dr - problem would get better without help	150
SR1_024E	Reason stopped - dr - couldn’t afford to pay	150
SR1_024F	Reason stopped - dr - too embarrassed to see professional	150
SR1_024G	Reason stopped - dr - solve the problem without help	151
SR1_024H	Reason stopped - dr - probs like transportation/ childcare	151
SR1_024I	Reason stopped - dr - service / program no longer available	152
SR1_024J	Reason stopped - dr - not comfortable with prof. approach	152
SR1_024K	Reason stopped - dr - discrimination or unfair treatment	153
SR1_024L	Reason stopped - dr - other reason	153
SR1_032	Perceived level of help received - psychologist	155
SR1_033	Stopped seeing this professional - psychologist	156
SR1_034A	Reason stopped - psychol - felt better	156
SR1_034B	Reason stopped - psychol - completed recommended treatment	157
SR1_034C	Reason stopped - psychol - thought it was not helping	157

SR1_034D	Reason stopped - psychol - problem would get better	157
SR1_034E	Reason stopped - psychol - couldn't afford to pay	158
SR1_034F	Reason stopped - psychol - embarrassed to see professional	158
SR1_034G	Reason stopped - psychol - solve the problem without help	159
SR1_034H	Reason stopped - psychol - probs - transportation/ childcare	159
SR1_034I	Reason stopped - psychol - service/prog no longer available	159
SR1_034J	Reason stopped - psychol - not comfort. with prof. approach	160
SR1_034K	Reason stopped - psychol - discrimination/unfair treatment	160
SR1_034L	Reason stopped - psychol - other reason	161
SR1_042	Perceived level of help received from prof. - nurse	163
SR1_043	Stopped seeing this professional - nurse	163
SR1_044A	Reason stopped - nurse - felt better	164
SR1_044B	Reason stopped - nurse - completed the recommended treatment	164
SR1_044C	Reason stopped - nurse - thought it was not helping	164
SR1_044D	Reason stopped - nurse - prob would get better without help	165
SR1_044E	Reason stopped - nurse - couldn't afford to pay	165
SR1_044F	Reason stopped - nurse - too embarrassed to see professional	166
SR1_044G	Reason stopped - nurse - solve the problem without prof help	166
SR1_044H	Reason stopped - nurse - prob like transportation/ childcare	166
SR1_044I	Reason stopped - nurse - service/program no longer available	167
SR1_044J	Reason stopped - nurse - not comfortable with prof. approach	167
SR1_044K	Reason stopped - nurse - discrimination or unfair treatment	168
SR1_044L	Reason stopped - nurse - other reason	168
SR1_052	Perceived level of help received from prof. - social worker	170
SR1_053	Stopped seeing this professional/social worker	171
SR1_054A	Reason stopped - sw - felt better	171
SR1_054B	Reason stopped - sw - completed the recommended treatment	172
SR1_054C	Reason stopped - sw - thought it was not helping	172
SR1_054D	Reason stopped - sw - problem would get better without help	173
SR1_054E	Reason stopped - sw - couldn't afford to pay	173
SR1_054F	Reason stopped - sw - too embarrassed to see professional	173
SR1_054G	Reason stopped - sw - solve the problem without help	174
SR1_054H	Reason stopped - sw - probs like transportation/ childcare	174
SR1_054I	Reason stopped - sw - service / program no longer available	175
SR1_054J	Reason stopped - sw - not comfortable with prof. approach	175
SR1_054K	Reason stopped - sw - discrimination or unfair treatment	175
SR1_054L	Reason stopped - sw - other reason	176
SR1_062	Perceived level of help received - family member	178
SR1_072	Perceived level of help received - friend	181
SR1_082	Perceived level of help received - co-work/supervisor	183
SR1_102	Perceived level of help received - other person	186
SR1_10AA	Talked with psychiatrist - in person	139
SR1_10AB	Talked with psychiatrist - over the phone	139
SR1_10AC	Talked with psychiatrist - using video	139
SR1_10AD	Talked with psychiatrist - text message	140
SR1_110	Received help or services from employer - 12 months	186
SR1_111	Used Internet for info/help/support - 12 m	187
SR1_112A	Used Internet - learn about symptoms	187
SR1_112B	Used Internet - to find out where to get help	188
SR1_112C	Used Internet - discuss with other people	188
SR1_112D	Used Internet - to get online therapy	188
SR1_112E	Used Internet - other	189
SR1_113	Self-help group - help with problems - 12 months	189
SR1_114A	Self-help group type - emotional or mental health	190
SR1_114B	Self-help group type - alcohol or drug use	190
SR1_114C	Self-help group type - other	191
SR1_116	Used telephone helpline for mental health - 12 months	191
SR1_118	Needed help for emotions but didn't receive it - 12 months	192
SR1_121	Prejudice / discrimination - mental health	193
SR1_122	Prejudice / discrimination - personal characteristics	194
SR1_20AA	Talked with family doctor - in person	145
SR1_20AB	Talked with family doctor - over the phone	146
SR1_20AC	Talked with family doctor - using video	146

SR1_20AD Talked with family doctor - text message 147
SR1_30AA Talked with psychologist - in person 153
SR1_30AB Talked with psychologist - over the phone 154
SR1_30AC Talked with psychologist - using video 154
SR1_30AD Talked with psychologist - text message 155
SR1_40AA Talked with nurse - in person 161
SR1_40AB Talked with nurse - over the phone 161
SR1_40AC Talked with nurse - using video 162
SR1_50AA Talked with social worker - in person 168
SR1_50AB Talked with social worker - over the phone 169
SR1_50AC Talked with social worker - using video 169
SR1_50AD Talked with social worker - text message 170
SR1_60AA Talked with family member - in person 176
SR1_60AB Talked with family member - over the phone 177
SR1_60AC Talked with family member - using video 177
SR1_60AD Talked with family member - text message 177
SR1_70AA Talked with friend - in person 179
SR1_70AB Talked with friend - over the phone 179
SR1_70AC Talked with friend - using video 179
SR1_70AD Talked with friend - text message 180
SR1_80AA Talked with co-worker or supervisor - in person 181
SR1_80AB Talked with co-worker or supervisor - over the phone 182
SR1_80AC Talked with co-worker or supervisor - using video 182
SR1_80AD Talked with co-worker or supervisor - text message 182

SRV: Survey Related Variables

PUMFID Randomly generated sequence number for the PUMF 13

STS: Stress - Sources

STS_1 Self-perceived ability to handle unexpected problem 55
STS_2 Self-perceived ability to handle day-to-day demands 55
STS_3 Most important source of feelings of stress 56
STS_4 Can count on people / deal with stress 56
STS_5 Perceived personal ability to deal with stress 57

SUD: Substance Use, Abuse and Dependence

SUDDINT Substance use - Interference - Mean - 12 m (D) 124
SUDDL Drug abuse or dependence (including cann) - life - (D) 123
SUDDLAE Any drug use (excl one time cann) - life (D) 117
SUDDLAI Any drug use (incl one time cann) - life - (D) 116
SUDDLC Cannabis abuse or dependence - life - (D) 122
SUDDLCA Cannabis abuse - Algorithm - life - (D) 120
SUDDLCD Cannabis dependence - Algorithm - life - (D) 119
SUDDLID Any drug use (excl cann use) - life - (D) 117
SUDDLO Drug abuse or dependence (excl cann) - life - (D) 122
SUDDLOA Drug abuse (excl cann) - Algorithm - life - (D) 121
SUDDLOD Drug dependence (excl cann) - Algorithm - life - (D) 119
SUDDY Drug abuse or dependence (including cann) - 12 m - (D) 124
SUDDYAE Any drug use (excl one time cann) - 12 m (D) 118
SUDDYAI Any drug use (incl one time cann) - 12 m (D) 117
SUDDYC Cannabis abuse or dependence - 12 m - (D) 122
SUDDYCA Cannabis abuse - Algorithm - 12 m - (D) 120
SUDDYCD Cannabis dependence - Algorithm - 12 m - (D) 119
SUDDYID Any drug use (excl cann use) - 12 m (D) 118
SUDDYO Drug abuse or dependence (excl cann) - 12 m - (D) 123
SUDDYOA Drug abuse (excl cann) - Algorithm - 12 m - (D) 121
SUDDYOD Drug dependence (excl cann) - Algorithm - 12 m - (D) 120
SUDFINT Substance use - Interference - 12 m - (F) 124
SUDFLAU Analgesics - nonmedical use - life - (F) 114
SUDFLCA Cannabis - used (incl one time) - life - (F) 115

SUDFLCM Cannabis - used (excl one time) - life - (F) 115
SUDFLSU Stimulant - used nonmedically - life - (F) 114
SUDFLTU Sedative - used nonmedically - life - (F) 114
SUDFYCM Cannabis - used (excl one time) - 12 m - (F) 115
SUDGLOTH Any other drug use - Lifetime (grouped) 116
SUD_87 Drugs - Help received - Talked to a professional - life 113

SUI: Suicide - sub block

SUI_01 Suicide - ideation during worst / bad episode 65
SUI_02 Suicide - ideation - life 66
SUI_03 Suicide - ideation - 12 mo 66

WST: Work Stress

WSTDAUT Work stress - decision latitude / authority - (D) 265
WSTDJIN Work stress - job insecurity - (D) 266
WSTDJST Work stress - job strain - (D) 268
WSTDPHY Work stress - physical exertion - (D) 267
WSTDPSY Work stress - psychological demands - (D) 266
WSTDSKI Work stress - decision latitude/discretion - (D) 265
WSTDSOC Work stress - social support - (D) 267
WST_401 Work stress - learn new things 259
WST_402 Work stress - high level of skill 259
WST_403 Work stress - freedom to decide 260
WST_404 Work stress - repetitive tasks 260
WST_405 Work stress - job hectic 261
WST_406 Work stress - free from conflicting demands 261
WST_407 Work stress - good job security 262
WST_408 Work stress - a lot of physical effort 262
WST_409 Work stress - had own job input 262
WST_410 Work stress - hostility or conflict with others 263
WST_411 Work stress - supervisor helpful 263
WST_412 Work stress - co-workers helpful 264
WST_413 Work stress - job satisfaction 264

WTS: Weights

WTS_M Weights - Master 274

Variable Index

Variable	Description	Page
AUDDINT	Alcohol - Interference - Mean - 12 m - (D)	113
AUDDL	Alcohol abuse or dependence - Algorithm - life - (D)	112
AUDDLA	Alcohol abuse - Algorithm - life - (D)	111
AUDDLD	Alcohol dependence - Algorithm - life - (D)	110
AUDDTTM	Alcohol - Type of drinker - 12 m - (D)	109
AUDDWDY	Alcohol - Type of drinker - year most frequent drinking (D)	110
AUDDY	Alcohol abuse or dependence - Algorithm - 12 m - (D)	112
AUDDYA	Alcohol abuse - Algorithm - 12 m - (D)	111
AUDDYD	Alcohol dependence - Algorithm - 12 m - (D)	110
AUDFINT	Flag: Alcohol - Interference - 12 m - (F)	112
AUDFWDY	Flag: Ever drank more than in past 12 months (F)	109
AUDG06	Number of drinks per day - 12 m (grouped)	106
AUDG11	Drinks per day - years when drank most (grouped)	108
AUD_01	Drank alcohol in past 12 months	104
AUD_02	Alcohol consumption - frequency - 12 m	105
AUD_03	Having 5 or more drinks - frequency - 12 m	105
AUD_04	Ever had a drink - life	105
AUD_05	Drank 12 or more drinks - frequency - 12 m	106
AUD_08	Drank more in earlier year than past 12 months	107
AUD_10	Alcohol consumption - years when drank most - frequency	107
AUD_39	Alcohol - consulted MD/other professional - life	108
BIPD1	Bipolar I - Algorithm - life - (D)	78
BIPD1Y	Bipolar I - Algorithm - 12 m - (D)	78
BIPD2	Bipolar II - Algorithm - life - (D)	78
BIPD2Y	Bipolar II - Algorithm - 12 m - (D)	79
BIPDINT	Bipolar Disorder - Interference - Mean - (D)	80
BIPDINT1	Bipolar I - Interference - Mean - (D)	80
BIPDINT2	Bipolar II - Interference - Mean - (D)	80
BIPDL	Bipolar Disorder - Algorithm - life - (D)	79
BIPDY	Bipolar Disorder - Algorithm - 12 m - (D)	79
BIPFINT	Flag: Bipolar Disorder - Interference - (F)	82
BIPFINT1	Flag: Bipolar I - Interference - (F)	81
BIPFINT2	Flag: Bipolar II - Interference - (F)	81
CCC280BA	Has mood disorder - depression	35
CCC290BA	Has an anxiety disorder - phobia	36
CCC290BB	Has an anxiety disorder - obsessive-compulsive disorder	36
CCC290BC	Has an anxiety disorder - panic disorder	37
CCC290BD	Has an anxiety disorder - other	37
CCCDCNCR	Has or previously diagnosed with cancer (D)	40
CCCDHBP	Has or previously diagnosed with high blood pressure (D)	40
CCCDPSYC	Has or previously diagnosed with psychosis (D)	41
CCCDSCZO	Has or previously diagnosed with schizophrenia (D)	40
CCCF1	Has a chronic condition - (F)	39
CCCG28AE	Has mood disorder - other (grouped)	35
CCCG901	Has other long-term physical or mental health condition (grouped)	39
CCC_031	Has asthma	28
CCC_051	Has arthritis	28
CCC_061	Has back problems excluding fibromyalgia and arthritis	29
CCC_062	Has fibromyalgia	29
CCC_071	Has high blood pressure	30
CCC_072	Ever diagnosed with high blood pressure	30
CCC_081	Has migraine headaches	30
CCC_091	Has chronic bronchitis / emphysema / COPD	31
CCC_101	Has diabetes	31
CCC_121	Has heart disease	32
CCC_131	Has cancer	32
CCC_132	Ever had cancer	33
CCC_171A	Has bowel disorder / Crohn's Disease / ulcerative colitis	33

CCC_251	Has chronic fatigue syndrome	33
CCC_261	Suffers from multiple chemical sensitivities	34
CCC_280A	Has a mood disorder	34
CCC_290A	Has an anxiety disorder	36
CCC_311	Has post-traumatic stress disorder	38
CCC_331	Has a learning disability	38
CCC_332	Has Attention Deficit Disorder	38
CEXDNUM	Number of types of childhood maltreatment experienced (D)	256
CEX_01	Num of times - saw/heard parent hit other adult in your home	252
CEX_02	Num of times - slapped/hit/spanked	253
CEX_03	Num of times - pushed/grabbed/shoved/threw things at you	253
CEX_04	Num of times - physically attacked	254
CEX_05	Num of times - forced unwanted sexual activity	254
CEX_06	Num of times - sexual touching	255
CEX_07	Saw/talked w child protection organization	255
DABTIPPE	Neighbourhood income decile before tax (in CMA/CA)	273
DASG01	Difficulty - standing for long periods - 30 d (grouped)	129
DASG02	Difficulty - household responsibilities - 30 d (grouped)	129
DASGSCR	WHO Disability Assessment Schedule 2.0 (grouped)	133
DAS_04	Difficulty - joining in community activities - 30 d	129
DAS_05	Emotionally affected by health problems - 30 d	130
DAS_06	Difficulty - concentrating - 30 d	130
DAS_07	Difficulty - walking long distance - 30 d	131
DAS_10	Difficulty - dealing with people you do not know - 30 d	131
DAS_11	Difficulty - maintaining a friendship - 30 d	132
DAS_12	Difficulty - day to day work/school - 30 d	132
DAS_13	Interference - difficulties - 30 days	133
DEPDDPS	Major Depressive Episode - Algorithm - life - (D)	68
DEPDDY	Major Depressive Episode - Algorithm - 12 m - (D)	70
DEPDINT	Depression - Interference - Mean - 12 m - (D)	71
DEPFINT	Flag: Depression - Interference - 12 m - (F)	71
DEPFSLT	Flag: Suicide - thought - life - (F)	70
DEPFSYT	Flag: Suicide - thought - 12 m - (F)	71
DEPGPER	Major depressive episode - Persistence (grouped)	69
DEPGREC	Major depressive episode - Recency Age (grouped)	69
DEP_72	Depression - consulted MD/other professional - life	67
DEP_86	Depression - professional treatment - 12 m	67
DEP_87	Depression - hospitalized overnight - life	68
DHHGAGE	Age (grouped)	14
DHHGMS	Marital status (grouped)	13
DISDCHR	Chronicity of distress/impairment scale - past month (D)	65
DISDDSX	Distress scale - K10 - past month - (D)	65
DISDK6	Distress scale - K6 - past month - (D)	64
DIS_01A	Freq/distress: felt tired out - past month	57
DIS_01B	Freq/distress: felt nervous - past month	58
DIS_01C	Freq/distress: so nervous nothing calms down - past month	58
DIS_01D	Freq/distress: felt hopeless - past month	59
DIS_01E	Freq/distress: felt restless / fidgety - past month	59
DIS_01F	Freq/distress: could not sit still - past month	60
DIS_01G	Freq/distress: felt sad / depressed - past month	60
DIS_01H	Freq/distress: depressed/nothing cheers - past month	61
DIS_01I	Freq/distress: felt everything effort - past month	61
DIS_01J	Freq/distress: felt worthless - past month	62
DIS_01K	Freq/distress: occurrence of feelings - past month	62
DIS_01L	Degree of higher occurrence of feelings - past month	63
DIS_01M	Degree of lower occurrence of feelings - past month	63
DIS_01N	Interference - feelings in life / activities - past month	64
DNBTIPPE	Neighbourhood income decile before tax (national)	273
EDU_05	Highest degree / certificate / diploma obtained	270
FMI_01A	Family member - mental health/alcohol/drug problems	242
FMI_02	Life affected by family member's problem	242
GADDDY	Generalized anxiety disorder - algorithm - 12 m - (D)	84
GADDGDS	Generalized anxiety disorder - algorithm - life - (D)	83

GADDINT	Generalized anxiety disorder - Interference - Mean -12 m (D)	85
GADFINT	Generalized anxiety disorder - Interference - 12 m - (F)	85
GADGREC	Gen anx dis - Recency Age (grouped)	84
GAD_44	Gen anx dis - consulted MD/other professional - life	82
GAD_58	Gen anx dis - professional treatment - 12 m	83
GAD_59	Gen anx dis - hospitalized overnight - life	83
GENDER	Gender (2)	14
GENDHDI	Perceived health - (D)	19
GENGSWL	Satisfaction with life in general - (G)	20
GEN_01	Self-perceived health	14
GEN_02A	Self-perceived health compared to one year ago	15
GEN_02A1	Frequency - trouble sleeping	16
GEN_02B	Satisfaction with life in general - 11 point scale	17
GEN_07	Perceived life stress	17
GEN_08	Worked at job or business	18
GEN_08B	Self-perceived mental health	15
GEN_08C	Self-perceived mental health compared to one year ago	16
GEN_09	Self-perceived work stress	18
GEN_10	Sense of belonging to local community	19
GEODVPSZ	Population centre or rural area classification - (D)	13
HUPDPAD	Pain (function code) - (D)	41
HYPDEY	Hypomania - Algorithm - 12 m - (D)	76
HYPDINT	Hypomania - Interference - Mean - 12 m - (D)	77
HYPDL	Hypomania - Algorithm - life - (D)	76
HYPFINT	Flag: Hypomania - Interference - 12 m - (F)	77
IM_10AB	COVID-19 impacts - Loss of job or income, Financial difficulties	43
IM_10CN	COVID-19 impacts - Other	45
IM_10DE	COVID-19 impacts - Accessing medication/health care services difficult	43
IM_10FG	COVID-19 impacts - Diagnosed with COVID-19, Hospitalized due COVID-19	44
IM_10HI	COVID-19 impacts - Severe illness of a loved one, Death of a loved one	44
IM_10JK	COVID-19 impacts - Feelings loneliness/isolation, Emotional distress	45
IM_10L	COVID-19 impacts - Physical health problems	42
IM_10M	COVID-19 impacts - Relationships challenges with household members	42
IM_10O	COVID-19 impacts - None	43
INCDVHH	Household income from all sources for 2020 - Grouped	272
INCDVP19	Personal income from all sources for 2019 - Grouped	271
INCDVP20	Personal income from all sources for 2020 - Grouped	272
LBSDWSS	Working status last week - (D)	258
LBSGSOC	Occupation group - (grouped)	258
LMAMG03	Absent from job / business - reason - last week (grouped)	257
LMAM_01	Worked at job or business last week	256
LMAM_02	Absent from job or business last week	257
MEDGTNUM	Num med taken for emot/mental health/alcohol/drug - 2 days (grouped)	199
MED_01	Medication for emotions/mental health/alcohol/drug - 12 m	198
MED_05	Insurance that covers all/part of cost of prescription	199
MED_06	Used other health products for mental health - 12 m	199
MHE_05A	Received mental health treatment - life	238
MHE_05B	Received mental health treatment - 12 m	238
MHE_06	Perceived prejudice/discrimination due to mental health -12m	239
MHE_06A	Impact - mental health prej/discrimin - family relationships	239
MHE_06B	Impact - mental health prej/discrim - romantic life	240
MHE_06C	Impact - mental health prej/discrim - work/school	240
MHE_06D	Impact - mental health prej/discrim - financial situation	241
MHE_06E	Impact - mental health prej/discrim - housing	241
MHE_06F	Impact - mental health prej/discrim - health care/physical	242
MHPFINT	Any selected disorder (mental/subst) - Interfere -12 m (F)	128
MHPFL	Any selected disorder (mental or substance) - life (F)	125
MHPFLA	Any anxiety disorder - life - (F)	126
MHPFLM	Any mood disorder - life - (F)	125
MHPFLSA	Any substance use disorder (alcohol/drug) - life - (F)	126
MHPFY	Any selected disorder (mental/substance) - 12 m - (F)	126
MHPFYA	Any anxiety disorder - 12 m - (F)	127
MHPFYM	Any mood disorder - 12 m - (F)	127

MHPFYSA	Any substance use disorder (alcohol/drug) - 12 m - (F)	128
MIADEPS	Mania - 2002 Algorithm - life - (D)	73
MIADEY	Mania - 2002 Algorithm - 12 m - (D)	74
MIADINT	Mania - Interference - Mean - 12 m - (D)	75
MIAFINT	Flag: Mania - Interference - 12 m - (F)	75
MIAGPER	Mania - Persistence (grouped)	74
MIAGREC	Mania - Recency Age (grouped)	73
MIA_33	Mania - consulted MD/other professional - life	72
MIA_47	Mania - professional treatment - 12 m	72
NSIDSC	Negative social interactions - scale - (D)	252
NSI_01	Negative social interactions - detrimental to well-being	250
NSI_02	Negative social interactions - made too many demands	250
NSI_03	Negative social interactions - critical of behaviour	251
NSI_04	Negative social interactions - thoughtless/inconsiderate	251
NSI_05	Negative social interactions - angry/upset	251
PHSFPPA	Flag: moderate/vigorous physical activity - 7 days (F)	42
PMHDCLA	Positive mental health - classification - (D)	54
PMHDHEM	High emotional well-being - (D)	52
PMHDHFU	High positive functioning - (D)	53
PMHDLEM	Low emotional well-being - (D)	53
PMHDLFU	Low positive functioning - (D)	53
PMHDSCR	Positive mental health - continuous score - (D)	54
PMH_01	Pos ment hlth - happy - freq 1 mo	45
PMH_02	Pos ment hlth - interested in life - freq 1 mo	46
PMH_03	Pos ment hlth - satisfied with life - freq 1 m	46
PMH_04	Pos ment hlth - had somethng to contribut to soc - freq 1 mo	47
PMH_05	Pos ment hlth - belong to a community - freq 1 mo	47
PMH_06	Pos ment hlth - society becoming a better place - freq 1 mo	48
PMH_07	Pos ment hlth - people basically good - freq 1 mo	48
PMH_08	Pos ment hlth - society makes sense - freq 1 mo	49
PMH_09	Pos ment hlth - liked most parts of personality - freq 1 mo	49
PMH_10	Pos ment hlth - good at managing daily life - freq 1 mo	50
PMH_11	Pos ment hlth - have warm/trusting relationships - freq 1 mo	50
PMH_12	Pos ment hlth - challenged to become better - freq 1 mo	51
PMH_13	Pos ment hlth - confident to express opinions - freq 1 mo	51
PMH_14	Pos ment hlth - life has meaning - freq 1 mo	52
PNCDHCT	Number of types of help received - past 12 months - (D)	235
PNCDNEED	Overall perceived need in past 12 Months - (D)	237
PNCDPNC	Perceived need for counselling - past 12 months (D)	237
PNCDPNI	Perceived need for information - past 12 months (D)	236
PNCDPNM	Perceived need for medication - past 12 months (D)	236
PNCDPNO	Perceived need for other help - past 12 months (D)	237
PNCFH12	Flag: Help received - past 12 months (F)	235
PNCG5D4D	Why preferred to self manage / counselling (grouped)	235
PNC_01A	Received help - information	200
PNC_01B	Received help - medication	200
PNC_01C	Received help - counselling or therapy	201
PNC_01D	Received help - other	201
PNC_01E	Received help - none	202
PNC_02A	Received - as much help as needed	202
PNC_02BA	Needed more help - information	202
PNC_02BB	Needed more help - medication	203
PNC_02BC	Needed more help - counselling or therapy	203
PNC_02BD	Needed more help - other	204
PNC_03AA	Why no more information / self managed	204
PNC_03AB	Why no more information / don’t know how/where	205
PNC_03AC	Why no more information / too busy	205
PNC_03AD	Why no more information / job interfered	206
PNC_03AE	Why no more information / not readily available	206
PNC_03AF	Why no more information / no confidence in system	206
PNC_03AG	Why no more information / unaffordable	207
PNC_03AH	Why no more information / insurance not cover	207
PNC_03AI	Why no more information / afraid of others opinion	208

PNC_03AK	Why no more information / help is ongoing	208
PNC_03AL	Why no more information / other specify	209
PNC_03BA	Why no more medication / self managed	209
PNC_03BB	Why no more medication / don't know how/where	209
PNC_03BC	Why no more medication / too busy	210
PNC_03BD	Why no more medication / job interfered	210
PNC_03BE	Why no more medication / not readily available	211
PNC_03BF	Why no more medication / no confidence in system	211
PNC_03BG	Why no more medication / unaffordable	212
PNC_03BH	Why no more medication / insurance not cover	212
PNC_03BI	Why no more medication / afraid of others opinion	213
PNC_03BJ	Why no more medication / language problems	213
PNC_03BK	Why no more medication / help is ongoing	213
PNC_03BL	Why no more medication / other specify	214
PNC_03CA	Why no more counselling / self managed	214
PNC_03CB	Why no more counselling / don't know how/where	215
PNC_03CC	Why no more counselling / too busy	215
PNC_03CD	Why no more counselling / job interfered	216
PNC_03CE	Why no more counselling / not readily available	216
PNC_03CF	Why no more counselling / no confidence in system	217
PNC_03CG	Why no more counselling / unaffordable	217
PNC_03CH	Why no more counselling / insurance not cover	218
PNC_03CI	Why no more counselling / afraid of others opinion	218
PNC_03CK	Why no more counselling / help is ongoing	218
PNC_03CL	Why no more counselling / other specify	219
PNC_03DG	Why no more - other / unaffordable	219
PNC_04A	Help needed but not received	220
PNC_04BA	Help needed & not received - information	220
PNC_04BB	Help needed & not received - medication	221
PNC_04BC	Help needed & not received - counselling or therapy	221
PNC_05BA	Why no information / self managed	222
PNC_05BB	Why no information / don't know how/where	222
PNC_05BC	Why no information / too busy	223
PNC_05BD	Why no information / job interfered	223
PNC_05BE	Why no information / not readily available	224
PNC_05BF	Why no information / no confidence in system	224
PNC_05BG	Why no information / unaffordable	224
PNC_05BH	Why no information / insurance not cover	225
PNC_05BI	Why no information / afraid of others opinion	225
PNC_05BL	Why no information / other specify	226
PNC_05CA	Why no medication / self managed	226
PNC_05CB	Why no medication / don't know how/where	227
PNC_05CC	Why no medication / too busy	227
PNC_05CE	Why no medication / not readily available	228
PNC_05CF	Why no medication / no confidence in system	228
PNC_05CG	Why no medication / unaffordable	228
PNC_05CH	Why no medication / insurance not cover	229
PNC_05CI	Why no medication / afraid of others opinion	229
PNC_05CL	Why no medication / other specify	230
PNC_05DA	Why no counselling / self managed	230
PNC_05DB	Why no counselling / don't know how/where	231
PNC_05DC	Why no counselling / too busy	231
PNC_05DD	Why no counselling / job interfered	231
PNC_05DE	Why no counselling / not readily available	232
PNC_05DF	Why no counselling / no confidence in system	232
PNC_05DG	Why no counselling / unaffordable	233
PNC_05DH	Why no counselling / insurance not cover	233
PNC_05DI	Why no counselling / afraid of others opinion	234
PNC_05DL	Why no counselling / other specify	234
PUMFID	Randomly generated sequence number for the PUMF	13
SCRDDEP	Screener - Depression (F)	26
SCRDGAD	Screener - Generalized Anxiety Disorder (F)	27
SCRDMEN	Self-rated Mental Health - (D)	26

SCRDMIA	Screener - Mania (F)	27
SCRDSOP	Screener - Social Phobia (F)	27
SCR_21	Screener: felt sad/empty/depressed for several days - life	20
SCR_22	Screener: was very discouraged several days or longer - life	20
SCR_23	Screener: lost interest in things for several days - life	21
SCR_24	Screener: had mania-like period lasting several days - life	21
SCR_25A	Screener: very irritable/grumpy/ for several days - life	22
SCR_25B	Screener: so irritable started arguments/shouted/... - life	22
SCR_26A	Screener: worried about things more than most people - life	23
SCR_26B	Screener: more nervous/anxious than most people - life	23
SCR_26C	Screener: 6 months when anxious/worried most days - life	23
SCR_29A	Screener: intense fear or shyness with people - life	24
SCR_29B	Screener: intense fear or shyness in front of a group - life	24
SCR_29C	Screener: upset or nervousness in front of a group - life	25
SCR_29D	Screener: stayed away because of fear in front of a group - life	25
SCR_29E	Screener: think the fear was much stronger than it should have been	25
SDCDVFLA	Visible minority - (F)	270
SDCFIMM	Immigration - (F)	269
SDCGRES	Number of years in Canada since immigration - (grouped)	269
SDCGVVM	Visible minority group of respondent (grouped)	269
SMKDSTY	Type of smoker - (D)	103
SMKDYCS	Number of years smoked (current daily smokers) - (D)	104
SMKG01C	Age smoked first whole cigarette (grouped)	95
SMKG06C	Number of years since stopped smoking (grouped)	99
SMKG09C	Number of years since stopped smoking (daily, grouped)	102
SMKG10C	Nbr of yrs since stopped smoking daily, former smoker (grouped)	101
SMKG203	Age started smoking daily - (daily smoker) (grouped)	96
SMKG207	Age started smoking daily -former daily smoker (grouped)	99
SMKG210B	Stopped smoking completely - when (former daily smoker) (grouped)	102
SMKGSTP	Number of years since stopped smoking completely (grouped)	103
SMK_201A	Smoked 100 or more cigarettes - life	95
SMK_201B	Ever smoked whole cigarette	95
SMK_202	Type of smoker	96
SMK_204	Number of cigarettes smoked per day (daily smoker)	97
SMK_205B	Number of cigarettes smoked per day (occasional smoker)	97
SMK_205C	Number of days - smoked 1 cigarette or more (occ. smoker)	98
SMK_205D	Ever smoked cigarettes daily	98
SMK_206A	Stopped smoking - when (was never a daily smoker)	99
SMK_208	Number of cigarettes smoked per day (former daily smoker)	100
SMK_209A	Stopped smoking daily - when stopped (former daily smoker)	100
SMK_210A	Quit smoking completely (former daily smoker)	101
SOPD02	Social Phobia - Algorithm - life - (D)	91
SOPD09	Social Phobia - Symptoms of anxiety or panic - (D)	88
SOPD215	Social Phobia - Interference - work/social - (D)	90
SOPDA	Social Phobia - Criterion A (Parts 1, 2 Combined) - life - (D)	86
SOPDA1	Social Phobia - Criterion A, Part 1 - life - (D)	85
SOPDA2	Social Phobia - Criterion A, Part 2 - life - (D)	86
SOPDB	Social Phobia - Criterion B - life - (D)	87
SOPDC	Social Phobia - Criterion C - life - (D)	87
SOPDD	Social Phobia - Criterion D (Parts 1, 2 combined) - life - (D)	89
SOPDD1	Social Phobia - Criterion D, Part 1 - life - (D)	88
SOPDD2	Social Phobia - Criterion D, Part 2 - life - (D)	89
SOPDE	Social Phobia - Criterion E - life - (D)	90
SOPDINT	Social Phobia - Interference - Mean - 12 m - (D)	94
SOPDPY	Social Phobia - Algorithm - 12 m - (D)	93
SOPDREC	Social Phobia - Most recent episode - age - (D)	91
SOPDYA	Social Phobia - Criterion A - 12 m - (D)	92
SOPDYB	Social Phobia - Criterion B - 12 m - (D)	92
SOPDYC	Social Phobia - Criterion C - 12 m - (D)	93
SOPFINT	Flag: Social Phobia - Interference - 12 m - (F)	94
SORLGBTS	LGBTQ2+ Status	268
SPI_01	Spiritual values - play important role in life	256
SPSDALL	Social Provisions Scale - reliable alliance - (D)	248

SPSDATT	Social Provisions Scale - attachment - (D)	248
SPSDCON	Social Provisions Scale - overall score - (D)	247
SPSDGUI	Social Provisions Scale - guidance - (D)	248
SPSDINT	Social Provisions Scale - social integration - (D)	249
SPSDWOR	Social Provisions Scale - reassurance of worth (D)	249
SPS_01	Has people to depend on	243
SPS_02	Has people who enjoy the same activities	243
SPS_03	Has close relationships	244
SPS_04	Has someone to talk to about important decisions	244
SPS_05	Has relationships that recognize competence/skill	245
SPS_06	Has trustworthy person for advice	245
SPS_07	Feel part of a group who shared attitudes/beliefs	245
SPS_08	Has strong emotional bond	246
SPS_09	Has people who admire talents/abilities	246
SPS_10	Has people to count on in emergency	247
SR1100AA	Talked with other people - in person	184
SR1100AB	Talked with other people - over the phone	184
SR1100AC	Talked with other people - using video	185
SR1100AD	Talked with other people - text message	185
SR1DYNPT	Number of types - non-professionals consulted - 12 m (D)	195
SR1DYPRT	Number of types - professionals consulted - 12 m (D)	195
SR1FNPU	Consultation/services used - non-professional - 12 m (F)	195
SR1FPRU	Consultation/services used - professional - 12 m (F)	194
SR1G010	Number of times consulted psychiatrist - 12 mo (grouped)	140
SR1G020	Number of times consulted family doctor - 12 mo (grouped)	147
SR1G030	Number of times consulted psychologist - 12 mo (grouped)	155
SR1G040	Number of times consulted nurse - 12 mo (grouped)	162
SR1G050	Number of times consulted social worker - 12 mo (grouped)	170
SR1G060	Number of times consulted family member - 12 mo (grouped)	178
SR1G070	Number of times consulted friend - 12 mo (grouped)	180
SR1G080	Number of times consulted co-worker or supervisor - 12 mo (grouped)	183
SR1G100	Number of times consulted other person - 12 mo (grouped)	185
SR1G115	Nbr of times went to meeting of self-help group - 12 months (grouped)	191
SR1G117	Number of times used telephone helpline - 12 mo (grouped)	192
SR1G119	Amount spent on mental health services/products - 12 m (grouped)	193
SR1GPRO1	Hours of consultation - psychiatrist - 12 m (grouped)	196
SR1GPRO2	Hours of consultation - family doctor - 12 m (grouped)	196
SR1GPRO3	Hours of consultation - psychologist - 12 m (grouped)	196
SR1GPRO4	Hours of consultation - nurse - 12 m (grouped)	197
SR1GPRO5	Hours of consultation - social worker/counsellor - 12 m (grouped)	197
SR1GPROT	Hours of consultation - all professionals - 12 m (grouped)	198
SR1_001	Hospitalized for mental health/alcohol/drug - 12 m	134
SR1_004A	Consulted for mental health/alc/drugs - psychiatrist - 12 m	134
SR1_004B	Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m	135
SR1_004C	Consulted for mental health/alc/drugs - psychologist - 12 m	135
SR1_004D	Consulted for ment hlth/alc/drugs - nurse - 12 m	136
SR1_004E	Consulted social worker or counsellor - 12 months	136
SR1_004F	Consulted for ment hlth/alc/drugs - family member - 12 m	136
SR1_004G	Consulted for ment hlth/alc/drugs - friend - 12 m	137
SR1_004H	Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m	137
SR1_004I	Consulted for ment hlth/alc/drugs - other - 12 m	138
SR1_004J	Consulted for ment hlth/alc/drugs - none - 12 m	138
SR1_012	Perceived level of help received - psychiatrist	140
SR1_013	Stopped seeing this professional - psychiatrist	141
SR1_014A	Reason stopped - psychia - felt better	141
SR1_014B	Reason stopped - psychia - completed recommended treatment	142
SR1_014C	Reason stopped - psychia - thought it was not helping	142
SR1_014D	Reason stopped - psychia - problem get better without help	142
SR1_014E	Reason stopped - psychia - couldn't afford to pay	143
SR1_014G	Reason stopped - psychia - solve the problem without help	143
SR1_014H	Reason stopped - psychia - prob like transport/ childcare	144
SR1_014I	Reason stopped - psychia - service/prog no longer available	144
SR1_014J	Reason stopped - psychia - not comfortable w prof approach	144

SR1_014L	Reason stopped - psychia - other reason	145
SR1_022	Perceived level of help received from prof. - family doctor	147
SR1_023	Stopped seeing prof. - family doctor	148
SR1_024A	Reason stopped - dr - felt better	148
SR1_024B	Reason stopped - dr - completed the recommended treatment	149
SR1_024C	Reason stopped - dr - thought it was not helping	149
SR1_024D	Reason stopped - dr - problem would get better without help	150
SR1_024E	Reason stopped - dr - couldn't afford to pay	150
SR1_024F	Reason stopped - dr - too embarrassed to see professional	150
SR1_024G	Reason stopped - dr - solve the problem without help	151
SR1_024H	Reason stopped - dr - probs like transportation/ childcare	151
SR1_024I	Reason stopped - dr - service / program no longer available	152
SR1_024J	Reason stopped - dr - not comfortable with prof. approach	152
SR1_024K	Reason stopped - dr - discrimination or unfair treatment	153
SR1_024L	Reason stopped - dr - other reason	153
SR1_032	Perceived level of help received - psychologist	155
SR1_033	Stopped seeing this professional - psychologist	156
SR1_034A	Reason stopped - psychol - felt better	156
SR1_034B	Reason stopped - psychol - completed recommended treatment	157
SR1_034C	Reason stopped - psychol - thought it was not helping	157
SR1_034D	Reason stopped - psychol - problem would get better	157
SR1_034E	Reason stopped - psychol - couldn't afford to pay	158
SR1_034F	Reason stopped - psychol - embarrassed to see professional	158
SR1_034G	Reason stopped - psychol - solve the problem without help	159
SR1_034H	Reason stopped - psychol - probs - transportation/ childcare	159
SR1_034I	Reason stopped - psychol - service/prog no longer available	159
SR1_034J	Reason stopped - psychol - not comfort. with prof. approach	160
SR1_034K	Reason stopped - psychol - discrimination/unfair treatment	160
SR1_034L	Reason stopped - psychol - other reason	161
SR1_042	Perceived level of help received from prof. - nurse	163
SR1_043	Stopped seeing this professional - nurse	163
SR1_044A	Reason stopped - nurse - felt better	164
SR1_044B	Reason stopped - nurse - completed the recommended treatment	164
SR1_044C	Reason stopped - nurse - thought it was not helping	164
SR1_044D	Reason stopped - nurse - prob would get better without help	165
SR1_044E	Reason stopped - nurse - couldn't afford to pay	165
SR1_044F	Reason stopped - nurse - too embarrassed to see professional	166
SR1_044G	Reason stopped - nurse - solve the problem without prof help	166
SR1_044H	Reason stopped - nurse - prob like transportation/ childcare	166
SR1_044I	Reason stopped - nurse - service/program no longer available	167
SR1_044J	Reason stopped - nurse - not comfortable with prof. approach	167
SR1_044K	Reason stopped - nurse - discrimination or unfair treatment	168
SR1_044L	Reason stopped - nurse - other reason	168
SR1_052	Perceived level of help received from prof. - social worker	170
SR1_053	Stopped seeing this professional/social worker	171
SR1_054A	Reason stopped - sw - felt better	171
SR1_054B	Reason stopped - sw - completed the recommended treatment	172
SR1_054C	Reason stopped - sw - thought it was not helping	172
SR1_054D	Reason stopped - sw - problem would get better without help	173
SR1_054E	Reason stopped - sw - couldn't afford to pay	173
SR1_054F	Reason stopped - sw - too embarrassed to see professional	173
SR1_054G	Reason stopped - sw - solve the problem without help	174
SR1_054H	Reason stopped - sw - probs like transportation/ childcare	174
SR1_054I	Reason stopped - sw - service / program no longer available	175
SR1_054J	Reason stopped - sw - not comfortable with prof. approach	175
SR1_054K	Reason stopped - sw - discrimination or unfair treatment	175
SR1_054L	Reason stopped - sw - other reason	176
SR1_062	Perceived level of help received - family member	178
SR1_072	Perceived level of help received - friend	181
SR1_082	Perceived level of help received - co-work/supervisor	183
SR1_102	Perceived level of help received - other person	186
SR1_10AA	Talked with psychiatrist - in person	139
SR1_10AB	Talked with psychiatrist - over the phone	139

SR1_10AC	Talked with psychiatrist - using video	139
SR1_10AD	Talked with psychiatrist - text message	140
SR1_110	Received help or services from employer - 12 months	186
SR1_111	Used Internet for info/help/support - 12 m	187
SR1_112A	Used Internet - learn about symptoms	187
SR1_112B	Used Internet - to find out where to get help	188
SR1_112C	Used Internet - discuss with other people	188
SR1_112D	Used Internet - to get online therapy	188
SR1_112E	Used Internet - other	189
SR1_113	Self-help group - help with problems - 12 months	189
SR1_114A	Self-help group type - emotional or mental health	190
SR1_114B	Self-help group type - alcohol or drug use	190
SR1_114C	Self-help group type - other	191
SR1_116	Used telephone helpline for mental health - 12 months	191
SR1_118	Needed help for emotions but didn't receive it - 12 months	192
SR1_121	Prejudice / discrimination - mental health	193
SR1_122	Prejudice / discrimination - personal characteristics	194
SR1_20AA	Talked with family doctor - in person	145
SR1_20AB	Talked with family doctor - over the phone	146
SR1_20AC	Talked with family doctor - using video	146
SR1_20AD	Talked with family doctor - text message	147
SR1_30AA	Talked with psychologist - in person	153
SR1_30AB	Talked with psychologist - over the phone	154
SR1_30AC	Talked with psychologist - using video	154
SR1_30AD	Talked with psychologist - text message	155
SR1_40AA	Talked with nurse - in person	161
SR1_40AB	Talked with nurse - over the phone	161
SR1_40AC	Talked with nurse - using video	162
SR1_50AA	Talked with social worker - in person	168
SR1_50AB	Talked with social worker - over the phone	169
SR1_50AC	Talked with social worker - using video	169
SR1_50AD	Talked with social worker - text message	170
SR1_60AA	Talked with family member - in person	176
SR1_60AB	Talked with family member - over the phone	177
SR1_60AC	Talked with family member - using video	177
SR1_60AD	Talked with family member - text message	177
SR1_70AA	Talked with friend - in person	179
SR1_70AB	Talked with friend - over the phone	179
SR1_70AC	Talked with friend - using video	179
SR1_70AD	Talked with friend - text message	180
SR1_80AA	Talked with co-worker or supervisor - in person	181
SR1_80AB	Talked with co-worker or supervisor - over the phone	182
SR1_80AC	Talked with co-worker or supervisor - using video	182
SR1_80AD	Talked with co-worker or supervisor - text message	182
STS_1	Self-perceived ability to handle unexpected problem	55
STS_2	Self-perceived ability to handle day-to-day demands	55
STS_3	Most important source of feelings of stress	56
STS_4	Can count on people / deal with stress	56
STS_5	Perceived personal ability to deal with stress	57
SUDDINT	Substance use - Interference - Mean - 12 m (D)	124
SUDDL	Drug abuse or dependence (including cann) - life - (D)	123
SUDDLAE	Any drug use (excl one time cann) - life (D)	117
SUDDLAI	Any drug use (incl one time cann) - life - (D)	116
SUDDLC	Cannabis abuse or dependence - life - (D)	122
SUDDLCA	Cannabis abuse - Algorithm - life - (D)	120
SUDDLCD	Cannabis dependence - Algorithm - life - (D)	119
SUDDLID	Any drug use (excl cann use) - life - (D)	117
SUDDLO	Drug abuse or dependence (excl cann) - life - (D)	122
SUDDLOA	Drug abuse (excl cann) - Algorithm - life - (D)	121
SUDDLOD	Drug dependence (excl cann) - Algorithm - life - (D)	119
SUDDY	Drug abuse or dependence (including cann) - 12 m - (D)	124
SUDDYAE	Any drug use (excl one time cann) - 12 m (D)	118
SUDDYAI	Any drug use (incl one time cann) - 12 m (D)	117

SUDDYC	Cannabis abuse or dependence - 12 m - (D)	122
SUDDYCA	Cannabis abuse - Algorithm - 12 m - (D)	120
SUDDYCD	Cannabis dependence - Algorithm - 12 m - (D)	119
SUDDYID	Any drug use (excl cann use) - 12 m (D)	118
SUDDYO	Drug abuse or dependence (excl cann) - 12 m - (D)	123
SUDDYOA	Drug abuse (excl cann) - Algorithm - 12 m - (D)	121
SUDDYOD	Drug dependence (excl cann) - Algorithm - 12 m - (D)	120
SUDFINT	Substance use - Interference - 12 m - (F)	124
SUDFLAU	Analgesics - nonmedical use - life - (F)	114
SUDFLCA	Cannabis - used (incl one time) - life - (F)	115
SUDFLCM	Cannabis - used (excl one time) - life - (F)	115
SUDFLSU	Stimulant - used nonmedically - life - (F)	114
SUDFLTU	Sedative - used nonmedically - life - (F)	114
SUDFYCM	Cannabis - used (excl one time) - 12 m - (F)	115
SUDGLOTH	Any other drug use - Lifetime (grouped)	116
SUD_87	Drugs - Help received - Talked to a professional - life	113
SUI_01	Suicide - ideation during worst / bad episode	65
SUI_02	Suicide - ideation - life	66
SUI_03	Suicide - ideation - 12 mo	66
WSTDAUT	Work stress - decision latitude / authority - (D)	265
WSTDJIN	Work stress - job insecurity - (D)	266
WSTDJST	Work stress - job strain - (D)	268
WSTDPHY	Work stress - physical exertion - (D)	267
WSTDPSY	Work stress - psychological demands - (D)	266
WSTDSKI	Work stress - decision latitude/discretion - (D)	265
WSTDSOC	Work stress - social support - (D)	267
WST_401	Work stress - learn new things	259
WST_402	Work stress - high level of skill	259
WST_403	Work stress - freedom to decide	260
WST_404	Work stress - repetitive tasks	260
WST_405	Work stress - job hectic	261
WST_406	Work stress - free from conflicting demands	261
WST_407	Work stress - good job security	262
WST_408	Work stress - a lot of physical effort	262
WST_409	Work stress - had own job input	262
WST_410	Work stress - hostility or conflict with others	263
WST_411	Work stress - supervisor helpful	263
WST_412	Work stress - co-workers helpful	264
WST_413	Work stress - job satisfaction	264
WTS_M	Weights - Master	274