



Degassing Unit With Cold Flaring

Programmed By:- Somnath Vishwakarma

Month- September
2026

PLC INPUT AND OUTPUT DIAGRAM

INPUTS

X0	Start_Watering_unit
X1	Stop_Watering_unit
X2	Emg_Switch_Watering_Unit
X3	Reset_Bit_WT
X4	Head_1_Sensor_WT
X5	Head_3_Sensor_WT
X6	Head_5_Sensor_WT
X7	Head_4_Sensor_WT
X20	Head_2_Sensor_WT
X21	Head_6_Sensor_WT
X22	HEAD_05_BYPASS_WT
X23	HEAD_04_BYPASS_WT
X24	HEAD_03_BYPASS_WT
X25	HEAD_02_BYPASS_WT
X26	HEAD_01_BYPASS_WT
X27	HEAD_06_BYPASS_WT
X30	STOPER_BYPASS_DWT
X31	SCM_Motor_Bypass_PB-02
X32	EMG_DWT
X33	DWT_Clamp_relise_Confirmation
X34	GUN_DOWN_CONFIRMATION
X35	START_DWT
X36	HEAD_04_SENSOR_DWT

INPUTS

X37	HEAD_03_SENSOR_DWT
X40	HEAD_06_SENSOR_DWT
X41	HEAD_05_SENSOR_DWT
X42	HEAD_01_SENSOR_DWT
X43	HEAD_02_SENSOR_DWT
X44	STOPER_SENSOR_DWT
X45	RST_C4_DWT
X46	PRESSURE_SWITCH_CLD
X47	EMG_CLD
X50	START_CLD
X51	LAST_SENSOR_WT
X52	LAST_SENSOR_CLD
X53	HEAD_05_SENSOR_CLD
X54	HEAD_01_SENSOR_CLD
X55	HEAD_02_SENSOR_CLD
X56	HEAD_04_SENSOR_CLD
X57	HEAD_03_SENSOR_CLD
X60	STOPER_BYPASS_WT
X61	STOPER_BYPASS_CLD
X62	Spare
X63	WATER_MOTOR_RUNNING
X64	STOPER_SENSOR_WT
X65	Suction_Motor_Bypass_On

OUTPUTS

Y0	Head_2_Clamp_With_Lifter_WT
Y1	Head_3_Gun_WT
Y2	Head_2_Gun_WT
Y3	Head_6_Gun_WT
Y4	Head_6_Clamp_With_Lifter_WT
Y5	Head_4_Clamp_With_Lifter_WT
Y20	Head_1_Gun_CLD
Y21	Head_1_Clamp_With_Lifter_WT
Y22	Head_4_Gun_WT
Y23	Head_3_Clamp_With_Lifter_WT
Y24	Stoper_Pre_Watering_unit_WT
Y25	Head_1_Gun_WT
Y26	Head_5_Clamp_With_Lifter_WT
Y27	Head_5_Gun_WT
Y30	Head_3_Clamp_With_Lifter_DWT
Y31	Head_2_Clamp_With_Lifter_DWT
Y32	Head_6_Clamp_With_Lifter_DWT
Y33	Stoper_Pre_Dewatering_unit_DWT
Y34	Head_5_Clamp_With_Lifter_DWT
Y35	Head_1_Clamp_With_Lifter_DWT
Y36	Head_4_Clamp_With_Lifter_DWT
Y37	Green_Light_DWT

OUTPUTS

Y40	Head_4_Gun_CLD
Y41	Head_1_Clamp_With_Lifter_CLD
Y42	Stoper_Pre_Watering_unit_CLD
Y43	Head_3_Gun_CLD
Y44	Head_5_Clamp_With_Lifter_CLD
Y45	Head_4_Clamp_With_Lifter_CLD
Y46	Head_2_Clamp_With_Lifter_CLD
Y47	Head_5_Gun_CLD
Y50	Head_2_Gun_CLD
Y51	Head_3_Clamp_With_Lifter_CLD
Y52	Green_Light_CLD
Y53	RED_LIGHT_CLD
Y54	RED_LIGHT_DWT
Y55	AIR_ROV_DWT
Y56	Filling_Motor_WT_RELAY
Y57	SUCTION_MOTOR_DWT_RELAY
Y60	Gun_Air_ON/OFF_DWT
Y61	END_Stoper_DWT
Y62	ROV_CLD
Y63	Green_Light_WT
Y64	Yellow_Light_for_byypass_condition
Y65	Red_Light_WT




SLD (*Single Line Diagram*)


SLD Done By:- Somnath Vishwakarma

Month- September
2026

INPUT MAPPING




INPUT MAPPING




INPUT:- X27 TO X45

INPUT MAPPING




OUTPUT MAPPING




ADD A FOOTER

OUTPUT MAPPING



ADD A FOOTER

OUTPUT MAPPING




ADD A FOOTER




Panel Details (*Make :-* SAIEX)

Panel Done By:- Somnath Vishwakarma

Month- September
2026



MAKE:- SAIEX






CIMFR DOCUMENT

PESO_1 DOCUMENT

PESO_2 DOCUMENT

Main Panel:- Degassing Shed





SOP: CYLINDER WATER FILLING & PRESSURIZATION PROCESS

SOP DONE BY :- SOMNATH VISHWAKARMA

Chart Slide

LOREM IPSUM DOLOR SIT AMET,
CONSECTETUER ADIPISCING ELIT.
MAECENAS PORTTITOR CONGUE MASSA



ADD A FOOTER

	20XX	20XX	20XX
Lorem ipsum	50,000	400,000	1,600,000
Dolor sit amet	500,000	4,000,000	16,000,000
Consectetur	75	80	90
Adipiscing elit	5,625,000	48,000,000	216,000,000
Sed do eiusmod	0	0	0
Tempor incididunt	5,625,000	48,000,000	216,000,000
Ut labore	1,687,500	9,600,000	21,600,000
Et dolore magna	562,500	2,400,000	10,800,000
Ut enim ad	281,250	2,400,000	4,320,000
Minim veniam	7,593,750	52,800,000	187,920,000

Table Slide

LOREM IPSUM
DOLOR SIT AMET,
CONSECTETUER
ADIPISCING ELIT.
MAECENAS
PORTTITOR CONGUE
MASSA

ADD A FOOTER

Works Cited



- Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa. Fusce posuere, magna sed pulvinar ultricies, purus lectus malesuada libero, sit amet commodo magna eros quis urna.
- Nunc viverra imperdiet enim. Fusce est. Vivamus a tellus.
- Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Proin pharetra nonummy pede. Mauris et orci.
- Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa. Fusce posuere, magna sed pulvinar ultricies, purus lectus malesuada libero, sit amet commodo magna eros quis urna.
- Nunc viverra imperdiet enim. Fusce est. Vivamus a tellus.
- Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Proin pharetra nonummy pede. Mauris et orci.
- Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa. Fusce posuere, magna sed pulvinar ultricies, purus lectus malesuada libero, sit amet commodo magna eros quis urna.


Timeline

LOREM IPSUM DOLOR SIT AMET, CONSECTETUER ADIPISCING ELIT.
MAECENAS PORTTITOR CONGUE MASSA

<i>Year</i>	<i>Year</i>	<i>Year</i>	<i>Year</i>	<i>Year</i>	<i>Year</i>
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.	Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas porttitor congue massa.

ADD A FOOTER

LAYOUT



Measurement as Lumpsum Data.



Thank You!

SOMNATH VISHWAKARMA

Phone

+91 96-700-800-31

Email

SOMNATHV615@OUTLOOK.COM

