



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
 Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/GJ/104/5896 (P528747)

Dated : 02/02/2022

To,

M/s. FCG Flameproof Control Gears Pvt. Ltd.,
PlotNo,203/1 & 203/2,
Phase II, GIDC Vapi, Vapi,
Vapi,
Taluka: Vapi,
District: VALSAD,
State: Gujarat,
PIN: 396195

Sub : Approval of Flame Proof Type Electrical Equipments under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN976509** dated **10/01/2022** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IS/IEC 60079-0 : 2011, IS/IEC 60079-0 2017, IS/IEC 60079-1 : 2014,** standards and covered under **Central Institute of Mining and Fuel Research** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIB/IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	FLP & WP LED Light Fixture Type No. ELFS 61... Series	Ex db IIC T5-T6 Gb	P528747/1	Central Institute of Mining and Fuel Research	CMF 21 INEx 0141 Issue No. 0	27/04/2021	DD A3 034/18 Rev 1 Sheet 1-6
2	FLP & WP Reaction Vessel Lamp Type No. RV 61030L	Ex db IIC T6 Gb	P528747/2	Central Institute of Mining and Fuel Research	CMF 21 INEx 0449 Issue No. 0	23/12/2021	DD A3 038/19 Rev 1 Sheet 1-2
3	FLP WP Enclosure for batch Controller Smartload Cat No. SMARTLOAD	Ex db IIB T6 Gb	P528747/3	Central Institute of Mining and Fuel Research	CMF 20 INEx 0369 Issue No. 0	21/10/2020	DD A3 092/14 Rev 1 Sheet 1-4
4	FLP / WP Distribution Board Type No. DB 31340	Ex db IIB T5-T6 Gb	P528747/4	Central Institute of Mining and Fuel Research	CMF 21 INEx 0370 Issue No. 0	14/12/2021	DD A0 052/2004 Rev 1 Sheet 1-2
5	FLP/WP Multipurpose Enclosure Type No. IJ	Ex db IIB T5 Gb	P528747/5	Central Institute of	CMF 20 INEx 0280 Issue	20/08/2020	DD A0 248/07

	31850			Mining and Fuel Research	No. 0		Rev 2 Sheet 1-2
6	FLP / WP Switch Socket Combined with Plug top Type No. IJ 61254	Ex db IIC T6 Gb	P528747/6	Central Institute of Mining and Fuel Research	CMF 21 INEx 0236 Issue No. 0	22/06/2021	DD A2 126/12 Rev 1 Sheet 1-2
7	FLP/WP Multipurpose Enclosure Type No. IJ 63080	Ex db IIC T6 Gb	P528747/7	Central Institute of Mining and Fuel Research	CMF 21 INEx 0451 Issue No. 0	23/12/2021	DD A3 100/13 Rev 1
8	FLP / WP Hand Lamp Fitting Type No. LH 61060	Ex db IIC T6 Gb	P528747/8	Central Institute of Mining and Fuel Research	CMF 21 INEx 0441 Issue No. 0	21/12/2021	DD A1 222/2004 Rev 2, DD A3 130/15 Rev 1
9	FLP-WP Multipurpose Enclosure Type No. SC 3110075	Ex db IIB T6 Gb	P528747/9	Central Institute of Mining and Fuel Research	CMF 21 INEx 0272 Issue No. 0	01/11/2021	DD A1 114/10 Rev 1 Sheet 1-2
10	FLP / WP Smart Interlock Type No. Smart 100.. Series	Ex d IIB T6 Gb	P528747/10	Central Institute of Mining and Fuel Research	CMF 20 INEx 0370 Issue No. 0	21/10/2020	DD A3 142/13 Rev 1 Sheet 1-2
11	FLP WP Single Compression Type Cable Gland For heat tracer cable Type No. HG 6.. Series	Ex db IIC Gb	P528747/11	Central Institute of Mining and Fuel Research	CMF 21 INEx 0368 Issue No. 0	08/10/2021	DDA3 018/15 Rev 1

This Approval is granted subject to observance of the following conditions:-

- 1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the Central Institute of Mining and Fuel Research applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) BIS approval number.
 - (f) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified at Testing agency shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Central Institute of Mining and Fuel Research and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its safe characteristics.
- 6) The IS/IEC 60079-17 and IS/IEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

Conditions of the Approval:-

The approval for above equipments is subject to validity of BIS License No. CM/L-0769872.

This approval also covers the permissible variations as approved under the Central Institute of Mining and Fuel Research test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is

violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2026**

Yours faithfully,

(A.B. Tamgadge)
Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, Vadodara, VADODARA

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.

Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.