



Date	31/05/2024	Patient ID	10246592	Collected On	
Name	Mr. RITU VARRDAN SHARMA			Age	54 Yrs
Ref. By	Dr. D.V SHARMA, MBBS, MS (Ortho. Surgeon)			Sex	Male
				Printed On	31/05/2024 15:42:17
				Sample	

MRI LUMBO-SACRAL SPINE

Protocols: MRI scan was performed on dedicated 32 channels 3 Tesla Magnetom Lumina MR scanner: T1W, T2W, STIR images of lumbo-sacral spine were obtained in sagittal and axial sections and were correlated at various intervertebral and neural foraminal levels. STIR coronal images were also obtained for screening of sacro-iliac joints.

The study shows loss of normal curvature and straightening of the lumbar spine.

Height of the vertebral bodies is normal.

The signal from the marrow of the visualized vertebrae is normal.

Degenerative changes in form of anterior and posterior marginal endplate osteophytes seen all lumbar vertebrae.

Reduced intervertebral disc space between L4-5 level with endplate irregularities and Type II modic changes.

Disc desiccation seen at all lumbar levels.

Visualized dorsolumbar spinal cord shows normal MR morphology and signal characteristics.

Signal from the conus medullaris and nerve roots forming the cauda equina is normal.

At the level of T12-L1: There is no evidence of any cord/ neural compression / canal stenosis.

At the level of L1-2: Central disc bulge seen indenting the thecal sac causing bilateral mild neural foraminal narrowing and mild impingement of bilateral L1 exiting nerve roots.

At the level of L2-3: Mild central disc bulge seen. No nerve root impingement seen.

At the level of L3-4: Central disc protrusion seen indenting the thecal sac causing

DR. SOHAM SHRIVASTAVA, M.B. JAIN

Checked By SEWAKRAM M.B.B.S., M.D.
(RADIO-DIAGNOSIS)

M.B.B.S., MD, DMRE, MICRI

Test Requested MRI SPINE LUMBAR

DR. RAHUL JAIN

M.B.B.S. (Hons.) M.D.
(Radio-Diagnosis)
Fellowship Onco-Radiology
(RGCI, Delhi)



Date	31/05/2024	Patient ID	10246592	Collected On	
Name	Mr. RITU VARRDAN SHARMA	Age	54 Yrs	Sex	Male
Ref. By	Dr. D.V SHARMA, MBBS, MS (Ortho. Surgeon)	Printed On	31/05/2024 15:42:17	Sample	

bilateral severe neural foraminal narrowing and severe impingement of bilateral L3 exiting nerve roots. Posterior annular tear seen.

At the level of L4-5: Central and right paracentral disc protrusion compressing the right neural foramina and stenosis of right L4 exiting nerve root. There is severe left neural foraminal narrowing and severe impingement of left L4 exiting nerve root. Posterior annular tear seen.

At the level of L5-S1: Central and right paracentral disc bulge seen indenting the thecal sac causing right severe & left moderate neural foraminal narrowing and impingement of bilateral L5 exiting nerve roots.

The dural sac diameter in mid sagittal plane measures –

D12-L1	: 10.8 mm
L1-L2	: 4.5 mm (stenosis)
L2-L3	: 7.6 mm (stenosis)
L3-L4	: 4.4 mm (stenosis)
L4-L5	: 4.5 mm (stenosis)
L5-S1	: 9.8 mm (reduced)

Posterior osseous and soft tissue structures are normal. No pre / paraspinal soft tissue collection is seen.

STIR coronal images through the S I joint do not show any significant abnormality.

IMPRESSION:

Degenerative changes of lumbar spine with degenerative disc disease, nerve roots involvement and multilevel spinal canal stenosis as described above.

Kindly correlate clinically.

*** End of Report ***

DR. SOHAM SHRIVASTAVA, M.B. JAIN

Checked By SEWAKRAM M.B.B.S., M.D.
(RADIO-DIAGNOSIS)

Page No: 2 of 2

Test Requested MRI SPINE LUMBAR

M.B.B.S., MD, DMRE, MICRI

DR. RAHUL JAIN

M.B.B.S. (Hons.) M.D.
(Radio-Diagnosis)
Fellowship Onco-Radiology
(RGCI, Delhi)