



Rated **4.9/5** on Google
(25,000+ Reviews)



Available in **8 cities**



Trusted by **1000+** doctors



Easy to Read.
Easy to Track.

[Check here](#)



Reports in your pocket

[Download App](#)

Sunitha

57 Year(s) · Female

Reported on

June 22, 2025

Index

- C-Reactive Protein (CRP)
- Anti-Cyclic Citrullinated Peptide (CCP)
- Anti Nuclear Antibody (ANA) Profile

Sunitha

57 Year(s)/Female

Ref. by : -

Partner : -

Report Ref. ID : BLR2655757

Patient ID : OHPRYIHT1446547

Collected : 22/06/2025 06:51 AM

Received : 22/06/2025 10:32 AM

Reported : 22/06/2025 12:38 PM



MC-6367



Test	Results	Units	Biological Reference
------	---------	-------	----------------------

BIOCHEMISTRY

C-Reactive Protein (CRP)

Serum, Non-Competitive Immunorate Assay

<5.0

mg/L

<10

Clinical Significance:

CRP is an acute phase reactant which is used in inflammatory disorders for monitoring course and effect of therapy. It is most useful as an indicator of activity in Rheumatoid arthritis, Rheumatic fever, tissue injury or necrosis and infections. As compared to ESR, CRP shows an earlier rise in inflammatory disorders which begins in 4-6 hrs, the intensity of the rise being higher than ESR and the recovery being earlier than ESR. Unlike ESR, CRP levels are not influenced by hematologic conditions like Anemia, Polycythemia etc.

Dr. Sanchit Singhal

MBBS, MD (Pathology)

Pathologist

CONDITIONS OF LABORATORY TESTING & REPORTING

- Tests marked with NABL symbol are accredited by NABL vide certificate no MC-6367
- It is presumed that the test sample belongs to the patient named or identified in the test requisition form. Test results released pertain to the specimen submitted.
- Laboratory investigations are only a tool to facilitate arriving at a diagnosis and should be clinically correlated by the Referring Physician.
- All tests are performed and reported as per the turnaround time stated in the Orange Health Labs Directory of Services (DOS).
- Orange Health Labs confirms that all tests have been performed or assayed with the highest quality standards, clinical safety & technical integrity.
- All test results are dependent on the quality of the sample received by the Laboratory and the assay technology.
- Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.
- A requested test might not be performed if:
 - The specimen received is insufficient or inappropriate, or the specimen quality is unsatisfactory
 - Incorrect specimen type
 - Request for testing is withdrawn by the ordering doctor or patient
 - There is a discrepancy between the label on the specimen container and the name on the test requisition form
- Test results may show interlaboratory variations.
- Test results are not valid for medico-legal purposes.
- This is a computer-generated medical diagnostic report that has been validated by an Authorized Medical Practitioner/Doctor. The report does not need a physical signature.

Sunitha

57 Year(S) / Female

Referred by:

Collected On 2025-06-22 | 06:51 AM

Received On 2025-06-22 | 11:35 AM

Reported On 2025-06-22 | 03:20 PM

Patient ID OHPRYIHT1446547

Visit No

Client ID 2202

SRF ID



Investigation

CCP Antibody

(Serum,Electrochemiluminescence immunoassay (ECLIA))

Observed Value

<8.00

Unit

U/mL

Biological Reference Interval

Negative: < 17.0

Positive: >= 17.0

Interpretation :

This test is used for the semi-quantitative determination of the IgG class of auto antibodies specific to CCP in biological specimens. Detection of anti-CCP antibodies is used as an aid in the diagnosis of Rheumatoid Arthritis and should be used in conjunction with other clinical information. Autoantibody levels represent one parameter in a multi criterion diagnostic process, encompassing both clinical and laboratory based assessments.

Reports to follow - Kindly await following pending reports :

Investigation	Status
ANA (Anti Nuclear Antibody) Blot Profile (18 Antigens)	Pending

-- End of Report --



Test Marked with NABL symbol are in the scope of accreditation

Dr. Srilalitha P
Dr. SRILALITHA P
MBBS, MD
KMC:1219 KTK

MEDICAL LABORATORY REPORT

Registered On: 22/06/2025 12:32 PM

Collected On: 22/06/2025 12:30PM

Reported On: 22/06/2025 3:12 PM

PROCESSING LOCATION :
METROPOLIS HEALTHCARE LTD. #76/10,15TH
CROSS,MALLESHWARAM,BANGALORE.

Page 1 of 1

Orchard Healthcare Pvt. Ltd.
No 3-4/5, Ground Floor, Venkat Reddy Layout, Off 80ft Road, Koramangala,
Bengaluru 560095

www.orangehealth.in

support@orangehealth.in

+91 9008 11 11 44



Live in
Bengaluru, Delhi NCR,
Hyderabad & Mumbai

Get your reports
directly on app



Sunitha

57 Year(S) / Female

Referred by:

Collected On 2025-06-22 | 06:51 AM

Received On 2025-06-22 | 11:35 AM

Reported On 2025-06-23 | 02:28 PM

Patient ID OHPRYIHT1446547

Visit No

Client ID 2202

SRF ID



Investigation

CCP Antibody

(Serum,Electrochemiluminescence immunoassay
(ECLIA))

Observed Value

<8.00

Unit

U/mL

Biological Reference Interval

Negative: < 17.0

Positive: >= 17.0

Interpretation :

This test is used for the semi-quantitative determination of the IgG class of auto antibodies specific to CCP in biological specimens. Detection of anti-CCP antibodies is used as an aid in the diagnosis of Rheumatoid Arthritis and should be used in conjunction with other clinical information. Autoantibody levels represent one parameter in a multi criterion diagnostic process, encompassing both clinical and laboratory based assessments.

Dr. SRILALITHA P
MBBS, MD
KMC:1219 KTK

MEDICAL LABORATORY REPORT

Registered On: 22/06/2025 12:32 PM

Collected On: 22/06/2025 12:30PM

Reported On: 23/06/2025 1:49 PM

PROCESSING LOCATION :

METROPOLIS HEALTHCARE LTD. #76/10,15TH
CROSS,MALLESHWARAM,BANGALORE.

Page 1 of 3

Orchard Healthcare Pvt. Ltd.

No 3-4/5, Ground Floor, Venkat Reddy Layout, Off 80ft Road, Koramangala,
Bengaluru 560095

www.orangehealth.in

support@orangehealth.in

+91 9008 11 11 44



Live in
Bengaluru, Delhi NCR,
Hyderabad & Mumbai

Get your reports
directly on app



Sunitha

57 Year(S) / Female

Referred by:

Collected On 2025-06-22 | 06:51 AM

Received On 2025-06-22 | 11:35 AM

Reported On 2025-06-23 | 02:28 PM

Patient ID OHPRYIHT1446547

Visit No

Client ID 2202

SRF ID



ANA (Anti Nuclear Antibody) Blot Profile (18 Antigens)

	Observed Value	Reference Range	Disease association
Mi-2	NEGATIVE	NEGATIVE	Polymyositis and Dermatomyositis
Ku	NEGATIVE	NEGATIVE	SLE, Sjogren's syndrome, scleroderma, Myositis & MCTD
Sm/RNP	NEGATIVE	NEGATIVE	MCTD, Sharp syndrome
Sm	NEGATIVE	NEGATIVE	SLE
SSA	NEGATIVE	NEGATIVE	Sjogren syndrome
Ro 52kD	NEGATIVE	NEGATIVE	Autoimmune (Sjogren syndrome) & Infectious diseases.
SSB	NEGATIVE	NEGATIVE	Sjogren syndrome, SLE
Scl-70	NEGATIVE	NEGATIVE	Systemic sclerosis
PM-Scl 100	NEGATIVE	NEGATIVE	Overlap syndrome (polymyositis, Dermatomyositis & systemic sclerosis)
Jo-1	NEGATIVE	NEGATIVE	Polymyositis, Interstitial lung fibrosis
CENP-A/B	NEGATIVE	NEGATIVE	CREST syndrome
PCNA	NEGATIVE	NEGATIVE	SLE
dsDNA	NEGATIVE	NEGATIVE	SLE
Nucleosome	NEGATIVE	NEGATIVE	SLE
Histones	(+) BORDERLINE	NEGATIVE	Drug induced lupus, Rheumatoid arthritis
Ribosome PO	NEGATIVE	NEGATIVE	SLE
AMA M2	NEGATIVE	NEGATIVE	Primary biliary cirrhosis
DFS70	NEGATIVE	Negative	Atopic dermatitis, Rheumatic diseases

Interpretation :

Intensity	Class	Result
0-5	0	Negative
6-10	(+)	Borderline
11-25	+	Positive
26-50	++	Positive
51-256	+++	Strong Positive

H. P. Ravikumar

Dr. RAVIKUMAR.H.N
MD.DCP (Pathology)
Vice President & Chief of Lab services
Reg No.22668

MEDICAL LABORATORY REPORT

Registered On: 22/06/2025 12:32 PM

Collected On: 22/06/2025 12:30PM

Reported On: 23/06/2025 1:49 PM

PROCESSING LOCATION :
METROPOLIS HEALTHCARE LTD. #76/10,15TH
CROSS,MALLESHWARAM,BANGALORE.

Page 2 of 3

Orchard Healthcare Pvt. Ltd.
No 3-4/5, Ground Floor, Venkat Reddy Layout, Off 80ft Road, Koramangala,
Bengaluru 560095

www.orangehealth.in support@orangehealth.in +91 9008 11 11 44

Live in
Bengaluru, Delhi NCR,
Hyderabad & Mumbai

Get your reports
directly on app



Sunitha

57 Year(S) / Female

Referred by:

Collected On 2025-06-22 | 06:51 AM

Received On 2025-06-22 | 11:35 AM

Reported On 2025-06-23 | 02:28 PM

Patient ID OHPRYIHT1446547

Visit No

Client ID 2202

SRF ID



Method :

Immunoblot (Sample screening dilution is 1:101)

Remark :

- Immunoblot assay detects selected 18 ANAs which are most important & clinically relevant. However, in general, ANA includes many autoantibodies directed towards many nuclear(DNA & nucleoplasm) & cytoplasmic antigens, which are maximally screened & detected by using Hep-2 cells in indirect immunofluorescence method, but, not all of these are always clinically relevant antibodies. Hence, there is a possibility of patients having ANA positive by indirect immunofluorescence method but negative results on immunoblot. Also note that Immunoblot assay is more sensitive for Ro52/SSa, Scl 70, while poorly sensitive for DsDNA, hence such patients require further follow-up with nonspecific ELISAs based on clinical correlation for exact categorisation & diagnosis.
- In case of weak Positive results repeat testing after 4-6 weeks or further testing with Monospecific Nuclear Antigens or Panels for confirmation of specific Autoantibodies is suggested.
- Reference:-Correlation of ANA by IIF patterns with immune profile using line immunoassay in indian scenario. Wendy Sebastian et al. Indian Journal of Pathology and Microbiology-53(3), July-Sep 2010.

-- End of Report --



Test Marked with NABL symbol are in the scope of accreditation

H. R. Ravikumar

Dr. RAVIKUMAR.H.N
MD, DCP (Pathology)
Vice President & Chief of Lab services
Reg No. 22668

MEDICAL LABORATORY REPORT

Registered On: 22/06/2025 12:32 PM

Collected On: 22/06/2025 12:30 PM

Reported On: 23/06/2025 1:49 PM

PROCESSING LOCATION :
METROPOLIS HEALTHCARE LTD. #76/10, 15TH
CROSS, MALLESHWARAM, BANGALORE.

Page 3 of 3

Orchard Healthcare Pvt. Ltd.
No 3-4/5, Ground Floor, Venkat Reddy Layout, Off 80ft Road, Koramangala,
Bengaluru 560095

www.orangehealth.in support@orangehealth.in [+91 9008 11 11 44](tel:+91900811144)



Live in
Bengaluru, Delhi NCR,
Hyderabad & Mumbai


Get your reports
directly on app



IN MATTERS RELATED TO HEALTH, FASTER IS BETTER.

We equate showing care to showing urgency.

Blood starts deteriorating the minute it leaves the human vein, unless stored right. We have built our logistics to achieve the **fastest vein-to-machine testing time** in the industry, and in our journey ahead will strive to reduce it further as much as possible.



HOW ARE WE FASTER THAN OTHERS?

We identified two gaps in diagnostics: **sample transportation time** and **processing delays**.

We have solved for these problems by our approach of:

LAB EXCELLENCE

Our tests are processed in fully automated, cutting-edge in-house labs for end-to-end quality control.

NO BATCH TESTING

We don't batch your samples to save costs. They are tested the moment they come in.

NO TIME WASTED

Since we test your blood the fastest, you get the most accurate reports in the industry.