

**PARIJMA NEURODIAGNOSTIC &
REHABILITATION CENTRE**

B.T.S. Depot Road, Wilson Garden, Bangalore - 560 027.



VIDEO EEG

13 .10.23

Name: Ms. Surabhi

Age: 13 Years /Female

Procedure: ½ an Hour drowsy Video EEG with PS.

Awake, drowsy record reveals, moderate alpha activity 8 – 9 HZ [50 – 70 UV] intermixed with theta 6 – 7 HZ [20 – 30 UV] , low voltage activity with fast activity, bilateral symmetric with poor response to VS.

At many times, there are right lateralized and generalized bursts of sharp and slow waves ranging from 170- 330 UV

PS Non Contributory.

Conclusion: Video EEG is moderately abnormal and finding suggest frequent right lateralized and generalized seizures.

Dr. Suresh Rao Aroor


Dr. Sudhindra Aroor

FACILITIES AVAILABLE :

EEG, VIDEO EEG, EMG, NERVE CONDUCTIONS, EVOKED POTENTIALS (VEP, BAER)
NEURO PSYCHOLOGICAL EVALUATION (IQ, SLD ETC.,) AND THERAPY
PHYSIOTHERAPY, NEURO REHABILITATION & INFANT STIMULATION
PARIJMA LEARNING CENTRE (SCHOOL FOR SLOW LEARNERS)
SPEECH THERAPY, OCCUPATIONAL THERAPY, IMPRESSC THERAPY
Website : www.parijmaneurology.com

PHONE : 222 38 534
222 43 634
222 43 640
MOBILE : 98807 48407



CLUMAX
DIAGNOSTICS

A MED ALL COMPANY
(ISO 9001:2008 Certified)

Name : MS.SURABHI N B
Age : 1Y
Ref Doctor : DR. GOPIKA RAJESH

ID : CLU127097
Sex : FEMALE
Visit Date : 06/11/2011

CT SCAN OF BRAIN

A preliminary lateral topogram of the cranium was obtained. Volume scans were then performed with OM line as reference and employing 0.625 mm sections.

OBSERVATIONS:

INFRATENTORIAL REGION:

Cerebellar hemispheres are normal.
4th ventricle is normal in size.
Brainstem is normal.

SUPRATENTORIAL REGION:

Patchy hypodense areas are seen in both cerebral hemispheres suggestive of tubers.
Calcified subependymal tubers are seen along both ventricular margins and in caudothalamic groove.

Mild ventriculomegaly is noted.

Basal cisterns are normal.
No focal mass lesion.
No evidence of calcification.
No midline shift.
No evidence of intracerebral/subdural bleed

IMPRESSION:

FEATURES ARE SUGGESTIVE OF TUBEROUS SCLEROSIS.

Sugg : MRI brain for further evaluation.

CONSULTANT RADIOLOGISTS

DR. S. RADHESH DR. L.S.PRAVEEN DR. H.K. ANAND DR. H.T.GURURAJ RAO

DR. SANDEEP M. B. DESAI

Smd/ss

Name : BABY.SURABHI N B
Age : 1Y
Ref Doctor : DR. GOPIKA RAJESH


ID : CLU129325
Sex : FEMALE
Visit Date : 13/11/2011

IMPRESSION:

MR FEATURES OF MULTIPLE BILATERAL SUBEPENDYMAL NODULES AND CORTICAL TUBERS SUGGEST TUBEROUS SCLEROSIS.

CONSULTANT RADIOLOGISTS:

DR. S. RADHESH DR. L.S.PRAVEEN DR. H.K. ANAND DR. H.T.GURURAJ RAO


DR. PRAVEEN KUMAR P. CHOUDRI

Ppc/sp



CLUMAX
DIAGNOSTICS
— A MEDALL COMPANY —

(ISO 9001:2008 Certified)

Name : BABY.SURABHI N B
Age : 1Y
Ref Doctor : DR. GOPIKA RAJESH

ID : CLU129325
Sex : FEMALE
Visit Date : 13/11/2011

MRI BRAIN

PROTOCOL:

Axial T1, T2 Wt and FLAIR sequences
Diffusion Wt sequence
Coronal T2 Wt sequence

OBSERVATIONS:

INFRATENTORIAL REGION:

Cerebellar hemispheres are normal.
Fourth ventricle is normal.
Brain stem is normal.

Cerebello-pontine angle cisterns are normal.
7th and 8th nerve complexes are normal.
Cranio-vertebral and cervico-medullary junctions are normal.

SUPRATENTORIAL REGION:

T2 Wt and FLAIR images show multiple focal hyperintense areas within bilateral cerebral hemispheres involving cortex and subcortical white matter, corona radiata and centrum semiovale turning hypointense on T1 Wt images with no evidence of restricted diffusion suggestive of tubers.

T1 Wt images show multiple small hyperintense areas along ventricular margins bilaterally turning hypointense on T2 Wt and FLAIR images suggestive of subependymal nodules.

Mild prominence of bilateral lateral ventricles is noted.

Basal cisterns are normal.
3rd ventricle is normal.
No midline shift.

No evidence of subdural bleed.
Sella, pituitary and parasellar regions are normal.
Basal ganglia and thalami are normal.