Lab-Manual – IAM – Identity Access management

Scenario-1

To create an user and group with console and API access for below services.

1. EC2 – Read access
2. S3 – full access
3. ELB – Read access
4. Autoscaling – Read Access

Steps.

1. Create an Custom Policy
2. Create a group
3. Create a user in the group
4. Check the output on the GUI and CLI

Solution

1. Create an custom policy

JSON Script of the policy.

```
{
   "Version": "2012-10-17",
   "Statement": [
      {
         "Sid": "VisualEditor0",
         "Effect": "Allow",
         "Action": [
            "elasticloadbalancing:Describe*",
            "ec2:Describe*",
            "autoscaling:Describe*",
            "s3:*",
            "ec2:Get*"
         ],
         "Resource": "*"
      }
   ]
}
```

Visual editor | JSON

Import managed pol

Expand all | Collapse all

S3 (All actions)	Clone | Remove
EC2 (84 actions)	Clone | Remove
ELB v2 (11 actions)	Clone | Remove
ELB (6 actions)	Clone | Remove
Auto Scaling (18 actions)	Clone | Remove

Add additional permissions

Review policy

Name* Custm-1

Use alphanumeric and '+=,.@-_' characters. Maximum 128 characters.

Description

Maximum 1000 characters. Use alphanumeric and '+=, @-_' characters.

Summary

Filter

Service	Access level	Resource	Request condition
Allow (5 of 146 services) Show remaining 141			
Auto Scaling	**Full**: List, Read	All resources	None
EC2	**Full**: List, Read	All resources	None
ELB	**Full**: List, Read	All resources	None
ELB v2	**Full**: Read	All resources	None
S3	Full access	All resources	None

* Required

Cancel | Previous | Create policy

2. Create groups

Set Group Name

Specify a group name. Group names can be edited any time.

Group Name: g2

Example: Developers or ProjectAlpha

Maximum 128 characters



Attach the policy.

3. Create an user

Create an user with console and API access as below



Attach it to the group that has been created.



Make sure you copy the “secret key” for this user, as it would **not be shown AGAIN.**

4. Check the GUI output



We are not able to create a VM, as expected.

We are not able to create a Volume, as expected.



No access to the RDS,



5. Check the CLI output

Able to get the list for EC2 and S3

```
[c:\~]$ aws configure
AWS Access Key ID [****************3OOA]: AKIAIAJEEGT54IHBPPPA
AWS Secret Access Key [****************O84e]: nIZ
Default region name [us-east-1]:
Default output format [table]:

[c:\~]$ aws ec2 describe-instances
-------------------
|DescribeInstances|
+-----------------+

[c:\~]$ aws s3 ls
2018-06-23 15:48:31 awsb15webackup
2018-07-25 07:59:48 b19-rc01
2018-09-03 20:52:56 bucket00110818
2018-06-19 19:48:03 bucket11472551
2018-07-27 20:52:03 bucket1147255vishwa
2018-06-16 14:27:00 bucket1147266
2018-09-07 08:03:33 elasticbeanstalk-ca-central-1-766476266373
2018-05-26 11:03:42 elasticbeanstalk-us-east-1-766476266373
2018-04-24 08:31:12 vishwa19820715
2018-06-16 14:44:37 vishwa19820715backup

[c:\~]$
```

Not able to list the users in the IAM, as this user does not have access to it.

```
[c:\~]$ aws iam get-user

An error occurred (AccessDenied) when calling the GetUser operation: User: arn:aws:iam::766476266373:user/user3 is not authorized to perform: iam:GetUser on resource: user user3

[c:\~]$
```