Lab-Setups -- CodePipeline

1. Prepare the Env for Codepipeline

2. Create Codepipeline with 5 stage.

Source -> Approval --> Deploy to test Env --> Approval --> Deploy to Prod env

3. Update the Source S3 ZIP file.

Step1: Prepare the Env for CodePipeline

1. Create 2 IAM Policies ,

    1. Provide – S3 – get and list Permission for the EC2 instance. -- EC2-codedeploy

    2. Provide – Full Ec2 Access for the CodeDeploy -- CodeDeploy

    Create Roles ,eg: -- EC2-codedeploy and CodeDeploy

2. Create "2" Ec2 instance with “EC2-codedeploy” Roles attached to it.

    first EC2 instance name --> **testvm01**

    2nd EC2 instance Name --> **prodvm01**

3. Upload the “Sample-linuz.zip” into S3 bucket and give “Public” access

4. Install the Codedeploy agent on both the EC2 instances.

5. Create an CodeDeploy "Application"

    And Create 2 different Deployment Group for each of the EC2 instance separately.

TWO Deployment Group,

One for the Dev EC2 instance

Second for the Prod EC2 instance

Step2: Create CodePipeline

1.



2.



In Our Scenario we would be skipping the Build Stage, as on the below screen





On the Above screen, select the Codedeploy group created with **"testvm01"**

Next review and Create the pipeline.

The intermediate steps are added after the Codepipeline is created.

Step 3: Add build stage

Build action provider

Build stage
No build

Step 4: Add deploy stage

Deploy action provider

Deploy action provider
AWS CodeDeploy

ApplicationName
webapp1

DeploymentGroupName
G1

Cancel | Previous | Create pipeline

Now once its created , update the **"codepipeline"**

Click on the **"Edit"**



Click on **"Add Stage"** to add an "**Approval**" stage







Click on **"Action Group"**



In this case, we would be selecting "**Manual Approval**"



Now Save the config.

The new Codepipeline should look like the below.



Similarly.

Add the 4th stage as Approval and

5th Stage as Deployment of the code on the Prod VM as below



And then Click on "save" and "Release Change"

3. Update the Source S3 ZIP file.

1. Update the index.html file in the ".zip" file, and change

"Congratulations" to "Congratulations This is an Updated page" Edit the "appsepc" file. Remove all the lines from "hooks" and save it.

2. Then **zip** the files and upload it as diff version number example, "Sample-linux-v2.zip" . Name of the zip file has to be same.

Note:- Check if the Codepipeline has started automatically.

if NOT.



Click on

Choose the codepipeline that was created just now.



Edit the pipeline.



Change the "**PoolForSourceChanges**" **to "true"**

Click on **"Update"**

and Now the Codepipeline should take the new uploaded version of the ZIP file automatically.