

Create a file and commit it

Add a line to the file (DO nOT Commit it)

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 10 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   File2.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

Run “git stash”

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash
Saved working directory and index state WIP on master: 4300be1 file2
```

Run “git status” – this

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 10 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Running “git stash list” would list all the stashed messages

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: WIP on master: 4300be1 file2
```

Now lets add –3rd line to the file

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 10 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   File2.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

And then stash it again

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash
Saved working directory and index state WIP on master: 4300be1 file2
```

Git stash list again

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: WIP on master: 4300be1 file2
stash@{1}: WIP on master: 4300be1 file2
```

There are 2 stashed messages. Here the last stashed would be marked with index value of "0".

Lets now stash with some message

Add 4th line in the file (**do not Commit it**)

But **stash** it

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash save "4th line"
Saved working directory and index state On master: 4th line
```

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: On master: 4th line
stash@{1}: WIP on master: 4300be1 file2
stash@{2}: WIP on master: 4300be1 file2
```

Now lets get the information from the stash back to the working directory.


In This case, we will get the specific stash

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash apply 1
On branch master
Your branch is ahead of 'origin/master' by 10 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   File2.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

So instead of taking the first index value “0”, we are taking ‘1’.



The copy of the stash message still remains in the stash

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: On master: 4th line
stash@{1}: WIP on master: 4300be1 file2
stash@{2}: WIP on master: 4300be1 file2
```

We could a commit this

```

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git add File2.txt

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git commit -m "3rd line"
[master 13ab5a8] 3rd line
1 file changed, 2 insertions(+)

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ |

```

Now lets stash the index “2”.

```

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash apply 2
Auto-merging File2.txt
CONFLICT (content): Merge conflict in File2.txt

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git log
commit 13ab5a803a8fca899856655e5249d328baa7da7d (HEAD -> master)
Author: Vishwa <vishwanath.murthy@gmail.com>
Date:   Fri Jan 8 06:05:40 2021 +0530


    3rd line

commit 4300be1cd67cc0d247983f671d8b78839e81f61a
Author: Vishwa <vishwanath.murthy@gmail.com>
Date:   Fri Jan 8 05:47:19 2021 +0530

    file2


```

There would be an merge conflict, and it has to be cleared, bcz stash “2” has “4300be1c” commit as the ref .



```
File2.txt
1 1st line added in local master repo
2 <<<<<< Updated upstream
3
4 3rd line added in local master repo
5 =====
6 2nd line added to local master repo
7 >>>>>> Stashed changes
8
```

Clean up the code.



```
File2.txt
1 1st line added in local master repo
2
3 3rd line added in local master repo
4 2nd line added to local master repo
5
6
```

And commit it

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git add File2.txt

vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git commit -m "2nd line added"
[master d691e02] 2nd line added
1 file changed, 2 insertions(+)
```

Git stash show

This would show the details of file

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash show
File2.txt | 4 ++++
1 file changed, 4 insertions(+)
```

“git stash show -p 1”

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash show -p 1
diff --git a/File2.txt b/File2.txt
index c8b8516..dcf548e 100644
--- a/File2.txt
+++ b/File2.txt
@@ -1,3 @@
1st line added in local master repo
+
+3rd line added in local master repo
```

Showing the changes

Now lets clean the stash

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: On master: 4th line
stash@{1}: WIP on master: 4300be1 file2
stash@{2}: WIP on master: 4300be1 file2
```

Lets remove the “1” stash

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash drop 1
Dropped refs/stash@{1} (96995ff208108e03370b5ae2f04d136eff750d80)
```

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash list
stash@{0}: On master: 4th line
stash@{1}: WIP on master: 4300be1 file2
```

Even though we have removed "1" now the index 2 is moved to "1".

```
vishw@Main-Laptop MINGW64 /g/Repository/devb01-2021 (master)
$ git stash show -p 1
diff --git a/File2.txt b/File2.txt
index c8b8516..45d5796 100644
--- a/File2.txt
+++ b/File2.txt
@@ -1,2 @@
 1st line added in local master repo
+2nd line added to local master repo
```