ECR -- Pushing the image from local Docker instance to AWS ECS Repo

Step 1:

a. AWS Instance

Install the AWS CLI on the Docker instance.

 # yum install awscli

b. For Ubuntu 24

1. Update packages

```
sudo apt update
sudo apt install -y curl unzip
```

2. Download the AWS CLI installer

```
curl "https://awscli.amazonaws.com/awscli-exe-linux-x86_64.zip" -o
"awscliv2.zip"
```

For ARM64 systems (e.g., AWS Graviton, Raspberry Pi):

```
curl "https://awscli.amazonaws.com/awscli-exe-linux-aarch64.zip" -o
"awscliv2.zip"
```

3. Unzip the installer

```
unzip awscliv2.zip
```

4. Install AWS CLI

```
sudo ./aws/install
```

If upgrading an existing installation:

```
sudo ./aws/install --update
```

5. Verify the installation

```
aws --version
```

You should see output similar to:

```
aws-cli/2.xx.x Python/3.x.x Linux/x86_64 source
```

Step 2:

Login to aws with “**aws configure**” command on the Docker instance (VM where Docker is running on your laptop and the image is created).

Make sure to use the “root” credentials for CLI access or create an IAM user with full access to ECS and ECR.





On the AWS ECR page. Click on “view push commands” for the specific relevant commands for your account for step 3, Step 4 , Step 5 and Step 6

Step 3:

```
$(aws ecr get-login --no-include-email --region us-east-1)
```

This command is region specific.

```
1 192.168.1.109:22
[root@localhost ~]# $(aws ecr get-login --no-include-email --region us-east-1)
Login Succeeded
[root@localhost ~]#
```

Step 4:

Make sure the image to be uploaded is ready in the local machine (Docker Instance).

```
[root@localhost ~]# docker image ls
REPOSITORY                                  TAG       IMAGE ID       CREATED
 SIZE
[redacted]                                  latest    2f24c452cf55   2 hours ago
 131 MB
python-cust                                 latest    2f24c452cf55   2 hours ago
 131 MB
```

Step 5:

docker tag ***<name of the docker image>*****:latest** ***<accountID>*****.dkr.ecr.us-east-1.amazonaws.com/python-custom:latest**

```
[root@localhost ~]# docker image ls
REPOSITORY                                                  TAG       IMAGE ID       CREATED
 SIZE
[redacted].dkr.ecr.us-east-1.amazonaws.com/python-custom    latest    2f24c452cf55   2 hours ago
 131 MB
python-cust                                                 latest    2f24c452cf55   2 hours ago
 131 MB
```

Step 6:

Run the following command to push this image to your newly created AWS repository:

docker push ***<accountID>***.dkr.ecr.us-east-1.amazonaws.com/python-custom:latest



The file should be visible on the ECR of aws portal.