

Create a simple jenkins jobs

Step1:

The screenshot shows the Jenkins web interface in a browser. The address bar displays 'localhost:9080/job/job1/configure'. The page title is 'Jenkins / job1 / Configure'. On the left, a sidebar lists configuration sections: General (selected), Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions. The main area is titled 'General' and contains a 'Description' text box with the text 'job1'. Below the text box are several checkboxes: 'Discard old builds', 'GitHub project', and 'This project is parameterized'. At the bottom, there is an 'OK' button.

This screenshot shows the same Jenkins configuration page, but with the 'Environment' section selected in the sidebar. The 'Description' text box is still visible at the top. The 'Environment' section in the main area contains several checkboxes: 'Delete workspace before build starts', 'Use secret text(s) or file(s) as credentials', 'Add timestamps to the console output', 'Inspect build log for publisher', 'Terminate a build if it's stuck', and 'With Ant'. Below this section, the 'Build Steps' section is partially visible, showing a '+ Add build step' button.

Go to the Build Steps

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing

+ Add build step

Filter

Execute Windows batch command

Execute shell

Invoke Ant

Invoke Gradle script

Invoke top-level Maven targets

Run with timeout

Set build status to "pending" on GitHub commit

Save

Apply

localhost:9080/job/job1/configure

Click on "Execute Shell"



Jenkins / job1 / Configure



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment

Execute shell ?

Command

See [the list of available environment variables](#)

```
echo "Welcome to Jenkins labs"
```

Advanced ▾

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifact, triggering other jobs.


+ Add post-build action

Save

Apply

now Click on save.

you should be on the jenkins job status page.



The screenshot shows the Jenkins web interface for a job named 'job1'. The browser address bar displays 'localhost:9080/job/job1/'. The page header includes the Jenkins logo and the breadcrumb 'Jenkins / job1'. On the left sidebar, the 'Status' tab is selected, showing options: '</> Changes', 'Workspace', 'Build Now', 'Delete Project', 'Configure', and 'Rename'. The main content area displays 'job1' and 'Job1' with a 'Permalinks' section. Below this, a 'Builds' section shows 'No builds'.

Now click on “build Now”



The screenshot shows the Jenkins console output for job1 build #2. The browser address bar displays 'localhost:9080/job/job1/2/console'. The page header includes the Jenkins logo and the breadcrumb 'Jenkins / job1 / #2'. On the left sidebar, the 'Console Output' tab is selected, showing options: 'Status', '</> Changes', 'Delete build '#2'', 'Edit build information', and 'Previous Build'. The main content area displays the console output with buttons for 'Download', 'Copy', and 'View as plain text'. The console output text is as follows:

```
Started by user admin
Running as SYSTEM
Building in workspace /var/jenkins_home/workspace/job1
[job1] $ /bin/sh -xe /tmp/jenkins15190406733596674318.sh
+ echo Welcome to Jenkins labs
Welcome to Jenkins labs
Finished: SUCCESS
```

Output of the console