EXP NO: 9

Blood Bank Management System in PHP with Source Code

AIM:

To perform a simple mini project on blood bank management system using PHP code and SQL.

PROJECT DESCRIPTION:

A simple project-based on Blood Donor Management System which uses *PHP Language*. Following PHP project contains all the required features which can be in use for the first-year, second-year IT students for their college projects. It has a good number of important features that will allow all the users to interact in a way that donor agencies interact with their donors in terms of dealing with blood donations and other medical-related stuff. This system as well as the web application's concept is all clear, it's the same as real-life scenarios and well-implemented on it. To download free blood donor management system project in PHP with source code files, please scroll down to the bottom of this post for the Download button.

ABOUT PROJECT

Moving on, this blood bank management system project in PHP focuses mainly on dealing with donors regarding their donation stuff. Also, it displays all the available data such as blood details, donor lists, announcements, and campaigns. The project is divided into two categories: Admin Login, and Donor's Login. In an overview of this web app, the admin has full control of the system. Talking about the project, an admin can simply log in where he/she can manage the details of all available records. For adding blood details, the admin should provide the donor's name, gender, date of birth, weight, contact information, blood quantity with the collection date.

The system also allows managing donor data by providing his/her identity details with blood group, weight, contact information. Under this section, an admin has to create an account for the donor so that the donor can use his/her account separately whenever he wants to contribute some. Besides this, there are certain categories such as Announcements and Campaigns.

After creating announcements and campaigns, it makes aware of the upcoming events and required types of blood during rush hours as it helps to alert them. At last, the system also illustrates a summary of available blood according to blood groups in form of pie-chart representation.

DONOR LOGIN

Similarly, after accessing from donor's account, he/she can view available blood details, announcements, and campaigns. Also, for easiness, the donor can directly contribute by donating blood from Donate Blood section. From there, he/she does not require the admin's permission for donations; meaning the donor can donate blood anytime he wants. Although the main work falls upon the administrator for the management aspect of the system, still each and every user performs their own work with importance on their respective roles.Last but not least, a clean and simple dashboard is presented with native colour combinations and icons for a greater user experience while using this blood donor system project in PHP. For its UI elements, a free open-source CSS framework; Bootstrap is on board. Presenting a new blood donor management system project in PHP MySQL which includes an admin panel with a donor login panel that contains all essential features to follow up, and a knowledgeable resource for learning purposes.

Available Features

- Admin Login
- Donor Login
- Manage blood collection details
- Donor management system
- Make and manage announcements
- Create and manage campaigns
- Blood donations

TEAM MEMBERS:

1. VISHWARAJ S – 2017140
2. YESVANTH VENKETA BALAJI K P - 2017141
3. ATCHAYA K - 2017L01
4. CHANDRA SEKAR M – 2017L02

ER MODEL:

TABLES:

```
MariaDB [secyear]> show tables;
+------------------+
| Tables_in_secyear |
+------------------+
| admin            |
| announce         |
| blood            |
| campaigndb       |
| donor            |
| users            |
+------------------+
6 rows in set (0.001 sec)
```

1. ADMIN TABLE:

```
MariaDB [secyear]> desc admin;
+----------+-------------+------+-----+---------+----------------+
| Field    | Type        | Null | Key | Default | Extra          |
+----------+-------------+------+-----+---------+----------------+
| user_id  | int(11)     | NO   | PRI | NULL    | auto_increment |
| username | varchar(50) | NO   |     | NULL    |                |
| password | varchar(50) | NO   |     | NULL    |                |
| name     | varchar(50) | NO   |     | NULL    |                |
+----------+-------------+------+-----+---------+----------------+
4 rows in set (0.010 sec)
```

2. ANNOUNCE:

```
MariaDB [secyear]> desc announce;
+--------------+-------------+------+-----+---------+----------------+
| Field        | Type        | Null | Key | Default | Extra          |
+--------------+-------------+------+-----+---------+----------------+
| id           | int(11)     | NO   | PRI | NULL    | auto_increment |
| announcement | varchar(50) | NO   |     | NULL    |                |
| bloodneed    | varchar(3)  | NO   |     | NULL    |                |
| dat          | date        | NO   |     | NULL    |                |
| organizer    | varchar(50) | NO   |     | NULL    |                |
| requirements | text        | NO   |     | NULL    |                |
+--------------+-------------+------+-----+---------+----------------+
6 rows in set (0.027 sec)
```

3. BLOOD:

```
MariaDB [secyear]> desc blood;
+------------+-------------+------+-----+---------+----------------+
| Field      | Type        | Null | Key | Default | Extra          |
+------------+-------------+------+-----+---------+----------------+
| id         | int(11)     | NO   | PRI | NULL    | auto_increment |
| name       | varchar(20) | NO   |     | NULL    |                |
| gender     | varchar(20) | NO   |     | NULL    |                |
| dob        | date        | NO   |     | NULL    |                |
| weight     | int(11)     | NO   |     | NULL    |                |
| bloodgroup | varchar(3)  | NO   |     | NULL    |                |
| address    | varchar(20) | NO   |     | NULL    |                |
| contact    | varchar(10) | NO   |     | NULL    |                |
| bloodqty   | int(11)     | NO   |     | NULL    |                |
| collection | date        | NO   |     | NULL    |                |
+------------+-------------+------+-----+---------+----------------+
10 rows in set (0.010 sec)
```

4. CAMPAIGNDB:

```
MariaDB [secyear]> desc campaigndb;
+--------+-------------+------+-----+---------+----------------+
| Field  | Type        | Null | Key | Default | Extra          |
+--------+-------------+------+-----+---------+----------------+
| id     | int(11)     | NO   | PRI | NULL    | auto_increment |
| cname  | varchar(50) | NO   |     | NULL    |                |
| oname  | varchar(50) | NO   |     | NULL    |                |
| phn    | int(10)     | NO   |     | NULL    |                |
| cdate  | date        | NO   |     | NULL    |                |
| descp  | text        | NO   |     | NULL    |                |
+--------+-------------+------+-----+---------+----------------+
6 rows in set (0.027 sec)
```

5. DONOR:

```
MariaDB [secyear]> desc donor;
+--------------+-------------+------+-----+---------+----------------+
| Field        | Type        | Null | Key | Default | Extra          |
+--------------+-------------+------+-----+---------+----------------+
| id           | int(11)     | NO   | PRI | NULL    | auto_increment |
| name         | varchar(20) | NO   |     | NULL    |                |
| guardiansname| varchar(20) | NO   |     | NULL    |                |
| gender       | varchar(20) | NO   |     | NULL    |                |
| dob          | date        | NO   |     | NULL    |                |
| weight       | int(11)     | NO   |     | NULL    |                |
| bloodgroup   | varchar(3)  | NO   |     | NULL    |                |
| email        | varchar(20) | NO   |     | NULL    |                |
| address      | varchar(20) | NO   |     | NULL    |                |
| contact      | varchar(10) | NO   |     | NULL    |                |
| username     | varchar(20) | NO   |     | NULL    |                |
| password     | varchar(20) | NO   |     | NULL    |                |
+--------------+-------------+------+-----+---------+----------------+
12 rows in set (0.010 sec)
```

6. USERS:

```
MariaDB [secyear]> desc users;
+-----------+-------------+------+-----+---------+----------------+
| Field     | Type        | Null | Key | Default | Extra          |
+-----------+-------------+------+-----+---------+----------------+
| user_id   | int(11)     | NO   | PRI | NULL    | auto_increment |
| username  | varchar(50) | NO   |     | NULL    |                |
| password  | varchar(50) | NO   |     | NULL    |                |
| donorname | varchar(50) | NO   |     | NULL    |                |
+-----------+-------------+------+-----+---------+----------------+
4 rows in set (0.015 sec)
```

SOURCE CODE:

(1) DATABASE: secyear

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";

SET time_zone = "+00:00";

--

-- Table structure for table `admin`

--

CREATE TABLE IF NOT EXISTS `admin` (`user_id` int(11)
NOT NULL, `username` varchar(50) NOT NULL,
`password` varchar(50) NOT NULL, `name`
varchar(50) NOT NULL)

ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT
CHARSET=latin1;

--

-- Dumping data for table `admin`

--

INSERT INTO `admin` (`user_id`, `username`,
`password`, `name`) VALUES

(2, 'admin', 'admin', 'admin');

--

-- Table structure for table `announce`

--

CREATE TABLE IF NOT EXISTS `announce` (`id` int(11)
NOT NULL, `announcement` varchar(50) NOT NULL,
`bloodneed` varchar(3) NOT NULL, `dat` date NOT
NULL, `organizer` varchar(50) NOT NULL,
`requirements` text NOT NULL)


ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT
CHARSET=latin1;


--

-- Dumping data for table `announce`

--
```

```
INSERT INTO `announce` (`id`, `announcement`,
`bloodneed`, `dat`, `organizer`, `requirements`)
VALUES

(1, 'DEMO ANNOUNCEMENT', 'B+', '2018-06-24',
'Helping Hands', 'Weight at least 50kg, No alcohol
intake in 24hrs prior to donation, light meal should be
taken before donation, be in good health, must be 18
years old and must have at least 3 month interval than
the last donation.'),

(2, 'URGENT CASE: Serious Accident Condition', 'B-',
'2021-03-26', 'City Hospital', 'Must be in good health
and feeling very well. Must weigh at least 110 lbs.');


--

-- Table structure for table `blood`

--


CREATE TABLE IF NOT EXISTS `blood` (`id` int(11) NOT
NULL, `name` varchar(20) NOT NULL, `gender`
varchar(20) NOT NULL, `dob` date NOT NULL,
`weight`


int(11) NOT NULL, `bloodgroup` varchar(3) NOT NULL,
`address` varchar(20) NOT NULL, `contact`
varchar(10) NOT NULL, `bloodqty` int(11) NOT NULL,
`collection` date NOT NULL)

ENGINE=InnoDB AUTO_INCREMENT=19 DEFAULT
CHARSET=latin1;

--

-- Dumping data for table `blood`

--

INSERT INTO `blood` (`id`, `name`, `gender`, `dob`,
`weight`, `bloodgroup`, `address`, `contact`,
`bloodqty`, `collection`) VALUES

(1, 'Vishwa', 'M', '2002-11-21', 71, 'O+', 'Trichy',
'9355959209', 310, '2022-05-04'),
```

```sql
(2, 'Yeshvanth', 'M', '2003-05-17', 65, 'B+', 'Salem', '8754265263', 320, '2022-05-04')

(3,'Atchaya','F','2002-11-10',60,'B+','Namakkal','6374041434',280,'2022-05-05')

(4, 'Chandra Sekar', 'M', '2003-05-17', 65, 'B+', 'Salem', '8754265263', 300, '2022-05-05');


--

-- Table structure for table `campaigndb`

--


CREATE TABLE IF NOT EXISTS `campaigndb` (`id` int(11) NOT NULL, `cname` varchar(50) NOT NULL, `oname` varchar(50) NOT NULL, `phn` int(10) NOT NULL, `cdate` date NOT NULL,  `descp` text NOT NULL)

ENGINE=InnoDB AUTO_INCREMENT=10 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `campaigndb`

--


INSERT INTO `campaigndb` (`id`, `cname`, `oname`, `phn`, `cdate`, `descp`) VALUES

(1, 'Saving Lives Together', 'demo organizer', 1597534560, '2018-06-21', 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.');

--

-- Table structure for table `donor`

--

CREATE TABLE IF NOT EXISTS `donor` (`id` int(11) NOT NULL, `name` varchar(20) NOT NULL, `guardiansname` varchar(20) NOT NULL, `gender` varchar(20) NOT NULL,`dob` date NOT NULL,  `weight` int(11) NOT NULL,  `bloodgroup` varchar(3) NOT NULL, `email` varchar(20) NOT NULL,  `address` varchar(20) NOT NULL,  `contact` varchar(10) NOT NULL, `username` varchar(20) NOT NULL,  `password` varchar(20) NOT NULL)

ENGINE=InnoDB AUTO_INCREMENT=24 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `donor`

--

INSERT INTO `donor` (`id`, `name`, `guardiansname`, `gender`, `dob`, `weight`, `bloodgroup`, `email`, `address`, `contact`, `username`, `password`) VALUES

(1, 'Atchaya', 'Kumaraesan', 'F', '2002-11-10', 60, 'B+', 'atchay52@yahoo.com', 'Namakkal', '8520002500', 'Atchu', '0000'),

(2, 'Yesvanth', 'Palani', 'M', '2003-06-17', 60, 'B+', 'saironin608@gmail.com', 'Uraiyur', '7854445420', 'sai ronin', '1234');

--

-- Table structure for table `users`

--

CREATE TABLE IF NOT EXISTS `users` (`user_id` int(11) NOT NULL,  `username` varchar(50) NOT NULL, `password` varchar(50) NOT NULL, `donorname` varchar(50) NOT NULL)

ENGINE=InnoDB AUTO_INCREMENT=2 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `users`

--

INSERT INTO `users` (`user_id`, `username`, `password`, `donorname`) VALUES

(1, 'user', 'pass', 'Chandra sekar');

--

-- Indexes for table `admin`

--

ALTER TABLE `admin`

ADD PRIMARY KEY (`user_id`);

--

-- Indexes for table `announce`

--

ALTER TABLE `announce`

ADD PRIMARY KEY (`id`);

--
```

```sql
-- Indexes for table `blood`

--

ALTER TABLE `blood`

ADD PRIMARY KEY (`id`);

--

-- Indexes for table `campaigndb`

--

ALTER TABLE `campaigndb`

ADD PRIMARY KEY (`id`);

--

-- Indexes for table `donor`

--

ALTER TABLE `donor`

ADD PRIMARY KEY (`id`);

--

-- Indexes for table `users`

--

ALTER TABLE `users`

ADD PRIMARY KEY (`user_id`);


--

-- AUTO_INCREMENT for table `admin`

--

ALTER TABLE `admin`

MODIFY `user_id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=3;

--

-- AUTO_INCREMENT for table `announce`

--

ALTER TABLE `announce`

MODIFY `id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=3;

--

-- AUTO_INCREMENT for table `blood`

--

ALTER TABLE `blood`

MODIFY `id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=19;

--

-- AUTO_INCREMENT for table `campaigndb`

--

ALTER TABLE `campaigndb`

MODIFY `id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=10;

--

-- AUTO_INCREMENT for table `donor`

--

ALTER TABLE `donor`

MODIFY `id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=24;

--

-- AUTO_INCREMENT for table `users`

--

ALTER TABLE `users`

MODIFY `user_id` int(11) NOT NULL
AUTO_INCREMENT,AUTO_INCREMENT=2;
```

(2) index.php

```php
<?php session_start(); ?>

<?php include('dbcon.php'); ?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible"
content="IE=edge">

<meta name="viewport" content="width=device-
width, initial-scale=1">

<meta name="description" content="">
```

```html
<meta name="author" content="">

<title>BDMS - Admin Panel</title>

<!-- Bootstrap Core CSS -->

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.
3.7/css/bootstrap.min.css">


<!-- MetisMenu CSS -->

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/metismenu/dist/m
etisMenu.min.css">

<!-- Custom CSS -->

<link href="css/startmin.css" rel="stylesheet">


<link rel="stylesheet" href="/bloodbank
se/icofont/icofont.min.css">


<!-- Custom Fonts -->

<link href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.14.0/css/fontawesome.min.css"rel="styles
heet" type="text/css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->

<!--[if lt IE 9]>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/html5shiv/
3.7.3/html5shiv.min.js"></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/respond.js/
1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<nav class="navbar navbar-inverse">

<div class="container-fluid">

<i class="icofont-blood-drop">

<div class="navbar-header">

<a class="navbar-brand" href="index.php"><i
class="icofont-blood-drop"></i>Elixir - Blood Donor
Management System</a>

</div>


<ul class="nav navbar-nav navbar-right">

<!-- <li><a href="#"><span class="glyphicon glyphicon-
user"></span> Sign Up</a></li> -->

<li><a href="userlog/userlogin.php" ><span
class="glyphicon glyphicon-user"
style="color:#00A10F;"></span> User Login</a></li>

</ul>

</div>

</nav>


<div class="container">

<form action="#" method="post">

<div class="row">

<div class="col-md-4 col-md-offset-4">

<div class="login-panel panel panel-default">

<div class="panel-heading">

<i class="icofont-blood-drop">

<h3 class="panel-title"><center>Admin
Login</center></h3>

</div>

<div class="panel-body">

<form role="form">

<fieldset>

<div class="form-group">

<input class="form-control" placeholder="Username"
name="user" type="text" autofocus>

</div>

<div class="form-group">

<input class="form-control" placeholder="Password"
name="pass" type="password" value="">

</div>

<div class="checkbox">
```

```html
<label>

<input name="remember" type="checkbox"
value="Remember Me">Remember Me

</label>

</div>

<!-- Change this to a button or input when using this as
a form -->

<input type="submit" class="btn btn-info btn-block"
style="border-radius:0%;" title="Log In" name="login"
value="Login"></input>

</fieldset>

</form>

</div>

</div>

</div>

</div>

</form>

<?php

if (isset($_POST['login']))

{

$username = mysqli_real_escape_string($con,
$_POST['user']);

$password = mysqli_real_escape_string($con,
$_POST['pass']);


$query  = mysqli_query($con, "SELECT * FROM admin
WHERE  password='$password' and
username='$username'");

$row            = mysqli_fetch_array($query);

$num_row        = mysqli_num_rows($query);

if ($num_row > 0)

{

$_SESSION['user_id']=$row['user_id'];

header('location:pages/index.php');

}

else

{

echo ' <div class="row"> <div class="col-md-4 col-md-
offset-4">

<div class="alert alert-danger alert-dismissible">

Username & Password didnot match! Try Again.

</div> </div> </div> ';

}

}

?>

</div>

<!-- jQuery -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5
.1/jquery.min.js">


<!-- Bootstrap Core JavaScript -->

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/
3.5.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU
OhcWr7x9JvoRxT2MZw1T" crossorigin="anonymous">

<!-- Metis Menu Plugin JavaScript -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/metisMen
u/3.0.6/metisMenu.min.js">

<!-- Custom Theme JavaScript -->

<script src="js/startmin.js"></script>

</body>

<!-- Footer -->

<footer class="page-footer font-small special-color-
dark pt-4">

<!-- Copyright -->

<div class="footer-copyright text-center py-3">©
<?php echo date("Y"); ?>

Mini project by Gctians

</div>

<!-- Copyright -->

</footer>

<!-- Footer -->
```

</html>

(3) nav.php

```html
<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom: 0">
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" style='color:#7c251d' href="index.php"><i class="icofont-blood-drop">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">


</i>Elixir - Blood Donor Management System</a>
</div>
<!-- /.navbar-header -->
<ul class="nav navbar-top-links navbar-right">
<!-- /.dropdown -->
<li class="dropdown">
<a class="dropdown-toggle" data-toggle="dropdown" href="#">
<i class="fa fa-user fa-fw"></i> <i class="fa fa-caret-down"></i>
</a>
<ul class="dropdown-menu dropdown-user">
<!-- <li class="divider"></li> -->
<li><a href="../logout.php"><i class="fa fa-sign-out fa-fw"></i> Logout</a>
</li>
```

```html
</ul>
<!-- /.dropdown-user -->
</li>
<!-- /.dropdown -->
</ul>
<!-- /.navbar-top-links -->
<div class="navbar-default sidebar" role="navigation">
<div class="sidebar-nav navbar-collapse">
<ul class="nav" id="side-menu">
<li class="sidebar-search">
<div class="input-group custom-search-form">
<input type="text" class="form-control" placeholder="Search...">
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
</div>
<!-- /input-group -->
</li>
<li>
<a href="index.php"><i class="fa fa-dashboard fa-fw"></i> Dashboard</a>
</li>
<li>
<a href=""><i class="fa fa-heartbeat"></i> Blood Collection Details <span class="fa arrow"></span></a>
<ul class="nav nav-second-level">
<li>
<a href="addblood.php">Add Blood</a>
</li>
<li>
<a href="viewblood.php">View Blood</a>
</li>
```

```html
<li>
<a href="editblood.php">Edit Blood</a>
</li>
<li>
<a href="deleteblood.php">Remove Blood</a>
</li>
</ul>
<!-- /.nav-second-level -->
</li>
<li>
<a href="adddonor.php"><i class="fa fa-table fa-user-plus"></i> Add Donor</a>
</li>
<li>
<a href="viewdonor.php"><i class="fa fa-edit fa-eye"></i> View Donor Details</a>
</li>
<li>
<a href="editview.php"><i class="fa fa-edit fa-fw"></i> Edit Donor Details</a>
</li>
<li>
<a href="deleteview.php"><i class="fa fa-user-times"></i> Delete Donor Details</a>
</li>
<li>
<a href=""><i class="fa fa-bullhorn"></i> Announcements <span class="fa arrow"></span></a>
<ul class="nav nav-second-level">
<li>
<a href="makeannouncement.php">Make Announcement</a>
</li>
<li>
<a href="viewannouncement.php">View Announcement</a>
</li>
<li>
<a href="editannounceform.php">Edit Announcement</a>
</li>
<li>
<a href="deleteannouncement.php">Remove Announcement</a>
</li>
</ul>
</li>
<li>
<a href=""><i class="fa fa-flag"></i> Campaigns <span class="fa arrow"></span></a>
<ul class="nav nav-second-level">
<li>
<a href="newcampaign.php">New Campaign</a>
</li>
<li>
<a href="viewcampaign.php">View Campaign</a>
</li>
<li>
<a href="updatecampaign.php">Update Campaign</a>
</li>
<li>
<a href="deletedcampaign.php">Delete Campaign</a>
</li>
</ul>
</li>
</ul>
</div>
<!-- /.sidebar-collapse -->
</div>
<!-- /.navbar-static-side -->
</nav>
```

(4) donornav.php

```html
<!-- Navigation -->

<nav class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom: 0">

<div class="navbar-header">

<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">

<span class="sr-only">Toggle navigation</span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>

</button>

<a class="navbar-brand" href="index.php"><i class="icofont-blood-drop"></i>Blood Donor Management System</a>

</div>

<!-- /.navbar-header -->

<ul class="nav navbar-top-links navbar-right">

<!-- /.dropdown -->

<li class="dropdown">

<a class="dropdown-toggle" data-toggle="dropdown" href="#">

<i class="fa fa-user fa-fw"></i> <i class="fa fa-caret-down"></i>

</a>

<ul class="dropdown-menu dropdown-user">

<!-- <li class="divider"></li> -->

<li><a href="logout.php"><i class="fa fa-sign-out fa-fw"></i> Logout</a>

</li>

</ul>

<!-- /.dropdown-user -->

</li>

<!-- /.dropdown -->

</ul>

<!-- /.navbar-top-links -->

<div class="navbar-default sidebar" role="navigation">

<div class="sidebar-nav navbar-collapse">

<ul class="nav" id="side-menu">

<li class="sidebar-search">

<div class="input-group custom-search-form">

<input type="text" class="form-control" placeholder="Search...">

<span class="input-group-btn">

<button class="btn btn-default" type="button">

<i class="fa fa-search"></i>

</button>

</span>

</div>

<!-- /input-group -->

</li>

<li>

<a href="userdashboard.php"><i class="fa fa-dashboard fa-fw"></i> Donor's Dashboard</a>

</li>

<li>

<a href="userviewblood.php"><i class="fa fa-heartbeat"></i>  View Blood Collections </a>

<!-- /.nav-second-level -->

</li>

<li>

<a href="userviewannouncement.php"><i class="fa fa-bullhorn"></i> View Announcements </a>

</li>

<li>

<a href="userviewcampaigns.php"><i class="fa fa-flag"></i> View Campaigns </a>

</li>

</ul>

</div>

<!-- /.sidebar-collapse -->

</div>

<!-- /.navbar-static-side -->
```

</nav>

(5) html.php

```php
<?php
include('dbcon.php');
include('session.php');
$result=mysqli_query($con, "select * from users where user_id='$session_id'")or die('Error In Session');
$row=mysqli_fetch_array($result);
?>
<html>
<head>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
<div class="form-wrapper">
<center><h3>Welcome: <?php echo $row['name']; ?></h3></center>
<div class="reminder">
<p><a href="logout.php">Log out</a></p>
</div>
</div>
</body>
</html>
```

(6) addblood.php

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
<title>BDMS</title>
<!-- Bootstrap Core CSS -->
<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- MetisMenu CSS -->
<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">

<!-- Custom CSS -->
<link href="../dist/css/sb-admin-2.css" rel="stylesheet">

<!-- Custom Fonts -->
<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet" href="../icofont/icofont.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->
```

```html
</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">Add Blood Details</h1>

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Please fill up the form below:

</div>

<div class="panel-body">

<div class="row">

<div class="col-lg-6">

<form role="form" action="addedblood.php" method="post">


<div class="form-group">

<label>Enter Full Name</label>

<input class="form-control" type="text" placeholder="VISHWA" name="name" required>

</div>

<div class="form-group">

<label>Gender [ M/F ]</label>

<input class="form-control" placeholder="M or F" name="gender" required>

</div>

<div class="form-group">

<label>Enter Date of birth</label>

<input class="form-control" type="date" name="dob" required>

</div>

<div class="form-group">

<label>Enter Weight</label>

<input class="form-control" placeholder="Weight" type="number" name="weight" required>

</div>

<div class="form-group">

<label>Enter Blood Group</label>

<input class="form-control" placeholder="Eg: B+" name="bloodgroup" required>

</div>


<div class="form-group">

<label>Enter Address</label>

<input class="form-control" placeholder="Address" type="text" name="address" required>

</div>

<div class="form-group">

<label>Enter Contact Number</label>

<input class="form-control" placeholder="Contact Number" type="number" name="contact" required>

</div>


<div class="form-group">

<label>Blood Quantity</label>

<input class="form-control" placeholder="Blood Quantity" type="number" name="bloodqty" required>

</div>

<div class="form-group">

<label>Collection Date</label>

<input class="form-control" type="date" name="collection" required>

</div>
```

```html
<button type="submit" class="btn btn-success btn-default" style="border-radius: 0%;">Submit Form</button>

</form>

</div>

</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

</div>

<!-- /#page-wrapper -->

</div>

<!-- /#wrapper -->

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->

<script src="../vendor/metisMenu/metisMenu.min.js"></script>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by Gctians</p>

</footer>
```

```html
<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(7) editblood.php

```html
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
```

```html
<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">


<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">


<link rel="stylesheet"
href="../icofont/icofont.min.css">


</head>
<body>
<div id="wrapper">


<?php include 'includes/nav.php'?>
<div id="page-wrapper">
<div class="container-fluid">
<div class="row">
<div class=".col-lg-12">
<h1 class="page-header">Edit Blood Details</h1>
</div>
</div>
        <div class="row">
        <div class=".col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Total Records of available bloods
</div>


<div class="panel-body">
<div class="table-responsive">
```

```html
<table class="table table-striped table-bordered table-
hover" id="dataTables-example">


<?php
        include "dbconnect.php";


$qry="select * from blood";
$result=mysqli_query($conn,$qry);
echo"
<thead>
<tr>
<th>Blood Group</th>
<th>Full Name</th>
<th>Gender</th>
<th>D.O.B</th>
<th>Weight</th>
<th>Address</th>
<th>Contact</th>
<th>Quantity</th>
<th>Collection Date</th>
<th><i class='fa fa-pencil'></i></th>
</tr>
</thead>";


while($row=mysqli_fetch_array($result)){
echo"<tbody>
<tr class='gradeA'>
<td>".$row['bloodgroup']."</td>
<td>".$row['name']."</td>
<td>".$row['gender']."</td>
<td>".$row['dob']."</td>
<td>".$row['weight']."</td>
<td>".$row['address']."</td>
<td>".$row['contact']."</td>
```

```
<td>".$row['bloodqty']."</td>

<td>".$row['collection']."</td>

<td><a href='editbloodform.php?id=".$row['id']."'><i
class='fa fa-edit' style='color:green'></i></a></td>


</tr>

<tbody>

";

}


?>

</table>


</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>


<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>


<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>


<!-- Custom Theme JavaScript -->
```

```
<script src="../dist/js/sb-admin-2.js"></script>

</body>


<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>


<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}


footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(8) deleteblood.php

```
<html>

<head>


<title>BDMS</title>
```

```html
<!-- Bootstrap Core CSS -->
<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">


<!-- MetisMenu CSS -->
<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">


<!-- Custom CSS -->
<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">


<!-- Custom Fonts -->
<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="../icofont/icofont.min.css">


</head>
<body>
<div id="wrapper">
<?php include 'includes/nav.php'?>


<div id="page-wrapper">
<div class="container-fluid">
<div class="row">
<div class=".col-lg-12">
<h1 class="page-header">Delete Blood Details</h1>
</div>
</div>
<div class="row">
<div class=".col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Total Records of available bloods
</div>
<div class="panel-body">
<div class="table-responsive">
<table class="table table-striped table-bordered table-
hover" id="dataTables-example">
<?php
include "dbconnect.php";


$qry="select * from blood";
$result=mysqli_query($conn,$qry);
echo"
<thead>
<tr>
<th>Blood Group</th>
<th>Full Name</th>
<th>Gender</th>
<th>D.O.B</th>
<th>Weight</th>
<th>Address</th>
<th>Contact</th>
<th>Quantity</th>
<th>Collection Date</th>
<th><i class='fa fa-pencil'></i></th>
</tr>
</thead>";


while($row=mysqli_fetch_array($result)){
echo"<tbody>
<tr class='gradeA'>
<td>".$row['bloodgroup']."</td>
<td>".$row['name']."</td>
<td>".$row['gender']."</td>
<td>".$row['dob']."</td>
```

```php
<td>".$row['weight']."</td>

<td>".$row['address']."</td>

<td>".$row['contact']."</td>

<td>".$row['bloodqty']."</td>

<td>".$row['collection']."</td>

<td><a
href='deletebloodrecord.php?id=".$row['id']."'><i
class='fa-solid fa-trash' style='color:red'></i></a></td>

</tr>

<tbody>

";

}


?>

</table>


</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>


<td><a
href='deletebloodrecord.php?id=".$row['id']."'>DELETE
</a></td>


<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>
```

```html
<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js">

</script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(9) adddonor.php

```html
<!DOCTYPE html>
<html lang="en">
```

```html
<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">


<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">


<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css" rel="stylesheet">


<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet" href="../icofont/icofont.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
```

```html
<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="container-fluid">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">Add Donor's Detail</h1>

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Please fill up the form below:

</div>

<div class="panel-body">

<div class="row">

<div class="col-lg-6">

<form role="form" action="added.php" method="post">


<div class="form-group">

<label>Enter Full Name</label>

<input class="form-control" name="name" type="text" placeholder="Example:VISHWA" required>

</div>

<div class="form-group">

<label>Enter Guardian's Name</label>
```

```html
<input class="form-control" placeholder="Guardian's Name" name="guardiansname" required>

</div>

<div class="form-group">

<label>Gender [ M/F ]</label>

<input class="form-control" placeholder="M or F" name="gender" required>

</div>

<div class="form-group">

<label>Enter D.O.B</label>

<input class="form-control" type="date" name="dob" required>

</div>

<div class="form-group">

<label>Enter Weight</label>

<input class="form-control" type="number" placeholder="Enter Weight" name="weight" required>

</div>


<div class="form-group">

<label>Enter Blood Group</label>

<input class="form-control" placeholder="Eg: O+" name="bloodgroup" required>

</div>


<div class="form-group">

<label>Enter Email Id</label>

<input class="form-control" type="email" placeholder="Enter Email Id" name="email" required>

</div>


<div class="form-group">

<label>Enter Address</label>

<input class="form-control" type="text" placeholder="Enter Address Here" name="address" required>

</div>

<div class="form-group">

<label>Enter Contact Number</label>

<input class="form-control" type="number" placeholder="Contact Number" name="contact" required>

</div>

<div class="form-group">

<label>Enter Username</label>

<input class="form-control" placeholder="Enter Here" name="username" required>

<p class="help-block">In order to create donor's account.</p>

<p class="help-block">Example: KPY20</p>

</div>

<div class="form-group">

<label>Enter Password</label>

<input class="form-control" name="password" type="password" id="myInput" required>

<div class="checkbox">

<label>

<input type="checkbox" onclick="myFunction()">Show Password

</label>

</div>

</div>

<button type="submit" class="btn btn-success" class="btn btn-success" style="border-radius:0%";>Submit Form</button>

</form>

</div>

</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->
```

```
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /.containerfluid -->
</div>
<!-- /#page-wrapper -->


</div>
<!-- /#wrapper -->


<script>
function myFunction() {
var x = document.getElementById("myInput");
if (x.type === "password") {
x.type = "text";
} else {
x.type = "password";
}
}
</script>
<!-- jQuery -->
<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->
<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>
<!-- Metis Menu Plugin JavaScript -->
<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>
<!-- Custom Theme JavaScript -->
<script src="../dist/js/sb-admin-2.js"></script>
</body>
```

```
<footer>
<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>
</footer>
<style>
footer{
background-color: #424558;
bottom: 0;
left: 0;
right: 0;
height: 35px;
text-align: center;
color: #CCC;
}
footer p {
padding: 10.5px;
margin: 0px;
line-height: 100%;
}
</style>
</html>
```

(10) donoredit.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport" content="width=device-
width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
```

```html
<title>BDMS</title>
<!-- Bootstrap Core CSS -->
<link
href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">


<!-- MetisMenu CSS -->
<link
href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->
<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">


<!-- Custom Fonts -->
<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">


<link rel="stylesheet"
href="../icofont/icofont.min.css">


</head>
<body>
<div id="wrapper">


<?php include 'includes/nav.php'?>


<div id="page-wrapper">
<div class="row">
<div class="col-lg-12">
<h1 class="page-header">BBMS</h1>
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">

<div class="col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
MESSAGE BOX
</div>
<div class="panel-body">
<div class="row">
<div class="col-lg-6">
<form role="form" action="#" method="post">
<?php
include 'dbconnect.php';
$name = $_POST["name"];
$guardiansname = $_POST["guardiansname"];
$gender = $_POST["gender"];
$dob = $_POST["dob"];
$weight = $_POST["weight"];
$bloodgroup = $_POST["bloodgroup"];
$email = $_POST["email"];
$address = $_POST["address"];
$contact = $_POST["contact"];
$id=$_POST['id'];
//update query

$qry = "update donor set name='$name',
guardiansname='$guardiansname', gender='$gender',
dob='$dob', weight='$weight',
bloodgroup='$bloodgroup', email='$email',
address='$address', contact='$contact' where
id='$id'";

$result = mysqli_query($conn,$qry); //query executes


if(!$result){
echo"ERROR". mysqli_error();
}else {
echo"SUCCESSFULLY UPDATED";
// header("Location:editview.php");
```

```
}

?>

</form>

</div>


</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

</div>

<!-- /#page-wrapper -->


</div>

<!-- /#wrapper -->


<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></script>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>
```

```
<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(11) viewdonor.php

```
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">
```

```php
<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">


<?php include 'includes/nav.php'?>


<div id="page-wrapper">

<div class="container-fluid">

<div class="row">

<div class=".col-lg-12">

<h1 class="page-header">Donors Detail</h1>

</div>

</div>

<div class="row">

<div class=".col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Total Records of available donors

</div>

<div class="panel-body">

<div class="table-responsive">

<table class="table table-striped table-bordered table-hover" id="dataTables-example">

<?php

include "dbconnect.php";

$qry="select * from donor";

$result=mysqli_query($conn,$qry);

echo"

<thead>

<tr>

<th>Name</th>

<th>Username</th>

<th>Guardian's Name</th>

<th>Gender</th>

<th>D.O.B</th>

<th>Weight</th>

<th>Blood Group</th>

<th>Email</th>

<th>Address</th>

<th>Contact</th>

</tr>

</thead>";


while($row=mysqli_fetch_array($result)){

echo"<tbody>

<tr>

<td>".$row['name']."</td>

<td>".$row['username']."</td>

<td>".$row['guardiansname']."</td>

<td>".$row['gender']."</td>

<td>".$row['dob']."</td>

<td>".$row['weight']."</td>

<td>".$row['bloodgroup']."</td>

<td>".$row['email']."</td>

<td>".$row['address']."</td>

<td>".$row['contact']."</td>

</tr>

</tbody>";

}

?>

</table>

</div>

</div>
```

```
</div>

</div>

</div>

</div>

</div>

</div>

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>


<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {
```

```
padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(12) deletedonor.php

```
<html>

<head>

<title>BDMS</title>


<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">


<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">
```

```php
<?php include 'includes/nav.php'?>
<div id="page-wrapper">
<div class="container-fluid">
<div class="row">
<div class=".col-lg-12">
<h1 class="page-header">Delete Donors Detail</h1>
</div>
</div>

<div class="row">
<div class=".col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Total Records of available donors
</div>
<div class="panel-body">
<div class="table-responsive">
<table class="table table-striped table-bordered table-hover" id="dataTables-example">
<?php
include "dbconnect.php";

$qry="select * from donor";
$result=mysqli_query($conn,$qry);
echo"
<thead>
<tr>
<th>Name</th>
<th>Username</th>
<th>Guardian's Name</th>
<th>Gender</th>
<th>D.O.B</th>
<th>Weight</th>
<th>Blood Group</th>
<th>Email</th>
<th>Address</th>
<th>Contact</th>
<th><i class='fa fa-pencil'></i></th>
</tr>
</thead>";

while($row=mysqli_fetch_array($result)){
echo"<tbody>
<tr>
<td>".$row['name']."</td>
<td>".$row['username']."</td>
<td>".$row['guardiansname']."</td>
<td>".$row['gender']."</td>
<td>".$row['dob']."</td>
<td>".$row['weight']."</td>
<td>".$row['bloodgroup']."</td>
<td>".$row['email']."</td>
<td>".$row['address']."</td>
<td>".$row['contact']."</td>
<td><a href='delete.php?id=".$row['id']."'><i class='fa fa-trash' style='color:red'></i></a></td>
</tr>
</tbody>";
}
?>
</table>

</div>
</div>
</div>
</div>
</div>
</div>
```

</div>

</div>

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->

<script src="../vendor/metisMenu/metisMenu.min.js"></script>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js">

</script>

</body>

<footer>

<p>© <?php echo date("Y"); ?>: Mini project by Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>

(13) addcampaign.php

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css" rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="../icofont/icofont.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

```html
<script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/htm
l5shiv.js"></script>

<script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/res
pond.min.js"></script>

<![endif]-->

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">BBMS</h1>

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

MESSAGE BOX

</div>

<div class="panel-body">

<div class="row">

<div class="col-lg-6">

<form role="form" action="index.php"
method="post">

<?php

if(isset($_POST['cname'])){

$cname = $_POST["cname"];

$oname = $_POST["oname"];

$phn = $_POST["phn"];

$cdate = $_POST["cdate"];
```

```php
$descp = $_POST["descp"];


include 'dbconnect.php';

//code after connection is successfull

$qry = "insert into
campaigndb(cname,oname,phn,cdate,descp) values
('$cname','$oname','$phn','$cdate','$descp')";

$result = mysqli_query($conn,$qry); //query executes

if(!$result){

echo"ERROR";

}else {

echo" <div style='text-align: center'><h1>SUBMITTED
SUCCESSFULLY</h1>";

echo" <a href='index.php' div style='text-align:
center'><h3>Go Back</h3>";

}

}else{

echo"<h3>YOU ARE NOT AUTHORIZED TO REDIRECT
THIS PAGE. GO BACK to <a href='index.php'>
DASHBOARD </a></h3>";

}

?>

</form>

</div>


</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

</div>
```

```html
<!-- /#page-wrapper -->

</div>

<!-- /#wrapper -->

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}


footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}
```

```html
</style>

</html>
```

(14) newcampaign.php

```html
<!DOCTYPE html>

<html lang="en">

<head>


<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible"
content="IE=edge">

<meta name="viewport" content="width=device-
width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">


<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">


<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">
```

```html
</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">Start New Campaign</h1>

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Please fill up the form below:

</div>

<div class="panel-body">

<div class="row">

<div class="col-lg-6">

<form role="form" action="addedcampaign.php" method="post">

<div class="form-group">

<label>Campaign Name</label>

<input class="form-control" type="text" placeholder="Enter Campaign's Name" name="cname" required>

</div>

<div class="form-group">

<label>Organizer Name</label>

<input class="form-control" type="text" placeholder="Enter Organizer's Name" name="oname" required>

</div>

<div class="form-group">

<label>Contact Number</label>

<input class="form-control" placeholder="9876543210" type="number" name="phn" required>

</div>

<div class="form-group">

<label>Campaign Date</label>

<input class="form-control" type="date" name="cdate" required>

</div>

<div class="form-group">

<label>Description</label>

<textarea class="form-control" type="text" rows="4" name="descp" required></textarea>

</div>

<button type="submit" href="" class="btn btn-success" style="border-radius:0%">Post</button>

</form>

</div>

</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

</div>

<!-- /#page-wrapper -->

</div>

<!-- /#wrapper -->


<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>
```

(15) viewcampaign.php

```html
<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}


footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

```html
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">


<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="container-fluid">

<div class="row">

<div class=".col-lg-12">

<h1 class="page-header">Campaign Details</h1>

</div>

</div>

<div class="row">

<div class=".col-lg-12">
```

```php
<div class="panel panel-default">
<div class="panel-heading">
Total Records of available campaign
</div>
<div class="panel-body">
<div class="table-responsive">
<table class="table table-striped table-bordered table-hover" id="dataTables-example">
<?php
include "dbconnect.php";
$qry="select * from campaigndb";
$result=mysqli_query($conn,$qry);
echo"
<thead>

<tr>
<th>Campaign Name</th>
<th>Organizer Name</th>
<th>Phone Number</th>
<th>Date of campaign</th>
<th>Description</th>
</tr>
</thead>";
while($row=mysqli_fetch_array($result)){
echo"<tbody>
<tr>
<td>".$row['cname']."</td>
<td>".$row['oname']."</td>
<td>".$row['phn']."</td>
<td>".$row['cdate']."</td>
<td>".$row['descp']."</td>
</tr>
</tbody>";
}
?>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- jQuery -->
<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->
<script src="../vendor/bootstrap/js/bootstrap.min.js"></script>


<!-- Metis Menu Plugin JavaScript -->
<script src="../vendor/metisMenu/metisMenu.min.js"></script>
<!-- Custom Theme JavaScript -->
<script src="../dist/js/sb-admin-2.js"></script>
</body>
<footer>
<p>&copy; <?php echo date("Y"); ?>: Developed By Gctians</p>
</footer>
<style>
footer{
background-color: #424558;
bottom: 0;
left: 0;
right: 0;
height: 35px;
```

```css
text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(16) deletecampaign.php

```html
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="container-fluid">

<div class="row">

<div class=".col-lg-12">

<h1 class="page-header">Delete Campaign
Details</h1>

</div>

</div>

<div class="row">

<div class=".col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Total Records of available campaign

</div>

<div class="panel-body">

<div class="table-responsive">

<table class="table table-striped table-bordered table-
hover" id="dataTables-example">

<?php

include "dbconnect.php";

$qry="select * from campaigndb";

$result=mysqli_query($conn,$qry);

echo"

<thead>

<tr>

<th>Campaign Name</th>

<th>Organizer Name</th>

<th>Phone Number</th>

<th>Date of campaign</th>

<th>Description</th>

<th><i class='fa fa-pencil'></i></th>

</tr>

</thead>";
```

```php
while($row=mysqli_fetch_array($result)){

echo"<tbody>

<tr>

<td>".$row['cname']."</td>

<td>".$row['oname']."</td>

<td>".$row['phn']."</td>

<td>".$row['cdate']."</td>

<td>".$row['descp']."</td>

<td><a
href='finaldeletecampaign.php?id=".$row['id']."'><i
class='fa fa-trash' style='color:red'></i></a></td>

</tr>

</tbody>";

}

?>

</table>


</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>
```

```html
<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>


<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>


<!-- Metis Menu Plugin JavaScript -->
```

```html
<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(17) announcement.php

```html
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">
```

```html
<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">


<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">


<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css" rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">BBMS</h1>

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

MESSAGE BOX

</div>

<div class="panel-body">

<div class="row">

<div class="col-lg-6">

<form role="form" action="index.php" method="post">

<?php

if(isset($_POST['announcement'])){

$announcement = $_POST["announcement"];

$bloodneed = $_POST["bloodneed"];

$dat = $_POST["dat"];

$organizer = $_POST["organizer"];

$requirements = $_POST["requirements"];

include 'dbconnect.php';

//code after connection is successfull

$qry = "insert into announce(announcement,bloodneed,dat,organizer,requirements) values ('$announcement','$bloodneed','$dat','$organizer','$requirements')";

$result = mysqli_query($conn,$qry); //query executes


if(!$result){

echo"ERROR";

}else {

echo" <div style='text-align: center'><h1>ANNOUNCEMENT MADE</h1>";

echo" <a href='index.php' div style='text-align: center'><h3>Go Back</h3>";

}

}else{

echo"<h3>YOU ARE NOT AUTHORIZED TO REDIRECT THIS PAGE. GO BACK to <a href='index.php'> DASHBOARD </a></h3>";
```

```
}

?>

</form>

</div>

</div>

<!-- /.row (nested) -->

</div>

<!-- /.panel-body -->

</div>

<!-- /.panel -->

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

</div>

<!-- /#page-wrapper -->

</div>

<!-- /#wrapper -->

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>
```

```
footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(18) viewannouncement.php

```
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link
href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link
href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">


<!-- Custom Fonts -->
```

```php
<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">


<link rel="stylesheet" href="../icofont/icofont.min.css">
</head>
<body>
<div id="wrapper">
<?php include 'includes/nav.php'?>


<div id="page-wrapper">
<div class="container-fluid">
<div class="row">
<div class=".col-lg-12">
<h1 class="page-header">Announcement Detail</h1>
</div>
</div>
<div class="row">
<div class=".col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Total Records of announcement made
</div>
<div class="panel-body">
<div class="table-responsive">
<table class="table table-striped table-bordered table-hover" id="dataTables-example">
<?php
include "dbconnect.php";
$qry="select * from announce";
$result=mysqli_query($conn,$qry);
echo"
<thead>
<tr>
<th>Title</th>
<th>Blood Needed</th>
<th>Announcement Date</th>
<th>Organizer</th>
<th>Requirements</th>
</tr>
</thead>";
while($row=mysqli_fetch_array($result)){
echo"<tbody>
<tr>
<td>".$row['announcement']."</td>
<td>".$row['bloodneed']."</td>
<td>".$row['dat']."</td>
<td>".$row['organizer']."</td>
<td>".$row['requirements']."</td>
</tr>
</tbody>";
}

?>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- jQuery -->
<script src="../vendor/jquery/jquery.min.js"></script>
<!-- Bootstrap Core JavaScript -->
```

```html
<script
src="../vendor/bootstrap/js/bootstrap.min.js"></scrip
t>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scri
pt>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(19) editannouncement.php

```html
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible"
content="IE=edge">

<meta name="viewport" content="width=device-
width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">Edit Announcement
Detail</h1>
```

```
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
<div class="col-lg-12">
<div class="panel panel-default">
<div class="panel-heading">
Total Records of announcement made
</div>
<div class="panel-body">
<div class="row">
<div class="col-lg-6">
<?php
include 'dbconnect.php';
$id=$_GET['id'];
$qry= "select * from announce where id='$id'";
$result=mysqli_query($conn,$qry);
while($row=mysqli_fetch_array($result)){
?>
<form role="form" action="editedannounce.php"
method="post">
<div class="form-group">
<label>Announcement Title</label>
<input class="form-control" name="announcement"
type="text" value='<?php echo $row['announcement'];
?>' required>
</div>
<div class="form-group">
<label>Blood Needed (type)</label>
<input class="form-control" type="text"
name="bloodneed" value='<?php echo
$row['bloodneed']; ?>' required>
</div>
<div class="form-group">
<label>Date and Time</label>
<input class="form-control" name="dat" type="date"
value='<?php echo $row['dat']; ?>' required>
</div>
<div class="form-group">
<label>Organized by</label>
<input class="form-control" type="text"
name="organizer" value='<?php echo
$row['organizer']; ?>' required>
</div>
<div class="form-group">
<label>Requirements</label>
<textarea class="form-control" rows="4"
name="requirements" type="text" required><?php
echo $row['requirements']; ?></textarea>
</div>
<!-- id hidden grna input type ma "hidden" -->
<input type="hidden" name="id" value="<?php echo
$row['id'];?>">
<button type="submit" class="btn btn-success">Make
Changes</button>
</form>
</div>
<?php
}
?>
</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
</div>
<!-- /#page-wrapper -->
```

```
</div>

<!-- /#wrapper -->

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>

<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>
```

```
</html>
```

(20) deleteannouncement.php

```
<html>

<head>

<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css"
rel="stylesheet">

<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css"
rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet"
href="../icofont/icofont.min.css">

</head>

<body>

<div id="wrapper">

<?php include 'includes/nav.php'?>

<div id="page-wrapper">

<div class="container-fluid">

<div class="row">

<div class=".col-lg-12">

<h1 class="page-header">Delete Announcement
Detail</h1>

</div>
```

```php
</div>

<div class="row">

<div class=".col-lg-12">

<div class="panel panel-default">

<div class="panel-heading">

Total Records of announcement made

</div>

<div class="panel-body">

<div class="table-responsive">

<table class="table table-striped table-bordered table-hover" id="dataTables-example">

<?php

include "dbconnect.php";


$qry="select * from announce";

$result=mysqli_query($conn,$qry);

echo"

<thead>

<tr>

<th>Title</th>

<th>Blood Needed</th>

<th>Announcement Date</th>

<th>Organizer</th>

<th>Requirements</th>

<th><i class='fa fa-pencil'></i></th>

</tr>

</thead>";

while($row=mysqli_fetch_array($result)){

echo"<tbody>

<tr>

<td>".$row['announcement']."</td>

<td>".$row['bloodneed']."</td>

<td>".$row['dat']."</td>

<td>".$row['organizer']."</td>

<td>".$row['requirements']."</td>

<td><a href='deletedannounce.php?id=".$row['id']."'><i class='fa fa-trash' style='color:red'></i></a></td>

</tr>

</tbody>";

}

?>

</table>


</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->

<script src="../vendor/metisMenu/metisMenu.min.js"></script>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Mini project by Gctians</p>

</footer>
```

```
<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

</html>
```

(21) userdashboard.php

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="">

<meta name="author" content="">


<title>BDMS</title>

<!-- Bootstrap Core CSS -->

<link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<!-- MetisMenu CSS -->

<link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">


<!-- Custom CSS -->

<link href="../dist/css/sb-admin-2.css" rel="stylesheet">


<!-- Morris Charts CSS -->

<link href="../vendor/morrisjs/morris.css" rel="stylesheet">

<!-- Custom Fonts -->

<link href="../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">


<link rel="stylesheet" href="../icofont/icofont.min.css">


<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>

<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>

<![endif]-->

</head>

<body>

<div id="wrapper">

<?php include 'includes/donornav.php'?>
```

```html
<div id="page-wrapper">

<div class="row">

<div class="col-lg-12">

<h1 class="page-header">Donor's Dashboard

</div>

<!-- /.col-lg-12 -->

</div>

<!-- /.row -->

<div class="row">

<div class="col-lg-3 col-md-6">

<div class="panel panel-green">

<div class="panel-heading">

<div class="row">

<div class="col-xs-3">

<i class="icofont-blood icofont-5x"></i>

<!-- <i class="fa fa-heartbeat fa-5x"></i> -->

</div>

<div class="col-xs-9 text-right">

<!-- in order to count total donor's record -->

<?php include 'counter/dashbloodcount.php';?>

<div>Available Blood</div>

</div>

</div>

</div>

<a href="userviewblood.php">

<div class="panel-footer">

<span class="pull-left">View Available Blood Details</span>

<span class="pull-right"><i class="fa fa-arrow-circle-right"></i></span>

<div class="clearfix"></div>

</div>

</a>

</div>

</div>

<div class="col-lg-3 col-md-6">

<div class="panel panel-warning">

<div class="panel-heading">

<div class="row">

<div class="col-xs-3">

<i class="fa fa-flag fa-5x"></i>

</div>

<div class="col-xs-9 text-right">

<!-- in order to count total donor's record -->

<?php include 'counter/dashboardcampaigncount.php';?>

<!-- <div class="huge">26</div> -->

<div>Campaigns Made</div>

</div>

</div>

</div>

<a href="userviewcampaigns.php">

<div class="panel-footer">

<span class="pull-left">View Available Campaigns</span>

<span class="pull-right"><i class="fa fa-arrow-circle-right"></i></span>

<div class="clearfix"></div>

</div>

</a>

</div>

</div>

<div class="col-lg-3 col-md-6">

<div class="panel panel-yellow">

<div class="panel-heading">

<div class="row">

<div class="col-xs-3">

<i class="fa fa-bullhorn fa-5x"></i>
```

```html
</div>

<div class="col-xs-9 text-right">

<?php include 'counter/dashannouncecount.php';?>

<div class="huge"> </div>

<div>Announcement</div>

</div>

</div>

</div>

<a href="userviewannouncement.php">

<div class="panel-footer">

<span class="pull-left">View Announcement
Details</span>

<span class="pull-right"><i class="fa fa-arrow-circle-
right"></i></span>

<div class="clearfix"></div>

</div>

</a>

</div>

</div>

<div class="col-lg-3 col-md-6">

<div class="panel panel-red">

<div class="panel-heading">

<div class="row">

<div class="col-xs-3">

<i class="icofont-blood-drop icofont-5x"></i>

</div>

<div class="col-xs-9 text-right">

<div class="huge">Donate</div>

<div>Blood</div>

</div>

</div>

</div>

<a href="useraddblood.php">

<div class="panel-footer">

<span class="pull-left">Donate Blood Now!</span>
```

```html
<span class="pull-right"><i class="fa fa-arrow-circle-
right"></i></span>

<div class="clearfix"></div>

</div>

</a>

</div>

</div>

</div>

<!-- <div class="container">

<div class="row">

<div class="alert alert-danger alert-dismissible"
role="alert">

<button type="button"
onclick="this.parentNode.parentNode.removeChild(thi
s.parentNode);" class="close" data-
dismiss="alert"><span aria-
hidden="true">×</span><span class="sr-
only">Close</span></button>

<strong><i class="fa fa-warning"></i> You Are
Currently Viewing User's Account</strong>
<marquee><p style="font-family: Impact; font-size:
18pt">You Are Currently Viewing User's
Account</p></marquee>

</div> -->

</div>

</div>

<!-- /.row -->

<!-- /.row -->

</div>

<!-- /#page-wrapper -->

</div>

<!-- /#wrapper -->

<!-- jQuery -->

<script src="../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->

<script
src="../vendor/bootstrap/js/bootstrap.min.js"></script
>
```

```html
<!-- Metis Menu Plugin JavaScript -->

<script
src="../vendor/metisMenu/metisMenu.min.js"></scrip
t>

<!-- Morris Charts JavaScript -->

<script
src="../vendor/raphael/raphael.min.js"></script>

<script
src="../vendor/morrisjs/morris.min.js"></script>

<script src="../data/morris-data.js"></script>

<!-- Custom Theme JavaScript -->

<script src="../dist/js/sb-admin-2.js"></script>

</body>

<footer>

<p>&copy; <?php echo date("Y"); ?>: Developed By
Gctians</p>

</footer>

<style>

footer{

background-color: #424558;

bottom: 0;

left: 0;

right: 0;

height: 35px;

text-align: center;

color: #CCC;

}

footer p {

padding: 10.5px;

margin: 0px;

line-height: 100%;

}

</style>

    </html>
```

SITE OVERVIEW:

Admin panel:

User login:

SITE :

Elixir - Blood Donor Management System

Search...

Admin Dashboard

- Dashboard
- **Blood Collection Details**
  - Add Blood
  - View Blood
  - Edit Blood
  - Remove Blood
- Add Donor
- View Donor Details
- Edit Donor Details
- Delete Donor Details
- **Announcements**
  - Make Announcement
  - View Announcement
  - Edit Announcement
  - Remove Announcement
- **Campaigns**
  - New Campaign
  - View Campaign
  - Update Campaign
  - Delete Campaign

Total Donors 0 — View Details

Available Blood 0 — View Details

Announcement 0 — View Details

Donate Blood — Donate Blood Now!

BLOOD COLLECTION DETAILS:

1.

Add Blood Details

Please fill up the form below:

Enter Full Name

VISHWA

Gender [M/F]

M or F

Enter Date of birth

dd-mm-yyyy

Enter Weight

Weight

Enter Blood Group

Eg: B+

Enter Address

Address

Enter Contact Number

Contact Number

Blood Quantity

Blood Quantity

Collection Date

dd-mm-yyyy

Submit Form

© 2022: Mini project by Gctians

Add Blood Details

Please fill up the form below:

Enter Full Name

VISHWARAJ S

Gender [M/F]

M

Enter Date of birth

04-02-2017

February, 2017 ▾					↑	↓
Mo	Tu	We	Th	Fr	Sa	Su
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	1	2	3	4	5
6	7	8	9	10	11	12

Clear   Today

Blood Quantity

Blood Quantity

Collection Date

dd-mm-yyyy

Submit Form

BBMS

MESSAGE BOX

SUBMITTED SUCCESSFULLY

Go Back

2.

Blood Collection

Total Records of available bloods

ID	Blood Group	Full Name	Gender	D.O.B	Weight	Address	Contact	Blood Quantity	Collection Date
1	O+	VISHWARAJ S	M	2002-11-21	70	TRICHY	9876789749	170	2022-02-08
2	ab1	SAI RONIN K P	M	2003-05-08	73	SALEM	9876578958	160	2022-02-08
3	B+	ATCHAYA	F	2002-11-10	60	NAMAKKAL	6374041434	176	2022-02-08

3.

Edit Blood Details

Total Records of available bloods

Blood Group	Full Name	Gender	D.O.B	Weight	Address	Contact	Quantity	Collection Date	
O+	VISHWARAJ S	M	2002-11-21	70	TRICHY	9876789749	170	2022-02-08	✎
ab1	SAI RONIN K P	M	2003-05-08	73	SALEM	9876578958	160	2022-02-08	✎
B+	NANDHINI E	F	2002-11-10	60	NAMAKKAL	6374041434	176	2022-02-08	✎

BBMS

MESSAGE BOX

SUCCESSFULLY UPDATED

4.

Delete Blood Details

Total Records of available bloods

Blood Group	Full Name	Gender	D.O.B	Weight	Address	Contact	Quantity	Collection Date	
O+	VISHWARAJ S	M	2002-11-21	70	TRICHY	9876789749	170	2022-02-08	🗑
ab1	SAI RONIN K P	M	2003-05-08	73	SALEM	9876578958	160	2022-02-08	🗑

DONOR DETAILS:

1.

Add Donor's Detail

Please fill up the form below:

Enter Full Name

Example:VISHWA

Enter Guardian's Name

Guardian's Name

Gender [M/F]

M or F

Enter D.O.B

dd-mm-yyyy

Enter Weight

Enter Weight

Enter Blood Group

Eg: O+

Enter Email Id

Enter Email Id

Enter Address

Enter Address Here

Enter Contact Number

Contact Number

Enter Username

admin

In order to create donor's account.

Example: KPY20

Enter Password

•••••

☐ Show Password

Submit Form

2.

Donors Detail

Total Records of available donors

| Name	Username	Guardian's Name	Gender	D.O.B	Weight	Blood Group	Email	Address	Contact
ATCHAYA	admin	surendran	F	2002-11-10	60	B+	vishwaraj38@gmail.co	NAMAKKAL	9786567896
CHANDRA SEKAR R	admin	RAM	M	2003-10-02	70	B+	yesva67@gmail.com	Manjeri, kerala	7869876978
HIPPOP T	admin	THIMMARAJ R	M	1991-06-05	89	B-	hip876@gmail.com	KARUR	9898798789

3.

Edit Donors Detail

Total Records of available donors

Id	Name	Username	Guardian's Name	Gender	D.O.B	Weight	Blood Group	Email	Address	Contact	
1	ATCHAYA	admin	surendran	F	2002-11-10	60	B+	vishwaraj38@gmail.com	NAMAKKAL	9786567896	✎
2	CHANDRA SEKAR R	admin	RAM T	M	2003-10-02	70	B+	yesva67@gmail.com	COIMBATORE	7869876978	✎
3	HIPPOP T	admin	THIMMARAJ R	M	1991-06-05	89	B-	hip876@gmail.com	KARUR	9898798789	✎

4.

Delete Donors Detail

Total Records of available donors

Name	Username	Guardian's Name	Gender	D.O.B	Weight	Blood Group	Email	Address	Contact	
ATCHAYA	admin	surendran	F	2002-11-10	60	B+	vishwaraj38@gmail.co	NAMAKKAL	9786567896	🗑
HIPPOP T	admin	THIMMARAJ R	M	1991-06-05	89	B-	hip876@gmail.com	KARUR	9898798789	🗑

ANNOUNCEMENTS:

1.

Make Announcement

Please fill up the form below:

Enter Announcement Title

Announcement Title

Blood Needed (Type)

example: B+

Date and Time

dd-mm-yyyy

Organized by

Enter Organizer's Name

Requirements

Submit

BBMS

MESSAGE BOX

ANNOUNCEMENT MADE

Go Back

2.

Announcement Detail

Total Records of announcement made

Title	Blood Needed	Announcement Date	Organizer	Requirements
Healthy Donor Needed	A a	2022-06-10	Angkor Hospital for Children	The donor must be fit and healthy, and should not be suffering from transmittable diseases. Age and weight- Between 18–65 years old.
Every drop counts	B+	2022-07-07	Chandra texity plus	The minimum criteria for blood donation are verbally screened at this stage, i.e., age between 18-65 years, weight atleast 45 Kg
Give blood save life	AB	2022-06-13	Red cross unit	You must be in good health at the time you donate. You cannot donate if you have a cold, flu, sore throat, cold sore, stomach bug or any other infection.
Safe blood for all	B+,	2022-06-08	Yesvanth foundation	If you have visited the dentist for a minor procedure you must wait 24 hours before donating; for major work wait a month. You must not donate blood If you do not meet the minimum haemoglobin level for blood donation

3.

Edit Announcement Detail

MESSAGE BOX

The selected announcement has been updated.

CAMPAIGNS:

1.

Start New Campaign

Please fill up the form below:

Campaign Name

Enter Campaign's Name

Organizer Name

Enter Organizer's Name

Contact Number

9876543210

Campaign Date

dd-mm-yyyy

Description

Post

2.

Campaign Details

Total Records of available campaign

| Campaign Name	Organizer Name	Phone Number	Date of campaign	Description
BLOOD DONATION CAMPAIGN	AASMITH CHARLEE	2147483647	2022-06-09	blood is a elixir in human verse blood is not elixir its also a liquid ruby for the people who lacks or loss due to circumstances. make our bloods contribution to save their lives and make them to see the future before they........ donate blood, save lives..... make them happy .

3.

BBMS

MESSAGE BOX
CAMPAIGN UPDATED

4.

Delete Campaign Details

Total Records of available campaign

Campaign Name	Organizer Name	Phone Number	Date of campaign	Description	✏
BLOOD DONATION CAMPAIGN	Mr. AASMITH CHARLEE	2147483647	2022-06-09	blood is a elixir in human verse blood is not elixir its also a liquid ruby for the people who lacks or loss due to circumstances. make our bloods contribution to save their lives and make them to see the future before they........ donate blood, save lives..... make them happy .	🗑

SITE AFTER UPDATION :

RESULT:

      Thus, The blood bank management system using PHP code has been created, reports are recorded and displayed successfully.