

**Started on** Thursday, 22 May 2025, 12:20 PM

**State** Finished

**Completed on** Thursday, 22 May 2025, 12:33 PM

**Time taken** 13 mins 35 secs

**Marks** 14.00/20.00

**Grade** 70.00 out of 100.00

### Question

## 1

Complete

Mark 1.00 out of 1.00

How can you see all running Docker containers?

Select one:

- ☒ a. **docker ps**
- ☐ b. **docker list**
- ☐ c. **docker images**
- ☐ d. **docker show**

### Question

## 2

Complete

Mark 1.00 out of 1.00

How do you scale a deployment to 5 replicas?

Select one:

- ☒ a. **kubectl scale deployment myapp --replicas=5**
- ☐ b. **kubectl set replicas myapp=5**
- ☐ c. **kubectl deploy --scale=5**
- ☐ d. **kubectl resize myapp 5**

### Question

## 3

Complete

Mark 0.00 out of 1.00

In a Deployment YAML, what does spec.template define?

Select one:

- ☒ a. **The build script**
- ☐ b. **The pod configuration**
- ☐ c. **A new container registry**
- ☐ d. **The node selector**

## Question

### 4

Complete

Mark 0.00 out of 1.00

What command copies files from host to container image in a Dockerfile?

Select one:

- ☐ a. **ADD**
- ☒ b. **COPY**
- ☐ c. **MOVE**
- ☐ d. **Both COPY and ADD**

## Question

### 5

Complete

Mark 1.00 out of 1.00

What does kubectl describe command do?

Select one:

- ☐ a. **Deletes the pod**
- ☒ b. **Shows detailed information about a resource**
- ☐ c. **Shows logs**
- ☐ d. **Outputs YAML format**

## Question

### 6

Complete

Mark 1.00 out of 1.00

What does the -d flag in docker run -d stand for?

Select one:

- ☐ a. **Detach disk**
- ☐ b. **Delete**
- ☒ c. **Daemon (background mode)**
- ☐ d. **Debug**

## Question

### 7

Complete

Mark 0.00 out of 1.00

What does the EXPOSE keyword in Dockerfile do?

Select one:

- ☒ a. **Exposes sensitive data**
- ☐ b. **Opens the file system**
- ☐ c. **Documents the port number**
- ☐ d. **Connects to external APIs**

## Question

# 8

Complete

Mark 1.00 out of 1.00

What does the kubectl get pods command do?

Select one:

- ☐ a. Creates pods
- ☐ b. Modifies pods
- ☒ c. Lists all pods
- ☐ d. Deletes all pods

## Question

# 9

Complete

Mark 1.00 out of 1.00

What is a Docker container?

Select one:

- ☐ a. A hardware virtualization platform
- ☐ b. A GitHub repository
- ☐ c. A virtual machine
- ☒ d. A lightweight, standalone executable package

## Question

# 10

Complete

Mark 1.00 out of 1.00

What is the default base image format in a Dockerfile?

Select one:

- ☐ a. WORKDIR
- ☒ b. FROM
- ☐ c. ENV
- ☐ d. ENTRYPOINT

## Question

# 11

Complete

Mark 0.00 out of 1.00

What is the default service type in Kubernetes?

Select one:

- ☐ a. LoadBalancer
- ☐ b. ClusterIP
- ☐ c. ExternalName
- ☒ d. NodePort

## Question 12

Complete

Mark 0.00 out of 1.00

What is the function of a Kubernetes Service?

Select one:

- ☐ a. Create containers
- ☐ b. Expose pods to the network
- ☐ c. Monitor logs
- ☒ d. Deploy apps

## Question 13

Complete

Mark 1.00 out of 1.00

What is the purpose of a ReplicaSet?

Select one:

- ☐ a. To monitor API calls
- ☒ b. To ensure a specified number of pod replicas
- ☐ c. To store pod logs
- ☐ d. To expose services

## Question 14

Complete

Mark 1.00 out of 1.00

What is the role of a Pod in Kubernetes?

Select one:

- ☐ a. To control replication
- ☐ b. To store images
- ☒ c. The smallest deployable unit
- ☐ d. To execute kubectl commands

## Question 15

Complete

Mark 1.00 out of 1.00

Which command deletes a Kubernetes resource from a YAML file?

Select one:

- ☒ a. `kubectl delete -f`
- ☐ b. `kubectl purge -f`
- ☐ c. `kubectl remove`
- ☐ d. `kubectl drop -f`

## Question 16

Complete

Mark 1.00 out of 1.00

Which command is used to build a Docker image?

Select one:

- ☐ a. **docker run**
- ☐ b. **docker make**
- ☐ c. **docker image**
- ☒ d. **docker build**

## Question 17

Complete

Mark 1.00 out of 1.00

Which Docker command stops a running container?

Select one:

- ☐ a. **docker kill**
- ☒ b. **docker stop**
- ☐ c. **docker delete**
- ☐ d. **docker pause**

## Question 18

Complete

Mark 1.00 out of 1.00

Which file defines the steps to build a Docker image?

Select one:

- ☐ a. **Containerfile**
- ☒ b. **Dockerfile**
- ☐ c. **Makefile**
- ☐ d. **Buildfile**

## Question 19

Complete

Mark 1.00 out of 1.00

Which file format is used for Kubernetes configuration?

Select one:

- ☐ a. **.conf**
- ☐ b. **.ini**
- ☒ c. **.yaml or .yml**
- ☐ d. **.json only**

## Question

# 20

Complete

Mark 0.00 out of  
1.00

Which of the following best explains docker-compose?

Select one:

- ☐ a. **Manages multiple containers as a single service**
- ☒ b. **Compiles Docker containers into a binary**
- ☐ c. **Combines Docker images**
- ☐ d. **A version of Docker for Windows**