



# ENGINEERING PHYSICS

---

**Radhakrishnan S, Ph.D.**

Department of Science and Humanities

# ENGINEERING PHYSICS

## Unit I : Review of concepts leading to Quantum Mechanics

---



- **Wave function as a state function**
- **Double slit experiment revisited**
- **Linear Superposition of wave functions**

# ENGINEERING PHYSICS

## Unit I : Review of concepts leading to Quantum Mechanics

---



### ➤ *Suggested Reading*

1. *Concepts of Modern Physics, Arthur Beiser, Chapter 5*
2. *Learning Material prepared by the Department of Physics*

### ➤ *Reference Videos*


1. *Video lectures : MIT 8.04 Quantum Physics I*

- *The wave function satisfying all the conditions is a state function*
- $\psi = Ae^{i(kx-\omega t)}$
- $k = \frac{p}{\hbar}$  and  $\omega = \frac{E}{\hbar}$
- *The wave function  $\psi = Ae^{\frac{i}{\hbar}(px-Et)}$  can provide information about the state of the system*

# ENGINEERING PHYSICS


## Double slit experiment revisited

- $\psi_1$  is the wave function for photons from slit 1
- $I_1 = |\psi_1|^2$  is probability the photon reaches the screen
- $\psi_2$  is the wave function for photons from slit 2
- $I_2 = |\psi_2|^2$  is probability the photon reaches the screen



## Double slit experiment revisited

- $\psi_3 = \psi_1 + \psi_2$  is the superposed wave function for photons from both slits
- $I_3 = |\psi_3|^2$  is the combined probability of photons reaching the screen  $I_3 \neq I_1 + I_2$
- $|\psi_3|^2 = |\psi_1|^2 + |\psi_2|^2 + \psi_1^* \psi_2 + \psi_1 \psi_2^* \neq |\psi_1|^2 + |\psi_2|^2$



- *The number of photons emerging from the slits can be different*
- *The superposed wave function  $\psi_3 = m \cdot \psi_1 + n \cdot \psi_2$*
- *$m$  and  $n$  are arbitrary constants*
- *This is the principle of linear superposition of wave functions*

1. Double slit experiment conclusively proves the wave nature of matter
2. The probability distribution of a double slit experiment is the superposition of the probability density of waves from the single slit operation
3. Single particles cannot be diffracted at the double slit





# THANK YOU

---

**Radhakrishnan S, Ph.D.**

Professor, Department of Science and Humanities

**[sradhakrishnan@pes.edu](mailto:sradhakrishnan@pes.edu)**

+91 80 21722683 Extn 759