



ENGINEERING MECHANICS

Rashmi B A

Department of Civil Engineering


ENGINEERING MECHANICS

STRUCTURES

Rashmi B A


Department of Civil Engineering

5/107 Determine the reactions at A and B for the beam loaded as shown.



ENGINEERING MECHANICS

BEAMS



$$R = w \cdot l$$

$$R = 18 \times 4 = 72 \text{ kN}$$

Applying conditions of equilibrium:

$$F_x = 0$$

$$A_x = 0$$

$$\sum M_A = 0 \quad -15 + (R_B \times 4) - (72 \times (2+2+2)) = 0$$

$$R_B = 111.75 \text{ kN}$$

$$\sum F_y = 0$$


$$+ A_y + R_B - 72 = 0$$

$$A_y = 39.75 \text{ kN}$$

ENGINEERING MECHANICS

Beams


5/109. Determine the reactions at A , B , and D for the pair of beams connected by the ideal pin at C and subjected to the concentrated and distributed loads.



Problem 5/109

ENGINEERING MECHANICS

Beams



Problem 5/109

$$A_x = 0$$

$$B_y = 29.4 \text{ kN}$$

$$A_y = 12.96 \text{ kN}$$

$$D_y = 2.67 \text{ kN}$$



THANK YOU

Rashmi B A

Department of Civil Engineering

rashmiba@pes.edu