

```
<!--1.Js.html-->
<html>
<body>
<script language = "javascript" type = "text/javascript">

document.write("Hello World!");

    var a = 33;
    var b = 10;
    var c = "Test";
document.write("<br><br> a + b = ");
result = a + b;
document.write(result);
    document.write(c);

    var age = 15;
if( age > 18 ) {
    document.write("<br><br><b>Qualifies for driving</b><br>");
} else {
    document.write("<br><br><b>Does not qualify for driving</b><br>");
}

    var count;
document.write("<br>Starting Loop" + "<br />");
for(count = 0; count < 10; count++) {
    document.write("Current Count : " + count );
    document.write("<br />");
}
document.write("Loop stopped!");

</script>
</body>
</html>
```



Js.html



File | C:/Us

Hello World!

a + b = 43Test

**Does not qualify for driving**

Starting Loop

Current Count : 0

Current Count : 1

Current Count : 2

Current Count : 3

Current Count : 4

Current Count : 5

Current Count : 6

Current Count : 7

Current Count : 8

Current Count : 9

Loop stopped!

```
<!--2. Js1.html-->
<html>
<body>
  <script language = "javascript" type = "text/javascript">

    var house = new Array(10, 20, 30, 40, 50);

    //Creates an array of 5 undefined elements
    var house1 = new Array(5);

    //Creates an array with element
    var home = new Array("1BHK");

    var len = house.length;
    for (var i = 0; i < len; i++)
      document.write(house[i]);

  </script>
</body>
</html>
```

Js1.html

x

+



File | C:/Users/Administrator/Desktop/Js1.html

1020304050



File Edit Format View Help

|<!-----3. Js2.html----->

<html>

<body>

<h2>Finding HTML Elements by Id</h2>

<p id="intro">Hello World!</p>

<p>This example demonstrates the <b>getElementById</b> method.</p>

<p id="demo"></p>

<script>

var myElement = document.getElementById("intro");

document.getElementById("demo").innerHTML =

"The text from the intro paragraph is " + myElement.innerHTML;

</script>

</body>

</html>

Js2.html



File | C:/Users/Administrator/Desktop/Js2.html

## Finding HTML Elements by Id

Hello World!

This example demonstrates the **getElementById** method.

The text from the intro paragraph is Hello World!

.