

Example Vignette

Typography

H3

H4

Paragraph text should use the brand base font. Inline code should use the brand monospace: `const x = 42.`

```
text block should use the brand monospace.
abcdefghijklmnopqrstuvwxyz 0123456789
```

- Headings: Valley Sans
- Body: Alegreya
- Code: CommitMono

Theme colors (semantic)

Read straight out of `_brand.yml`, the same file that styles this site.

Token	Light	Dark
background	#F6EFE1	#0A0A0A
foreground	#1E1512	#F2E8DE
primary	#380C12	#B0293A
secondary	#6B5B52	#C9BAAE
tertiary	#EAE0D8	#241813
success	#146860	#5FCBB8
info	#380C12	#B0293A
warning	#A8721C	#F0BC5C
danger	#A8283A	#D25668

Palette (named colors)

These are the single-value entries under `color.palette`.

Name	Value
cream	#F6EFE1

Name	Value
blackish	#0A0A0A
espresso	#1E1512
shell	#F2E8DE
oxblood	#380C12
oxblood-light	#B0293A
taupe	#6B5B52
taupe-light	#C9BAAE
blush	#EAE0D8
sable	#241813
teal	#146860
teal-light	#5FCBB8
ochre	#A8721C
ochre-light	#F0BC5C
carmine	#A8283A
carmine-light	#D25668
code-bg-light	#F0E6DC
code-bg-dark	#1D1512

Components

i Note

Info callout.

⚠ Warning

Warning callout.


! Important

Danger callout.



Tip

Tip callout.



Caution

Caution callout.

Blockquote example. This should remain readable in both light and dark modes.

Table

Item	Example
Link	https://www.visruth.com
Inline code	<code>printf("hello")</code>
Emphasis	italic, bold , and both