
B001 - Brand Admin Dashboard

SRS Section: 7.1.1 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Brand Admin Dashboard serves as the primary landing page for brand-level users, providing at-a-glance visibility into campaign performance, store compliance, and pending actions requiring attention.


1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access
CAMPAIGN_MANAGER	Full access (scoped to assigned campaigns)
REGIONAL_MANAGER	Read-only (scoped to assigned regions)

1.3 Navigation Path

- Route:** /admin/dashboard
- Entry Points:**
 - Direct URL navigation
 - Post-login redirect (default landing)
 - Brand logo/home link in navigation

1.4 Screenshot Reference



2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
View all KPIs	Y	Y*	Y*
View all campaigns	Y	Y*	Y*
Access quick actions	Y	Y*	N
View pending reviews count	Y	Y*	Y*
Click-through to Campaign Builder	Y	Y	N
Click-through to Verification Queue	Y	Y*	Y*

Legend: Y = Full access | Y* = Scoped access | N = No access

2.2 Data Scoping Rules

REQ-ID	Requirement
REQ-B001-SEC-001	Campaign Managers SHALL only see metrics for campaigns explicitly assigned to them

REQ-B001-SEC-002	Regional Managers SHALL only see metrics for stores within their assigned region scope
REQ-B001-SEC-003	All dashboard data SHALL be filtered by the authenticated user's brand_id from JWT

3. UI Components

3.1 Layout Structure



3.2 Component Specifications

Component	Type	Description
KPI Cards	Stat card grid	4-column grid of primary metrics
Quick Actions	Button group	Primary action shortcuts
Recent Campaigns	Data table	Top 5 campaigns by activity
Campaign Progress	Progress bar	Visual completion indicator

3.3 KPI Card Definitions

Card	Metric	Calculation	Click Action
Active Campaigns	Count	campaigns WHERE status = 'PUBLISHED'	Navigate to Campaign List (Active tab)
Total Stores	Count	stores WHERE deleted_at IS NULL	Navigate to Store List

Pending Reviews	Count	photo_uploads WHERE review_status = 'PENDING'	Navigate to Verification Queue
Compliance Rate	Percentage	(completed_assignments / total_assignments) * 100	Navigate to Compliance Report

3.4 Component States

State	KPI Cards	Quick Actions	Recent Campaigns
Loading	Skeleton placeholders	Disabled	Skeleton rows
Empty	"0" with muted styling	Enabled	"No campaigns yet" message
Error	Error icon + retry	Enabled	Error message + retry
Loaded	Formatted values	Enabled	Campaign rows

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
campaigns	id, name, status, install_start, install_end	Read
store_assignments	id, campaign_id, status, store_id	Read
stores	id, name, region_id	Read
photo_uploads	id, review_status, created_at	Read
brands	id, name, logo_url	Read

4.2 Aggregation Queries

REQ-ID	Requirement
REQ-B001-DATA-001	Active campaign count SHALL be computed as COUNT(*) FROM campaigns WHERE brand_id = ? AND status = 'PUBLISHED' AND deleted_at IS NULL
REQ-B001-DATA-002	Pending review count SHALL be computed by joining photo_uploads to store_assignments to campaigns filtered by brand_id
REQ-B001-DATA-003	Compliance rate SHALL be calculated as percentage of store_assignments with status = 'COMPLETE'
REQ-B001-DATA-004	Recent campaigns list SHALL return top 5 campaigns ordered by updated_at DESC

4.3 Data Refresh

REQ-ID	Requirement
--------	-------------

REQ-B001-DATA-005	Dashboard data SHALL refresh automatically every 60 seconds via polling
REQ-B001-DATA-006	Manual refresh SHALL be available via pull-to-refresh on mobile or refresh button

5. Business Rules & Validation

5.1 Display Rules

REQ-ID	Rule
REQ-B001-BR-001	Compliance Rate SHALL display as percentage with one decimal place (e.g., "94.2%")
REQ-B001-BR-002	Campaign progress bars SHALL use color coding: Green ($\geq 80\%$), Yellow (50-79%), Red ($< 50\%$)
REQ-B001-BR-003	Draft campaigns SHALL NOT be included in Active Campaigns count
REQ-B001-BR-004	Archived and Cancelled campaigns SHALL NOT appear in Recent Campaigns list

5.2 Scoping Rules

REQ-ID	Rule
REQ-B001-BR-005	All metrics SHALL respect multi-tenant isolation via brand_id
REQ-B001-BR-006	Campaign Manager view SHALL filter by campaign_ids from memberships table
REQ-B001-BR-007	Regional Manager view SHALL filter by region_scope_id from memberships table

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/dashboard/summary	GET	Retrieve all KPI metrics
/api/v1/campaigns	GET	List recent campaigns
/api/v1/photos/pending/count	GET	Get pending review count

6.2 Request/Response Specifications

GET /api/v1/dashboard/summary

```
// Response 200 OK
{
  "activeCampaigns": 12,
  "totalStores": 847,
```

```
"pendingReviews": 23,
"complianceRate": 94.2,
"lastUpdated": "2026-01-01T10:30:00Z"
}
```

GET /api/v1/campaigns?limit=5&sort=-updated_at&status[]=PUBLISHED&status[]=DRAFT

```
// Response 200 OK
{
  "data": [
    {
      "id": "uuid",
      "name": "Summer Promo 2025",
      "status": "PUBLISHED",
      "storeCount": 234,
      "completionRate": 80.0,
      "installStart": "2025-12-01",
      "installEnd": "2025-12-31"
    }
  ],
  "meta": {
    "total": 5,
    "limit": 5,
    "offset": 0
  }
}
```

6.3 API Requirements

REQ-ID	Requirement
REQ-B001-API-001	Dashboard summary endpoint SHALL respond within 500ms for brands with up to 10,000 stores
REQ-B001-API-002	All API responses SHALL include ETag headers for cache validation
REQ-B001-API-003	API SHALL return 403 Forbidden if user lacks brand-level access

7. State Transitions

7.1 Page Load State Machine

```
[Initial] → [Loading] → [Loaded]
      ↓
      [Error] → [Retry] → [Loading]
```

7.2 State Definitions

State	Trigger	UI Behavior
Initial	Page mount	Show loading state
Loading	API request in flight	Display skeleton UI
Loaded	API success	Render data
Error	API failure	Show error message with retry option
Stale	60 seconds elapsed	Background refresh, keep current data visible

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
Network failure	-	"Unable to load dashboard. Check your connection."	Retry button
Server error	500	"Something went wrong. Please try again."	Retry button
Unauthorized	401	Redirect to login	Auto-redirect
Forbidden	403	"You don't have access to this brand."	Contact admin link
Timeout	504	"Request timed out. Please try again."	Retry button

8.2 Error Requirements

REQ-ID	Requirement
REQ-B001-ERR-001	Partial failures SHALL NOT block entire dashboard; failed sections SHALL show individual error states
REQ-B001-ERR-002	All errors SHALL be logged to monitoring system with correlation ID
REQ-B001-ERR-003	Error messages SHALL NOT expose internal system details

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B001-A11Y-001	All KPI values SHALL be announced by screen readers with context (e.g., "Active Campaigns: 12")	1.3.1 Info and Relationships
REQ-B001-A11Y-002	KPI cards SHALL be keyboard navigable with Enter/Space to activate	2.1.1 Keyboard
REQ-B001-A11Y-003	Progress bars SHALL have aria-valuenow, aria-valuemin, aria-valuemax attributes	4.1.2 Name, Role, Value

REQ-B001-A11Y-004	Color-coded elements SHALL have additional non-color indicators	1.4.1 Use of Color
REQ-B001-A11Y-005	Loading states SHALL announce "Loading dashboard" to screen readers	4.1.3 Status Messages
REQ-B001-A11Y-006	Focus order SHALL follow visual layout: KPIs → Quick Actions → Recent Campaigns	2.4.3 Focus Order

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B001-FR-001	Dashboard SHALL display Active Campaigns count accurately	Must
REQ-B001-FR-002	Dashboard SHALL display Total Stores count for the brand	Must
REQ-B001-FR-003	Dashboard SHALL display Pending Reviews count with real-time accuracy	Must
REQ-B001-FR-004	Dashboard SHALL display Compliance Rate as percentage	Must
REQ-B001-FR-005	Clicking KPI card SHALL navigate to corresponding detail view	Must
REQ-B001-FR-006	Quick Actions SHALL navigate to correct destinations	Must
REQ-B001-FR-007	Recent Campaigns table SHALL show top 5 campaigns by activity	Should
REQ-B001-FR-008	Campaign progress bars SHALL reflect actual completion percentage	Must
REQ-B001-FR-009	Dashboard SHALL auto-refresh every 60 seconds	Should
REQ-B001-FR-010	Dashboard SHALL load within 2 seconds under normal conditions	Must

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B001-01	Brand Admin loads dashboard	All 4 KPIs display with correct values
TC-B001-02	Campaign Manager loads dashboard	KPIs filtered to assigned campaigns only
TC-B001-03	Click Active Campaigns KPI	Navigate to Campaign List with Active filter
TC-B001-04	Network disconnected	Error state with retry button
TC-B001-05	Brand with 0 campaigns	Empty state message displayed
TC-B001-06	Keyboard navigation	Tab order follows logical sequence

11. Related Screens

Screen	Relationship
--------	--------------

B002 Campaign List	KPI click-through destination
B006 Store List	Quick action destination
B007 Verification	Pending reviews click-through

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B002 - Campaign List

SRS Section: 7.1.2 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Campaign List screen provides brand administrators with a comprehensive view of all campaigns across their lifecycle states. It serves as the primary campaign management hub for creating, monitoring, and administering promotional campaigns.

1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access (all campaigns)
CAMPAIGN_MANAGER	Scoped access (assigned campaigns only)
REGIONAL_MANAGER	Read-only (campaigns with stores in assigned regions)

1.3 Navigation Path

- Route:** /admin/campaigns
- Entry Points:**
 - Main navigation: "Campaigns" menu item
 - Dashboard: Active Campaigns KPI click-through
 - Quick Actions: "New Campaign" redirects here after creation

1.4 Screenshot Reference

 Campaign List

2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
View all campaigns	Y	N	N
View assigned campaigns	Y	Y	Y*
Create new campaign	Y	Y	N
Edit draft campaign	Y	Y*	N
Publish campaign	Y	Y*	N
Complete campaign	Y	N	N
Archive campaign	Y	N	N
Duplicate campaign	Y	Y	N
Delete draft campaign	Y	Y*	N
Export campaign data	Y	Y*	Y*

Legend: Y = Full access | Y* = Scoped access | N = No access

2.2 Scoping Requirements

REQ-ID	Requirement
REQ-B002-SEC-001	Campaign Managers SHALL only view campaigns where they are explicitly assigned via <code>memberships.campaign_id</code>
REQ-B002-SEC-002	Regional Managers SHALL only view campaigns that include stores within their <code>region_scope_id</code>
REQ-B002-SEC-003	All campaign data SHALL be isolated by <code>brand_id</code> from authenticated user's JWT

3. UI Components

3.1 Layout Structure

Campaigns	[+ New Campaign]
[All] [Active] [Completed] [Draft] [Archived]	
 Search campaigns...	[Filter ▼] [Export ▼]
☐ Campaign Name	Status Stores Progress Actions

☐ Summer Promo 2025	●Active	234		80%	[...]
☐ Holiday Display	○Draft	--	--		[...]
☐ Q4 End Caps	●Active	156		100%	[...]
☐ Back to School	✓Complete	892		100%	[...]
☐ Spring Refresh	○Draft	--	--		[...]
Showing 1-5 of 47		[<] [1] [2] [3] [>]			

3.2 Component Specifications

Component	Type	Description
Page Header	Header bar	Title + primary action button
Status Tabs	Tab bar	Filter by campaign status
Search Bar	Text input	Full-text campaign search
Filter Dropdown	Multi-select	Date range, store group filters
Campaign Table	Data table	Sortable, selectable rows
Action Menu	Dropdown menu	Row-level actions
Pagination	Page controls	Navigate result pages
Bulk Actions	Toolbar	Actions for selected rows

3.3 Status Tab Definitions

Tab	Filter Criteria	Badge Count
All	No status filter	Total count
Active	status IN ('PUBLISHED', 'SCHEDULED')	Active count
Completed	status = 'COMPLETED'	Completed count
Draft	status = 'DRAFT'	Draft count
Archived	status IN ('ARCHIVED', 'CANCELLED')	Archived count

3.4 Campaign Status Badges

Status	Color	Icon	Description
DRAFT	Gray	○	Campaign in creation
SCHEDULED	Blue	◐	Published, awaiting start date
PUBLISHED	Green	●	Active campaign
COMPLETED	Green	✓	All stores finished
CANCELLED	Red	×	Terminated early

ARCHIVED	Gray	☐	Historical record
----------	------	--------------------------	-------------------

3.5 Row Action Menu

Action	Visibility Condition	Effect
View	Always	Navigate to Campaign Detail
Edit	status = 'DRAFT'	Navigate to Campaign Builder
Duplicate	Always	Create copy with "Copy of" prefix
Publish	status = 'DRAFT'	Transition to SCHEDULED/PUBLISHED
Complete	status = 'PUBLISHED'	Transition to COMPLETED
Archive	status IN ('COMPLETED', 'CANCELLED')	Transition to ARCHIVED
Cancel	status = 'PUBLISHED'	Transition to CANCELLED
Delete	status = 'DRAFT'	Soft delete with confirmation
Export	Always	Download campaign data

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
campaigns	id, name, status, install_start, install_end, created_at, updated_at	Read
store_assignments	campaign_id, status (aggregated)	Read
kit_definitions	campaign_id (count)	Read
users	id, name (created_by reference)	Read

4.2 List Query Requirements

REQ-ID	Requirement
REQ-B002-DATA-001	Campaign list SHALL return paginated results with default page size of 20
REQ-B002-DATA-002	Each campaign row SHALL include aggregated store count from store_assignments
REQ-B002-DATA-003	Progress percentage SHALL be calculated as $(\text{completed_assignments} / \text{total_assignments}) * 100$
REQ-B002-DATA-004	Search SHALL support partial matching on campaign name (case-insensitive)

REQ-B002-DATA-005	Results SHALL be sortable by name, status, install_start, created_at
-------------------	--

4.3 Default Sort Order

REQ-ID	Requirement
REQ-B002-DATA-006	Default sort SHALL be updated_at DESC (most recently modified first)
REQ-B002-DATA-007	Active campaigns SHALL be prioritized over archived in default view

5. Business Rules & Validation

5.1 Status Transition Rules

REQ-ID	Rule
REQ-B002-BR-001	DRAFT → PUBLISHED requires at least one store assignment
REQ-B002-BR-002	DRAFT → PUBLISHED requires at least one kit item defined
REQ-B002-BR-003	PUBLISHED → COMPLETED requires all store_assignments to be COMPLETE or WAIVED
REQ-B002-BR-004	Only BRAND_ADMIN may force-complete a campaign with incomplete stores
REQ-B002-BR-005	ARCHIVED campaigns cannot be modified or transitioned

5.2 Delete Rules

REQ-ID	Rule
REQ-B002-BR-006	Only DRAFT campaigns may be deleted
REQ-B002-BR-007	Delete operation SHALL be soft-delete (set deleted_at timestamp)
REQ-B002-BR-008	Delete SHALL require confirmation dialog

5.3 Duplicate Rules

REQ-ID	Rule
REQ-B002-BR-009	Duplicate SHALL create new campaign with status = DRAFT
REQ-B002-BR-010	Duplicate SHALL copy kit_definitions and kit_items
REQ-B002-BR-011	Duplicate SHALL NOT copy store_assignments
REQ-B002-BR-012	Duplicate name SHALL be "Copy of {original_name}"

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/campaigns	GET	List campaigns with filters
/api/v1/campaigns	POST	Create new campaign
/api/v1/campaigns/{id}	GET	Get campaign details
/api/v1/campaigns/{id}	PATCH	Update campaign
/api/v1/campaigns/{id}	DELETE	Soft delete campaign
/api/v1/campaigns/{id}/duplicate	POST	Create campaign copy
/api/v1/campaigns/{id}/publish	POST	Publish campaign
/api/v1/campaigns/{id}/complete	POST	Complete campaign
/api/v1/campaigns/{id}/archive	POST	Archive campaign

6.2 List Request Parameters

```
GET /api/v1/campaigns
  ?status[ ]=PUBLISHED&status[ ]=DRAFT
  &search=summer
  &sort=-updated_at
  &page=1
  &limit=20
```

6.3 List Response Schema

```
{
  "data": [
    {
      "id": "uuid",
      "name": "Summer Promo 2025",
      "status": "PUBLISHED",
      "installStart": "2025-12-01",
      "installEnd": "2025-12-31",
      "storeCount": 234,
      "completedCount": 187,
      "completionRate": 79.9,
      "createdAt": "2025-11-01T10:00:00Z",
      "updatedAt": "2025-12-15T14:30:00Z",
      "createdBy": {
        "id": "uuid",
        "name": "John Smith"
      }
    }
  ],
  "meta": {
    "total": 47,
```


```
"page": 1,
"limit": 20,
"totalPages": 3
}
}
```

6.4 API Requirements

REQ-ID	Requirement
REQ-B002-API-001	List endpoint SHALL support cursor-based pagination for large datasets
REQ-B002-API-002	All write operations SHALL return updated campaign object
REQ-B002-API-003	Status transitions SHALL be atomic and emit audit events
REQ-B002-API-004	Bulk operations SHALL support up to 50 campaigns per request

7. State Transitions

7.1 Campaign Lifecycle State Machine



7.2 UI State Management

State	Trigger	UI Behavior
Loading	Page mount / filter change	Show skeleton rows
Empty	API returns 0 results	Show empty state with CTA
Loaded	API success	Render campaign rows
Error	API failure	Show error with retry
Selecting	Checkbox clicked	Enable bulk action toolbar

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
List fetch failed	500	"Unable to load campaigns"	Retry button
Publish validation failed	422	"Campaign missing required items"	Show validation errors
Delete failed	409	"Cannot delete active campaign"	Explain status requirement
Concurrent edit	409	"Campaign was modified by another user"	Refresh and retry
Permission denied	403	"You don't have permission to {action}"	Contact admin

8.2 Error Requirements

REQ-ID	Requirement
REQ-B002-ERR-001	Validation errors SHALL highlight specific missing requirements
REQ-B002-ERR-002	Failed bulk operations SHALL report individual success/failure status
REQ-B002-ERR-003	Network errors SHALL preserve form state for retry

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B002-A11Y-001	Data table SHALL use proper <table>, <th>, <td> markup	1.3.1 Info and Relationships
REQ-B002-A11Y-002	Status tabs SHALL use role="tablist" with proper ARIA attributes	4.1.2 Name, Role, Value
REQ-B002-A11Y-003	Row selection checkboxes SHALL have accessible labels	1.3.1 Info and Relationships
REQ-B002-A11Y-004	Status badges SHALL have text alternatives (not just color)	1.4.1 Use of Color
REQ-B002-A11Y-005	Sort controls SHALL announce current sort state	4.1.2 Name, Role, Value
REQ-B002-A11Y-006	Pagination controls SHALL indicate current page and total	2.4.8 Location
REQ-B002-A11Y-007	Action menu SHALL be keyboard accessible with Escape to close	2.1.1 Keyboard

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B002-FR-001	Campaign list SHALL display all campaigns for brand	Must
REQ-B002-FR-002	Status tabs SHALL filter campaigns by lifecycle state	Must
REQ-B002-FR-003	Search SHALL filter campaigns by name in real-time	Must
REQ-B002-FR-004	Table columns SHALL be sortable	Should
REQ-B002-FR-005	Row actions SHALL reflect campaign state (conditional visibility)	Must
REQ-B002-FR-006	"New Campaign" button SHALL navigate to Campaign Builder	Must
REQ-B002-FR-007	Pagination SHALL navigate between result pages	Must
REQ-B002-FR-008	Bulk selection SHALL enable bulk action toolbar	Should
REQ-B002-FR-009	Duplicate action SHALL create copy with correct naming	Must
REQ-B002-FR-010	Delete action SHALL require confirmation dialog	Must

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B002-01	Brand Admin views all campaigns	All campaigns for brand displayed
TC-B002-02	Campaign Manager views campaigns	Only assigned campaigns shown
TC-B002-03	Click Active tab	Only PUBLISHED/SCHEDULED campaigns shown
TC-B002-04	Search for "summer"	Matching campaigns filtered
TC-B002-05	Sort by install date	Campaigns reordered correctly
TC-B002-06	Attempt to publish incomplete draft	Validation errors displayed
TC-B002-07	Duplicate campaign	New draft created with "Copy of" prefix
TC-B002-08	Delete draft campaign	Confirmation shown, campaign removed
TC-B002-09	Select 3 campaigns, bulk archive	All 3 archived successfully

11. Related Screens

Screen	Relationship
B001 Dashboard	Entry point via KPI click
B003 Store Selection	Campaign Builder Step 1

B004 Kit Definition	Campaign Builder Step 2
B005 Campaign Review	Campaign Builder Step 3

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B003 - Store Selection

SRS Section: 7.1.3 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Store Selection screen is the first step in the Campaign Builder wizard. It allows campaign creators to define which stores will participate in a campaign using a rule-based "Selection Recipe" system that supports both inclusion and exclusion criteria.

1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access
CAMPAIGN_MANAGER	Full access (for assigned campaigns)
REGIONAL_MANAGER	No access

1.3 Navigation Path

- **Route:** /admin/campaigns/create/stores (new campaign)
- **Route:** /admin/campaigns/:id/edit/stores (edit existing)
- **Entry Points:**
 - Campaign List: "New Campaign" button
 - Campaign Detail: "Edit" action (draft only)
- **Wizard Position:** Step 1 of 3

1.4 Screenshot Reference

 Store Selection

2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
Access store selection wizard	Y	Y*	N
View all regions	Y	Y	N
View all store groups	Y	Y	N
Add inclusion rules	Y	Y	N
Add exclusion rules	Y	Y	N
Preview store list	Y	Y	N
Save and continue	Y	Y	N

Legend: Y = Full access | Y* = Only for assigned campaigns | N = No access

2.2 Data Scoping Requirements

REQ-ID	Requirement
REQ-B003-SEC-001	Store options SHALL be limited to stores within the authenticated user's brand
REQ-B003-SEC-002	Region hierarchy SHALL only display regions belonging to the brand
REQ-B003-SEC-003	Campaign edits SHALL only be allowed when campaign status = DRAFT

3. UI Components

3.1 Layout Structure

Create Campaign

Step 1: Select Stores

Step 2: Define Kit

Step 3: Review

Campaign Name *

Summer Promo 2025

Store Selection Recipe

INCLUDE stores where:

Region[=][Northeast▼][×]

Group[=][Premium Locations▼][×]

[+ Add Rule]

EXCLUDE stores where:

Status[=][Inactive▼][×]

[+ Add Exclusion]

Preview: 234 stores selected[View Store List]

[Cancel][Save & Continue →]

3.2 Component Specifications

Component	Type	Description
Wizard Progress	Stepper	Visual step indicator (1/3)
Campaign Name	Text input	Required campaign identifier
Include Rules	Rule builder	Additive selection criteria
Exclude Rules	Rule builder	Subtractive selection criteria
Preview Count	Dynamic counter	Real-time store count
Store List Modal	Data table modal	Preview selected stores
Navigation Buttons	Button group	Cancel, Save & Continue

3.3 Rule Builder Fields

Field	Operators	Value Options
Region	=, IN	Dropdown of brand regions
District	=, IN	Dropdown (filtered by region)
Territory	=, IN	Dropdown (filtered by district)
Store Group	=, IN	Dropdown of store groups
Store Status	=, !=	ACTIVE, INACTIVE, ONBOARDING
Store Type	=, IN	Multi-select of store types
Custom Attribute	=, !=, CONTAINS	Text/value input

3.4 Component States

State	Campaign Name	Rule Builder	Preview	Actions
Initial	Empty, focused	Empty, hint text	"0 stores"	Disabled
Building	Valid input	Rules added	Calculating...	Disabled
Ready	Valid input	Valid rules	"234 stores"	Enabled
Error	Invalid (red border)	Invalid rule	Error message	Disabled
Saving	Readonly	Readonly	Unchanged	Loading spinner

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
campaigns	id, name, selection_recipe_json, brand_id	Read/Write
regions	id, name, parent_region_id	Read
districts	id, name, region_id	Read
territories	id, name, district_id	Read
stores	id, name, store_number, region_id, status	Read
store_groups	id, name, selection_criteria_json	Read
store_group_memberships	store_id, group_id	Read

4.2 Selection Recipe Schema

```
{
  "version": 1,
  "include": [
    {
      "field": "region_id",
      "operator": "IN",
      "values": ["uuid1", "uuid2"]
    },
    {
      "field": "group_id",
      "operator": "=",
      "value": "uuid3"
    }
  ],
  "exclude": [
    {
      "field": "status",
```

```
      "operator": "=",
      "value": "INACTIVE"
    }
  ],
  "logic": "AND"
}
```

4.3 Data Requirements

REQ-ID	Requirement
REQ-B003-DATA-001	Selection recipe SHALL be stored as JSONB in <code>campaigns.selection_recipe_json</code>
REQ-B003-DATA-002	Store preview count SHALL be calculated server-side for accuracy
REQ-B003-DATA-003	Region hierarchy SHALL support unlimited nesting depth
REQ-B003-DATA-004	Store groups SHALL resolve membership at query time (dynamic)

5. Business Rules & Validation

5.1 Campaign Name Validation

REQ-ID	Rule
REQ-B003-BR-001	Campaign name SHALL be required (minimum 3 characters)
REQ-B003-BR-002	Campaign name SHALL be unique within brand (case-insensitive)
REQ-B003-BR-003	Campaign name SHALL not exceed 100 characters

5.2 Selection Recipe Rules

REQ-ID	Rule
REQ-B003-BR-004	At least one inclusion rule SHALL be required
REQ-B003-BR-005	Exclusion rules SHALL be optional
REQ-B003-BR-006	Inclusion rules SHALL be combined with AND logic
REQ-B003-BR-007	Selection SHALL result in at least one store to proceed
REQ-B003-BR-008	Empty selection SHALL display warning but allow save as draft

5.3 Rule Hierarchy

REQ-ID	Rule
REQ-B003-BR-009	Exclusions SHALL be applied after inclusions
REQ-B003-BR-010	District filter SHALL cascade to parent region
REQ-B003-BR-011	Duplicate rules (same field+operator+value) SHALL be prevented

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/campaigns	POST	Create new campaign
/api/v1/campaigns/{id}	PATCH	Update campaign
/api/v1/campaigns/{id}/preview-stores	POST	Preview store count
/api/v1/campaigns/{id}/stores	GET	List selected stores
/api/v1/regions	GET	List brand regions
/api/v1/store-groups	GET	List store groups

6.2 Preview Request

```
// POST /api/v1/campaigns/{id}/preview-stores
{
  "selectionRecipe": {
    "include": [
      {"field": "region_id", "operator": "IN", "values": ["uuid1"]}
    ],
    "exclude": [
      {"field": "status", "operator": "=", "value": "INACTIVE"}
    ]
  }
}
```

6.3 Preview Response

```
{
  "count": 234,
  "breakdown": {
    "byRegion": [
      {"regionId": "uuid1", "name": "Northeast", "count": 156},
      {"regionId": "uuid2", "name": "Midwest", "count": 78}
    ],
    "byStatus": [
      {"status": "ACTIVE", "count": 234}
    ]
  }
}
```

6.4 Save Campaign Request


```
// PATCH /api/v1/campaigns/{id}
{
  "name": "Summer Promo 2025",
  "selectionRecipe": {
    "version": 1,
    "include": [...],
    "exclude": [...],
    "logic": "AND"
  }
}
```

6.5 API Requirements


REQ-ID	Requirement
REQ-B003-API-001	Preview endpoint SHALL respond within 2 seconds for up to 50,000 stores
REQ-B003-API-002	Preview SHALL be debounced on client (300ms delay)
REQ-B003-API-003	Store list endpoint SHALL support pagination
REQ-B003-API-004	Save SHALL validate recipe before persisting

7. State Transitions

7.1 Wizard Navigation State Machine



7.2 Form State Machine



7.3 Preview State

State	Trigger	Display
Idle	Initial load	"0 stores selected"
Loading	Rule change	"Calculating..." with spinner
Ready	Preview success	"{count} stores selected"
Warning	Count = 0	"No stores match criteria" (yellow)
Error	Preview failed	"Unable to preview" with retry

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
Duplicate name	422	"Campaign name already exists"	Edit name
Invalid recipe	422	"Selection rules are invalid"	Fix highlighted rules
No stores selected	422	"At least one store required to publish"	Add inclusion rules
Region not found	404	"Selected region no longer exists"	Remove rule
Save failed	500	"Unable to save campaign"	Retry
Session expired	401	Redirect to login	Re-authenticate

8.2 Validation Messages

Field	Validation	Message
Campaign Name	Required	"Campaign name is required"
Campaign Name	Min length	"Name must be at least 3 characters"
Campaign Name	Max length	"Name cannot exceed 100 characters"
Campaign Name	Unique	"A campaign with this name already exists"
Include Rules	Required	"Add at least one inclusion rule"
Rule Value	Required	"Select a value for this rule"

8.3 Error Requirements

REQ-ID	Requirement
REQ-B003-ERR-001	Form validation SHALL occur on blur and on submit
REQ-B003-ERR-002	Inline errors SHALL appear adjacent to invalid fields
REQ-B003-ERR-003	Save errors SHALL preserve all form data

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B003-A11Y-001	Wizard stepper SHALL announce current step to screen readers	1.3.1 Info and Relationships
REQ-B003-A11Y-002	Rule builder SHALL support keyboard navigation (Tab, Enter, Escape)	2.1.1 Keyboard

REQ-B003-A11Y-003	Dropdown options SHALL be filterable via keyboard typing	2.1.1 Keyboard
REQ-B003-A11Y-004	Form errors SHALL be announced via aria-live regions	4.1.3 Status Messages
REQ-B003-A11Y-005	Remove rule button SHALL have descriptive aria-label	4.1.2 Name, Role, Value
REQ-B003-A11Y-006	Preview count SHALL be announced when updated	4.1.3 Status Messages
REQ-B003-A11Y-007	Focus SHALL move to first error field on validation failure	2.4.3 Focus Order

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B003-FR-001	User SHALL be able to enter campaign name	Must
REQ-B003-FR-002	User SHALL be able to add inclusion rules	Must
REQ-B003-FR-003	User SHALL be able to add exclusion rules	Must
REQ-B003-FR-004	Rules SHALL support Region, District, Group, Status fields	Must
REQ-B003-FR-005	Preview count SHALL update as rules are modified	Must
REQ-B003-FR-006	User SHALL be able to view full store list	Should
REQ-B003-FR-007	User SHALL be able to remove individual rules	Must
REQ-B003-FR-008	Save SHALL persist campaign and selection recipe	Must
REQ-B003-FR-009	Continue SHALL navigate to Kit Definition step	Must
REQ-B003-FR-010	Cancel SHALL return to Campaign List with confirmation	Should

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B003-01	Enter valid campaign name	Name accepted, no errors
TC-B003-02	Enter duplicate campaign name	Error displayed inline
TC-B003-03	Add region inclusion rule	Preview count updates
TC-B003-04	Add status exclusion rule	Preview count reduces
TC-B003-05	Remove all inclusion rules	Warning: "Add at least one rule"

TC-B003-06	Create rules selecting 0 stores	Warning displayed, save allowed
TC-B003-07	Click View Store List	Modal shows matching stores
TC-B003-08	Save & Continue	Navigate to Step 2
TC-B003-09	Click Cancel with unsaved changes	Confirmation dialog shown
TC-B003-10	Keyboard navigate rule builder	All controls accessible

11. Related Screens

Screen	Relationship
B002 Campaign List	Entry point, cancel destination
B004 Kit Definition	Next wizard step
B006 Store List	Store data source

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B004 - Kit Definition

SRS Section: 7.1.4 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Kit Definition screen is the second step in the Campaign Builder wizard. It allows campaign creators to define the promotional materials (kit items) that will be distributed to stores, including item specifications, quantities, and optional placement requirements.

1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access
CAMPAIGN_MANAGER	Full access (for assigned campaigns)
REGIONAL_MANAGER	No access

1.3 Navigation Path

- **Route:** /admin/campaigns/:id/edit/kit
- **Entry Points:**
 - Campaign Builder Step 1: "Save & Continue" button
 - Campaign Detail: "Edit" action (draft only)
- **Wizard Position:** Step 2 of 3

1.4 Screenshot Reference



2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
Access kit definition wizard	Y	Y*	N
Add kit items	Y	Y	N
Edit kit items	Y	Y	N
Remove kit items	Y	Y	N
Configure photo requirements	Y	Y	N
Assign location slots	Y	Y	N
Reorder items (drag-drop)	Y	Y	N
Save and continue	Y	Y	N
Navigate back to stores	Y	Y	N

Legend: Y = Full access | Y* = Only for assigned campaigns | N = No access

2.2 Data Scoping Requirements

REQ-ID	Requirement
REQ-B004-SEC-001	Kit definitions SHALL be limited to campaigns within the authenticated user's brand
REQ-B004-SEC-002	Location slots SHALL only display slots from store layouts belonging to the brand
REQ-B004-SEC-003	Kit edits SHALL only be allowed when campaign status = DRAFT
REQ-B004-SEC-004	Photo rules SHALL be configurable only by users with kit management permissions

3. UI Components

3.1 Layout Structure

Create Campaign

Step 1: Select Stores

Step 2: Define Kit

Step 3: Review

Kit Items

[+ Add Item]

≡ 1. Summer Poster (24x36)

Type: POSTER | Qty: 2 | Location: FRONT_WINDOW

 Photo Required: Front view

[Edit]

[x]

≡ 2. Counter Display Stand

Type: COUNTER_DISPLAY | Qty: 1 | Location: --

 No photo required

[Edit]

[x]

≡ 3. Window Cling Set

Type: WINDOW_CLING | Qty: 4 | Location: ENTRY

 Photo Required: Installed view

[Edit]

[x]

Kit Summary: 3 items, 7 total units

[← Back]

[Save & Continue →]

3.2 Component Specifications

Component	Type	Description
Wizard Progress	Stepper	Visual step indicator (2/3) with Step 1 checkmark
Kit Items List	Sortable list	Drag-drop reorderable item cards
Add Item Button	Primary button	Opens item creation modal
Item Card	Card component	Displays item details with edit/delete actions
Drag Handle	Icon button	Enables drag-drop reordering
Item Edit Modal	Modal dialog	Full item configuration form
Kit Summary	Summary bar	Aggregated item/unit counts
Navigation Buttons	Button group	Back, Save & Continue

3.3 Kit Item Types

Item Type	Code	Description
Poster	POSTER	Wall-mounted promotional poster
Standee	STANDEE	Free-standing display
Banner	BANNER	Hanging or mounted banner
Shelf Talker	SHELF_TALKER	Shelf-edge promotional tag
Window Cling	WINDOW_CLING	Adhesive window decoration
Counter Display	COUNTER_DISPLAY	Point-of-sale counter unit

3.4 Location Slot Options

Slot Code	Display Name	Description
FRONT_WINDOW	Front Window	Primary storefront window
END_CAP_A	End Cap A	First aisle end cap
END_CAP_B	End Cap B	Second aisle end cap
CHECKOUT	Checkout Area	Near registers
ENTRY_DOOR	Entry Door	Store entrance
BACK_WALL	Back Wall	Rear wall display area

3.5 Component States

State	Kit Items List	Add Button	Actions	Navigation
Initial	Empty, hint text	Enabled	--	Back enabled, Continue disabled
Has Items	Item cards displayed	Enabled	Edit/Delete visible	Both enabled
Editing	Item highlighted	Disabled	Modal open	Disabled
Dragging	Drop zones visible	Disabled	Hidden	Disabled
Saving	Readonly	Disabled	Disabled	Loading spinner
Error	Unchanged	Enabled	Enabled	Retry available

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
kit_definitions	id, campaign_id, name, is_template	Read/Write
kit_items	id, kit_definition_id, sku, name, item_type, quantity, sort_order	Read/Write

location_slots	id, slot_code, name	Read
photo_rules	id, kit_item_id, min_photos, required_angles[], instructions	Read/Write
campaigns	id, status	Read

4.2 Kit Item Schema

```
{
  "id": "uuid",
  "kitDefinitionId": "uuid",
  "name": "Summer Poster (24x36)",
  "sku": "POSTER-SUM-2436",
  "itemType": "POSTER",
  "quantity": 2,
  "locationSlotId": "uuid|null",
  "sortOrder": 1,
  "photoRule": {
    "minPhotos": 1,
    "requiredAngles": ["front"],
    "instructions": "Capture full poster with surrounding context"
  }
}
```

4.3 Data Requirements

REQ-ID	Requirement
REQ-B004-DATA-001	Kit definition SHALL be automatically created when campaign is created
REQ-B004-DATA-002	Kit items SHALL maintain sort_order for consistent display ordering
REQ-B004-DATA-003	Location slot assignment SHALL be optional (nullable foreign key)
REQ-B004-DATA-004	Photo rules SHALL be stored as separate entity linked to kit_item
REQ-B004-DATA-005	Item SKU SHALL be auto-generated if not provided (format: {TYPE}-{CAMPAIGN_CODE}-{SEQ})

5. Business Rules & Validation

5.1 Kit Item Validation

REQ-ID	Rule
REQ-B004-BR-001	Item name SHALL be required (minimum 3 characters, maximum 100 characters)

REQ-B004-BR-002	Item type SHALL be required and selected from predefined enum
REQ-B004-BR-003	Quantity SHALL be required and between 1 and 999
REQ-B004-BR-004	SKU SHALL be unique within the kit definition

5.2 Kit Definition Rules

REQ-ID	Rule
REQ-B004-BR-005	At least one kit item SHALL be required to proceed to Review step
REQ-B004-BR-006	Maximum of 50 kit items SHALL be allowed per campaign
REQ-B004-BR-007	Total unit count (sum of quantities) SHALL be displayed in summary
REQ-B004-BR-008	Item sort order SHALL be preserved when saving

5.3 Photo Rule Configuration

REQ-ID	Rule
REQ-B004-BR-009	Photo requirements SHALL be optional per item
REQ-B004-BR-010	When enabled, minimum photos SHALL default to 1
REQ-B004-BR-011	Required angles SHALL support: front, left, right, top, detail
REQ-B004-BR-012	Photo instructions SHALL be optional free text (max 500 characters)

5.4 Location Slot Rules

REQ-ID	Rule
REQ-B004-BR-013	Same location slot MAY be assigned to multiple items
REQ-B004-BR-014	Location slots SHALL only show slots defined in brand's store layouts
REQ-B004-BR-015	Unassigned slot SHALL be valid (item not location-specific)

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/campaigns/{id}/kit	GET	Get kit definition with items
/api/v1/campaigns/{id}/kit/items	POST	Add kit item
/api/v1/campaigns/{id}/kit/items/{itemId}	PATCH	Update kit item
/api/v1/campaigns/{id}/kit/items/{itemId}	DELETE	Remove kit item
/api/v1/campaigns/{id}/kit/items/reorder	POST	Update item sort order

/api/v1/location-slots

GET

List available location slots

6.2 Get Kit Definition Response

```
// GET /api/v1/campaigns/{id}/kit
{
  "id": "uuid",
  "campaignId": "uuid",
  "name": "Summer Promo 2025 Kit",
  "items": [
    {
      "id": "uuid",
      "name": "Summer Poster (24x36)",
      "sku": "POSTER-SUM-001",
      "itemType": "POSTER",
      "quantity": 2,
      "sortOrder": 1,
      "locationSlot": {
        "id": "uuid",
        "code": "FRONT_WINDOW",
        "name": "Front Window"
      },
      "photoRule": {
        "minPhotos": 1,
        "requiredAngles": ["front"],
        "instructions": "Capture full poster"
      }
    }
  ],
  "summary": {
    "itemCount": 3,
    "totalUnits": 7
  }
}
```

6.3 Add Item Request

```
// POST /api/v1/campaigns/{id}/kit/items
{
  "name": "Counter Display Stand",
  "itemType": "COUNTER_DISPLAY",
  "quantity": 1,
  "locationSlotId": null,
  "photoRule": {
    "enabled": false
  }
}
```

6.4 Reorder Items Request


```
// POST /api/v1/campaigns/{id}/kit/items/reorder
{
  "itemOrder": [
    { "itemId": "uuid1", "sortOrder": 1 },
    { "itemId": "uuid2", "sortOrder": 2 },
    { "itemId": "uuid3", "sortOrder": 3 }
  ]
}
```

6.5 API Requirements


REQ-ID	Requirement
REQ-B004-API-001	Kit endpoints SHALL validate campaign ownership before any operation
REQ-B004-API-002	Add/Update operations SHALL return the complete updated item object
REQ-B004-API-003	Reorder operation SHALL be atomic (all-or-nothing)
REQ-B004-API-004	Delete operation SHALL return 204 No Content on success

7. State Transitions


7.1 Wizard Navigation State Machine



7.2 Item Edit State Machine



7.3 Drag-Drop State Machine



7.4 Item Card States

State	Trigger	UI Behavior
Default	Normal display	Card with actions visible on hover
Hover	Mouse enter	Highlight, show all actions
Dragging	Drag start	Elevated shadow, placeholder in list
Editing	Edit click	Modal open, card dimmed
Deleting	Delete confirm	Fade out animation

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
Duplicate SKU	422	"An item with this SKU already exists"	Edit SKU
Max items exceeded	422	"Maximum of 50 items per campaign"	Remove items
Invalid quantity	422	"Quantity must be between 1 and 999"	Correct quantity
Campaign not draft	403	"Cannot modify published campaign"	Return to list
Save failed	500	"Unable to save item"	Retry
Reorder failed	500	"Unable to update order"	Refresh list

8.2 Validation Messages

Field	Validation	Message
Item Name	Required	"Item name is required"
Item Name	Min length	"Name must be at least 3 characters"
Item Name	Max length	"Name cannot exceed 100 characters"
Item Type	Required	"Select an item type"
Quantity	Required	"Quantity is required"
Quantity	Range	"Quantity must be between 1 and 999"
SKU	Unique	"SKU is already in use"
Photo Instructions	Max length	"Instructions cannot exceed 500 characters"

8.3 Error Requirements

REQ-ID	Requirement
REQ-B004-ERR-001	Form validation SHALL occur on blur and on submit

REQ-B004-ERR-002	Modal SHALL remain open on validation error with fields highlighted
REQ-B004-ERR-003	Failed drag-drop SHALL revert to original order
REQ-B004-ERR-004	Network errors SHALL preserve unsaved modal data

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B004-A11Y-001	Wizard stepper SHALL announce current step and completion status	1.3.1 Info and Relationships
REQ-B004-A11Y-002	Drag-drop SHALL have keyboard alternative (move up/down buttons)	2.1.1 Keyboard
REQ-B004-A11Y-003	Item cards SHALL be keyboard navigable with Enter to edit	2.1.1 Keyboard
REQ-B004-A11Y-004	Modal dialogs SHALL trap focus until dismissed	2.4.3 Focus Order
REQ-B004-A11Y-005	Delete confirmation SHALL be announced to screen readers	4.1.3 Status Messages
REQ-B004-A11Y-006	Item type icons SHALL have text alternatives	1.1.1 Non-text Content
REQ-B004-A11Y-007	Sort order changes SHALL be announced via aria-live	4.1.3 Status Messages
REQ-B004-A11Y-008	Form errors SHALL move focus to first invalid field	2.4.3 Focus Order

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B004-FR-001	User SHALL be able to add kit items with name, type, quantity	Must
REQ-B004-FR-002	User SHALL be able to edit existing kit items	Must
REQ-B004-FR-003	User SHALL be able to delete kit items with confirmation	Must
REQ-B004-FR-004	User SHALL be able to reorder items via drag-drop	Should
REQ-B004-FR-005	User SHALL be able to assign location slots to items	Should
REQ-B004-FR-006	User SHALL be able to configure photo requirements per item	Must
REQ-B004-FR-007	Kit summary SHALL display item count and total units	Must

REQ-B004-FR-008	Save SHALL persist all items and navigate to Review step	Must
REQ-B004-FR-009	Back button SHALL return to Store Selection step	Must
REQ-B004-FR-010	Empty kit SHALL prevent navigation to Review step	Must

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B004-01	Add first kit item	Item appears in list, summary shows "1 item"
TC-B004-02	Add item with photo requirement	Photo rule saved and displayed
TC-B004-03	Edit existing item	Changes reflected immediately
TC-B004-04	Delete item with confirmation	Item removed, summary updated
TC-B004-05	Drag item to new position	Order updated, sort_order persisted
TC-B004-06	Assign location slot	Slot displayed on item card
TC-B004-07	Add item with duplicate SKU	Validation error shown
TC-B004-08	Attempt to proceed with empty kit	Continue button disabled, message shown
TC-B004-09	Save and continue	Navigate to Review step
TC-B004-10	Keyboard reorder via move buttons	Items reordered without mouse

11. Related Screens

Screen	Relationship
B003 Store Selection	Previous wizard step
B005 Campaign Review	Next wizard step
B002 Campaign List	Cancel destination

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B005 - Campaign Review & Launch

SRS Section: 7.1.5 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Campaign Review screen is the final step in the Campaign Builder wizard. It presents a comprehensive summary of the campaign configuration including selected stores, kit definitions, and scheduling details. Upon approval, the publish action creates store assignments and triggers initial order generation.


1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access
CAMPAIGN_MANAGER	Full access (for assigned campaigns)
REGIONAL_MANAGER	No access

1.3 Navigation Path

- **Route:** /admin/campaigns/:id/edit/review (wizard step 3)
- **Route:** /admin/campaigns/:id/review (standalone review)
- **Entry Points:**
 - Campaign Builder: "Continue" from Kit Definition step
 - Campaign Detail: "Review" action (draft only)
- **Wizard Position:** Step 3 of 3

1.4 Screenshot Reference



2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
Access review screen	Y	Y*	N
View campaign summary	Y	Y*	N
Edit install dates	Y	Y*	N
Modify scheduling	Y	Y*	N
Publish campaign	Y	Y*	N
Schedule campaign	Y	Y*	N
Save as draft	Y	Y*	N
Navigate back to edit	Y	Y*	N

Legend: Y = Full access | Y* = Only for assigned campaigns | N = No access

2.2 Data Scoping Requirements

REQ-ID	Requirement
REQ-B005-SEC-001	Campaign data SHALL be restricted to the authenticated user's brand_id
REQ-B005-SEC-002	Campaign Manager access SHALL be validated against memberships table
REQ-B005-SEC-003	Publish action SHALL only be available when campaign status = DRAFT

3. UI Components

3.1 Layout Structure

Create Campaign

Step 1: Select Stores

Step 2: Define Kit

Step 3: Review

Campaign Summary

Campaign Name: Summer Promo 2025

Status: Draft

Store Selection

234 stores selected

3 regions

0 exclusions

[View Details]

Kit Definition

5 items defined

12 total pieces

3 photo requirements

[View Details]

Installation Schedule

Install Start *

Dec 1, 2025

Install End *

Dec 31, 2025

☒ Allow late installations (extend by 7 days)

Pre-Launch Checklist

✓ Campaign name defined

✓ At least one store selected (234 stores)

✓ Kit items defined (5 items)

✓ Photo requirements configured

✓ Install dates set

o All items have SKUs (2 missing)

[Fix]

⬅ Back

[Save Draft]

[Publish Campaign]

3.2 Component Specifications

Component	Type	Description
Wizard Progress	Stepper	Visual step indicator (3/3)
Campaign Summary Card	Info card	Name, status, quick edit link
Store Selection Summary	Summary card	Store count, region breakdown
Kit Definition Summary	Summary card	Item count, piece count, photo rules
Installation Schedule	Date range picker	Start and end date selection
Late Installation Toggle	Checkbox	Optional grace period extension
Pre-Launch Checklist	Validation list	Real-time publish readiness
Action Buttons	Button group	Back, Save Draft, Publish

3.3 Summary Card Details

3.3.1 Store Selection Summary

Metric	Source	Display
Total Stores	Selection recipe evaluation	"234 stores selected"
Region Count	Distinct regions in selection	"3 regions"
Exclusion Count	Exclusion rules applied	"0 exclusions"

3.3.2 Kit Definition Summary

Metric	Source	Display
Item Count	kit_items.count	"5 items defined"
Total Pieces	SUM(kit_items.quantity)	"12 total pieces"
Photo Requirements	kit_items with photo_rule_id	"3 photo requirements"

3.4 Pre-Launch Checklist Items

Item	Validation	Pass Condition
Campaign name	Required field	name.length >= 3
Store selection	Selection recipe	store_count > 0
Kit items	Kit definition	kit_items.length > 0
Photo requirements	Photo rules	All items with requires_photo have rules
Install dates	Date range	install_start < install_end
Item SKUs	Optional warning	All items have SKU defined

3.5 Component States

State	Summary Cards	Schedule	Checklist	Publish Button
Loading	Skeleton	Skeleton	Skeleton	Disabled
Incomplete	Data shown	Editable	Shows failures	Disabled
Ready	Data shown	Editable	All passed	Enabled
Publishing	Readonly	Readonly	Readonly	Loading spinner
Error	Data shown	Editable	Shows failures	Retry enabled

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
campaigns	id, name, status, install_start, install_end, selection_recipe_json	Read/Write
kit_definitions	id, campaign_id, name	Read
kit_items	id, kit_definition_id, sku, quantity, photo_rule_id	Read
stores	id, region_id (aggregated)	Read
regions	id, name	Read
store_assignments	(created on publish)	Write
store_orders	(created on publish)	Write

4.2 Campaign Summary Query

```
SELECT
  c.id,
  c.name,
  c.status,
```

```

c.install_start,
c.install_end,
c.selection_recipe_json,
COUNT(DISTINCT ki.id) as item_count,
SUM(ki.quantity) as total_pieces,
COUNT(DISTINCT ki.photo_rule_id) FILTER (WHERE ki.photo_rule_id IS NOT NULL) as
photo_rule_count
FROM campaigns c
LEFT JOIN kit_definitions kd ON kd.campaign_id = c.id
LEFT JOIN kit_items ki ON ki.kit_definition_id = kd.id
WHERE c.id = :campaign_id
      AND c.deleted_at IS NULL
GROUP BY c.id;

```

4.3 Data Requirements

REQ-ID	Requirement
REQ-B005-DATA-001	Summary data SHALL be fetched in a single optimized query
REQ-B005-DATA-002	Store count SHALL be calculated from selection recipe at query time
REQ-B005-DATA-003	Checklist validation SHALL be performed server-side before publish
REQ-B005-DATA-004	Publish operation SHALL be atomic (all-or-nothing transaction)

5. Business Rules & Validation

5.1 Date Validation Rules

REQ-ID	Rule
REQ-B005-BR-001	Install start date SHALL be required for publish
REQ-B005-BR-002	Install end date SHALL be required for publish
REQ-B005-BR-003	Install start SHALL be >= current date
REQ-B005-BR-004	Install end SHALL be > install start
REQ-B005-BR-005	Date range SHALL not exceed 90 days without admin approval

5.2 Publish Prerequisites

REQ-ID	Rule
REQ-B005-BR-006	Campaign name SHALL be at least 3 characters
REQ-B005-BR-007	At least one store SHALL be selected
REQ-B005-BR-008	At least one kit item SHALL be defined
REQ-B005-BR-009	All kit items requiring photos SHALL have photo rules assigned

REQ-B005-BR-010	Campaign status SHALL be DRAFT to allow publish
-----------------	---

5.3 Publish Actions

REQ-ID	Rule
REQ-B005-BR-011	Publish SHALL create store_assignments for each selected store
REQ-B005-BR-012	Publish SHALL create assignment_items for each kit_item per store
REQ-B005-BR-013	Publish SHALL generate initial store_orders with status GENERATED
REQ-B005-BR-014	Campaign status SHALL transition to SCHEDULED if start_date > today
REQ-B005-BR-015	Campaign status SHALL transition to PUBLISHED if start_date <= today

5.4 Late Installation Option

REQ-ID	Rule
REQ-B005-BR-016	Late installation grace period SHALL default to 7 days
REQ-B005-BR-017	Grace period SHALL be configurable at brand level (1-30 days)
REQ-B005-BR-018	Stores MAY submit installations after end_date if grace period enabled

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/campaigns/{id}	GET	Get campaign with summary
/api/v1/campaigns/{id}	PATCH	Update install dates
/api/v1/campaigns/{id}/summary	GET	Get detailed summary
/api/v1/campaigns/{id}/validate	POST	Validate publish readiness
/api/v1/campaigns/{id}/publish	POST	Execute publish workflow

6.2 Summary Request

```
// GET /api/v1/campaigns/{id}/summary
// Response 200 OK
{
  "campaign": {
    "id": "uuid",
    "name": "Summer Promo 2025",
    "status": "DRAFT",
    "installStart": "2025-12-01",
    "installEnd": "2025-12-31",
```

```

    "allowLateInstallation": true,
    "gracePeriodDays": 7
  },
  "storeSelection": {
    "totalStores": 234,
    "regions": [
      { "id": "uuid", "name": "Northeast", "storeCount": 156 },
      { "id": "uuid", "name": "Midwest", "storeCount": 78 }
    ],
    "exclusionCount": 0
  },
  "kitDefinition": {
    "itemCount": 5,
    "totalPieces": 12,
    "photoRequirements": 3,
    "items": [
      { "id": "uuid", "name": "Window Banner", "quantity": 2, "hasSku": true },
      { "id": "uuid", "name": "Counter Display", "quantity": 1, "hasSku": false }
    ]
  },
  "checklist": {
    "campaignName": { "passed": true, "message": "Campaign name defined" },
    "storeSelection": { "passed": true, "message": "234 stores selected" },
    "kitItems": { "passed": true, "message": "5 items defined" },
    "photoRules": { "passed": true, "message": "Photo requirements configured" },
    "installDates": { "passed": true, "message": "Install dates set" },
    "itemSkus": { "passed": false, "message": "2 items missing SKUs", "fixable": true }
  },
  "readyToPublish": false
}

```

6.3 Validate Request

```

// POST /api/v1/campaigns/{id}/validate
// Response 200 OK
{
  "valid": false,
  "errors": [
    {
      "code": "MISSING_SKU",
      "field": "kit_items",
      "message": "2 items are missing SKUs",
      "itemIds": ["uuid1", "uuid2"]
    }
  ],
  "warnings": [
    {
      "code": "LARGE_CAMPAIGN",
      "message": "This campaign will create 234 store assignments"
    }
  ]
}

```

```
]
}
```

6.4 Publish Request

```
// POST /api/v1/campaigns/{id}/publish
{
  "installStart": "2025-12-01",
  "installEnd": "2025-12-31",
  "allowLateInstallation": true,
  "gracePeriodDays": 7,
  "notifyStores": true
}
```

6.5 Publish Response


```
// Response 200 OK
{
  "campaign": {
    "id": "uuid",
    "status": "SCHEDULED",
    "publishedAt": "2025-11-15T10:30:00Z",
    "publishedBy": "uuid"
  },
  "assignments": {
    "created": 234,
    "storeOrders": 234
  },
  "notifications": {
    "scheduled": 234,
    "method": "email"
  }
}
```

6.6 API Requirements


REQ-ID	Requirement
REQ-B005-API-001	Publish endpoint SHALL complete within 30 seconds for up to 10,000 stores
REQ-B005-API-002	Publish SHALL use background job for >1,000 stores
REQ-B005-API-003	Publish progress SHALL be trackable via SSE or polling
REQ-B005-API-004	Failed publish SHALL rollback all created records
REQ-B005-API-005	Publish SHALL emit webhook event to registered endpoints

7. State Transitions


7.1 Campaign Status Transition (Publish)



7.2 Wizard Navigation State Machine



7.3 Publish State Machine



7.4 UI State Transitions

State	Trigger	Next State
Loading	Page mount	Ready / Error
Ready	All validations pass	Ready
Invalid	Validation failure	Invalid (show errors)
Validating	Publish clicked	Publishing / Invalid
Publishing	Validation passed	Success / Failed
Success	Publish complete	Redirect to detail
Failed	Publish error	Failed (retry enabled)

8. Error Handling

8.1 Validation Errors

Error	Display Location	User Message
Missing campaign name	Checklist + inline	"Campaign name is required"
No stores selected	Checklist	"Add at least one store to publish"
No kit items	Checklist	"Add at least one kit item"
Missing photo rules	Checklist	"Configure photo requirements for all items"
Invalid dates	Date inputs	"Install end must be after start date"
Past start date	Date input	"Start date must be today or later"

8.2 Publish Errors

Error	HTTP Code	User Message	Recovery Action
Validation failed	422	"Please fix the issues in the checklist"	Show validation errors
Concurrent edit	409	"Campaign was modified. Please refresh."	Refresh page
Publish timeout	504	"Publishing is taking longer than expected"	Show progress / retry
Order generation failed	500	"Unable to create store orders"	Contact support
Partial failure	207	"Some assignments could not be created"	Show failure details

8.3 Error Requirements

REQ-ID	Requirement
REQ-B005-ERR-001	Validation errors SHALL be displayed inline in the checklist
REQ-B005-ERR-002	Publish failures SHALL preserve all form data
REQ-B005-ERR-003	Partial failures SHALL allow retry for failed items only
REQ-B005-ERR-004	Error messages SHALL include actionable next steps

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B005-A11Y-001	Wizard stepper SHALL announce "Step 3 of 3: Review" to screen readers	1.3.1 Info and Relationships

REQ-B005-A11Y-002	Summary cards SHALL be navigable with keyboard (Tab)	2.1.1 Keyboard
REQ-B005-A11Y-003	Date pickers SHALL support keyboard date entry	2.1.1 Keyboard
REQ-B005-A11Y-004	Checklist status SHALL be announced (passed/failed)	4.1.3 Status Messages
REQ-B005-A11Y-005	Publish button state change SHALL be announced	4.1.2 Name, Role, Value
REQ-B005-A11Y-006	Publishing progress SHALL be announced via aria-live	4.1.3 Status Messages
REQ-B005-A11Y-007	Validation errors SHALL receive focus on submit	2.4.3 Focus Order
REQ-B005-A11Y-008	Color indicators SHALL have text alternatives	1.4.1 Use of Color

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B005-FR-001	User SHALL see campaign summary with store and kit counts	Must
REQ-B005-FR-002	User SHALL be able to set install start and end dates	Must
REQ-B005-FR-003	User SHALL see pre-launch validation checklist	Must
REQ-B005-FR-004	Publish button SHALL be disabled until all required validations pass	Must
REQ-B005-FR-005	Publish action SHALL create store_assignments for all selected stores	Must
REQ-B005-FR-006	Publish action SHALL generate initial store_orders	Must
REQ-B005-FR-007	User SHALL be able to navigate back to previous wizard steps	Must
REQ-B005-FR-008	User SHALL be able to save as draft without publishing	Should
REQ-B005-FR-009	User SHALL see publish progress for large campaigns	Should
REQ-B005-FR-010	User SHALL be redirected to campaign detail after successful publish	Must

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B005-01	View campaign summary	All sections display correct counts
TC-B005-02	Set valid install date range	Dates accepted, checklist updated

TC-B005-03	Set invalid date range (end < start)	Error displayed, publish disabled
TC-B005-04	Publish with all validations passed	Campaign publishes, redirects to detail
TC-B005-05	Publish with missing photo rules	Validation error, publish blocked
TC-B005-06	Navigate back to Kit Definition	Previous step loads with data intact
TC-B005-07	Save as draft	Campaign saved, status remains DRAFT
TC-B005-08	Publish large campaign (1000+ stores)	Progress indicator shown, completes
TC-B005-09	Network failure during publish	Error shown, retry available
TC-B005-10	Keyboard navigation through review	All elements accessible via keyboard

11. Related Screens

Screen	Relationship
B002 Campaign List	Post-publish destination option
B003 Store Selection	Wizard Step 1, back navigation
B004 Kit Definition	Wizard Step 2, back navigation
B006 Store List	Store assignment destination

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B006 - Store List

SRS Section: 7.1.6 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Store List screen provides brand administrators with a comprehensive view of all stores within their brand. It enables store management, status monitoring, group assignments, and quick access to individual store details and campaign participation.

1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access (all stores)
CAMPAIGN_MANAGER	Read-only (stores in assigned campaigns)
REGIONAL_MANAGER	Full access (stores in assigned regions)

1.3 Navigation Path

- **Route:** /admin/stores
- **Entry Points:**
 - Main navigation: "Stores" menu item
 - Dashboard: "Total Stores" KPI click-through
 - Campaign Detail: Store list link

1.4 Screenshot Reference



2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
View all stores	Y	N	N
View scoped stores	Y	Y*	Y*
Search and filter stores	Y	Y*	Y*
View store details	Y	Y*	Y*
Edit store information	Y	N	Y*
Change store status	Y	N	Y*
Assign to store groups	Y	N	N
Invite new store	Y	N	N
Export store data	Y	Y*	Y*
Bulk update stores	Y	N	Y*

Legend: Y = Full access | Y* = Scoped access | N = No access

2.2 Data Scoping Requirements

REQ-ID	Requirement
REQ-B006-SEC-001	Store list SHALL be filtered by authenticated user's brand_id

REQ-B006-SEC-002	Campaign Managers SHALL only see stores participating in their assigned campaigns
REQ-B006-SEC-003	Regional Managers SHALL only see stores within their region_scope_id hierarchy
REQ-B006-SEC-004	Store edits SHALL be logged to audit_events with actor_id

3. UI Components

3.1 Layout Structure

+-----+				
	Stores			[+ Invite Store]
+-----+				
	[All] [Active] [Inactive] [Onboarding] [Suspended]			
+-----+				
	Search stores...			[Region v] [Group v] [Export v]
+-----+				
	[] Store	Region	Status	Campaigns [...]
+-----+				
	[] Store #1234	Northeast	Active	3 [...]
	789 Main Street, Boston, MA 02101			
	[] Store #5678	Midwest	Active	2 [...]
	456 Oak Ave, Chicago, IL 60601			
	[] Store #9012	Southeast	Onboard	0 [...]
	123 Palm Dr, Miami, FL 33101			
	[] Store #3456	Northeast	Inactive	1 [...]
	321 Elm St, New York, NY 10001			
+-----+				
	Showing 1-20 of 847			[<] [1] [2] [3] ... [43] [>]
+-----+				

3.2 Component Specifications

Component	Type	Description
Page Header	Header bar	Title + primary action button
Status Tabs	Tab bar	Filter by store status
Search Bar	Text input	Full-text store search
Filter Dropdowns	Multi-select	Region and group filters
Export Menu	Dropdown menu	Export options
Store Table	Data table	Expandable rows with details
Row Checkbox	Selection	Enable bulk actions
Action Menu	Dropdown menu	Row-level actions
Pagination	Page controls	Navigate result pages

Bulk Action Bar	Toolbar	Actions for selected rows
-----------------	---------	---------------------------

3.3 Status Tab Definitions

Tab	Filter Criteria	Badge Count
All	No status filter	Total count
Active	status = 'ACTIVE'	Active count
Inactive	status = 'INACTIVE'	Inactive count
Onboarding	status = 'ONBOARDING'	Onboarding count
Suspended	status = 'SUSPENDED'	Suspended count

3.4 Store Status Badges

Status	Color	Icon	Description
ACTIVE	Green	Checkmark	Fully operational store
INACTIVE	Gray	Dash	Temporarily not participating
ONBOARDING	Blue	Clock	New store being set up
SUSPENDED	Red	X	Account issues, blocked

3.5 Store Row Information

Field	Source	Display
Store Number	stores.store_number	"#1234"
Store Name	stores.name	"Downtown Location"
Address	stores.address_line_1, city, state, zip	Full address
Region	regions.name	"Northeast"
Status	stores.status	Badge with icon
Campaign Count	store_assignments.count	"3 campaigns"

3.6 Row Action Menu

Action	Visibility Condition	Effect
View Details	Always	Navigate to Store Detail
Edit Store	BRAND_ADMIN or REGIONAL_MANAGER	Navigate to Store Edit
View Campaigns	Always	Navigate to Store Campaigns
Manage Groups	BRAND_ADMIN	Open group assignment modal

Change Status	BRAND_ADMIN or REGIONAL_MANAGER	Open status change dialog
Resend Invitation	status = 'ONBOARDING'	Resend onboarding email
View History	Always	Navigate to Store Audit Log

3.7 Component States

State	Status Tabs	Store Table	Bulk Actions	Export
Loading	Badge counts loading	Skeleton rows	Hidden	Disabled
Empty	Zero counts	Empty state message	Hidden	Disabled
Loaded	Badge counts shown	Store rows	Hidden (no selection)	Enabled
Selecting	Unchanged	Checkboxes visible	Visible	Enabled
Filtering	Unchanged	Filtered results	Reset	Enabled
Error	Error indicator	Error message	Hidden	Disabled

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
stores	id, store_number, name, address_*, status, region_id, created_at	Read/Write
regions	id, name, parent_region_id	Read
districts	id, name, region_id	Read
territories	id, name, district_id	Read
store_groups	id, name	Read
store_group_memberships	store_id, group_id	Read/Write
store_assignments	store_id, campaign_id (aggregated)	Read
store_invitations	store_id, status, expires_at	Read

4.2 List Query Requirements

REQ-ID	Requirement
REQ-B006-DATA-001	Store list SHALL return paginated results with default page size of 20
REQ-B006-DATA-002	Each store row SHALL include active campaign count from store_assignments

REQ-B006-DATA-003	Search SHALL support partial matching on store_number, name, address (case-insensitive)
REQ-B006-DATA-004	Results SHALL be sortable by store_number, name, region, status, created_at
REQ-B006-DATA-005	Region filter SHALL include child regions when parent selected

4.3 Default Sort Order

REQ-ID	Requirement
REQ-B006-DATA-006	Default sort SHALL be store_number ASC
REQ-B006-DATA-007	Active stores SHALL be prioritized in default view

5. Business Rules & Validation

5.1 Store Status Rules

REQ-ID	Rule
REQ-B006-BR-001	ONBOARDING stores SHALL not be assigned to campaigns
REQ-B006-BR-002	SUSPENDED stores SHALL not receive new campaign assignments
REQ-B006-BR-003	INACTIVE status SHALL pause all active campaign participation
REQ-B006-BR-004	Status change SHALL require confirmation dialog

5.2 Store Group Rules

REQ-ID	Rule
REQ-B006-BR-005	Stores MAY belong to multiple store groups
REQ-B006-BR-006	Group membership changes SHALL be effective immediately
REQ-B006-BR-007	Removing from group SHALL NOT affect active campaign assignments

5.3 Invitation Rules

REQ-ID	Rule
REQ-B006-BR-008	Store invitations SHALL expire after 7 days by default
REQ-B006-BR-009	Expired invitations MAY be resent with new expiration
REQ-B006-BR-010	Accepted invitations SHALL transition store to ACTIVE status

5.4 Bulk Operation Rules

REQ-ID	Rule
REQ-B006-BR-011	Bulk status change SHALL be limited to 100 stores per operation
REQ-B006-BR-012	Bulk operations SHALL display confirmation with affected count
REQ-B006-BR-013	Bulk group assignment SHALL support add/remove actions

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/stores	GET	List stores with filters
/api/v1/stores	POST	Create new store
/api/v1/stores/{id}	GET	Get store details
/api/v1/stores/{id}	PATCH	Update store
/api/v1/stores/{id}/status	PATCH	Change store status
/api/v1/stores/{id}/groups	PUT	Update group memberships
/api/v1/stores/bulk/status	PATCH	Bulk status change
/api/v1/stores/bulk/groups	PATCH	Bulk group assignment
/api/v1/stores/export	POST	Export store data
/api/v1/store-invitations	POST	Create store invitation
/api/v1/store-invitations/{id}/resend	POST	Resend invitation

6.2 List Request Parameters

```
GET /api/v1/stores
?status[ ]=ACTIVE&status[ ]=ONBOARDING
&region_id=uuid
&group_id=uuid
&search=downtown
&sort=store_number
&page=1
&limit=20
```

6.3 List Response Schema

```
{
  "data": [
    {
      "id": "uuid",
```

```

    "storeNumber": "1234",
    "name": "Downtown Location",
    "addressLine1": "789 Main Street",
    "city": "Boston",
    "state": "MA",
    "zipCode": "02101",
    "status": "ACTIVE",
    "region": {
      "id": "uuid",
      "name": "Northeast"
    },
    "district": {
      "id": "uuid",
      "name": "New England"
    },
    "activeCampaigns": 3,
    "groups": [
      { "id": "uuid", "name": "Premium Locations" }
    ],
    "createdAt": "2025-01-15T10:00:00Z",
    "updatedAt": "2025-12-01T14:30:00Z"
  }
],
"meta": {
  "total": 847,
  "page": 1,
  "limit": 20,
  "totalPages": 43
},
"statusCounts": {
  "ACTIVE": 780,
  "INACTIVE": 45,
  "ONBOARDING": 20,
  "SUSPENDED": 2
}
}

```

6.4 Status Change Request

```

// PATCH /api/v1/stores/{id}/status
{
  "status": "INACTIVE",
  "reason": "Temporary closure for renovation",
  "effectiveDate": "2025-12-15"
}

```

6.5 Bulk Status Change Request

```
// PATCH /api/v1/stores/bulk/status
{
  "storeIds": ["uuid1", "uuid2", "uuid3"],
  "status": "INACTIVE",
  "reason": "Seasonal closure"
}
```

6.6 Export Request


```
// POST /api/v1/stores/export
{
  "format": "csv",
  "filters": {
    "status": ["ACTIVE"],
    "regionId": "uuid"
  },
  "fields": ["storeNumber", "name", "address", "region", "status", "campaigns"]
}
```

6.7 API Requirements

REQ-ID	Requirement
REQ-B006-API-001	List endpoint SHALL respond within 500ms for up to 10,000 stores
REQ-B006-API-002	Search SHALL use full-text index for performance
REQ-B006-API-003	Export SHALL use background job for > 1,000 stores
REQ-B006-API-004	Status changes SHALL emit audit events
REQ-B006-API-005	Bulk operations SHALL return individual success/failure status

7. State Transitions


7.1 Store Status State Machine



7.2 Store Status Transitions

From	To	Trigger	Conditions
ONBOARDING	ACTIVE	Accept invitation	Valid invitation token
ACTIVE	INACTIVE	Admin action	Confirmation required
ACTIVE	SUSPENDED	Admin action	Reason required
INACTIVE	ACTIVE	Admin action	None
SUSPENDED	ACTIVE	Admin action	Resolution documented
SUSPENDED	INACTIVE	Admin action	Reason required

7.3 UI State Machine



7.4 Page State Definitions

State	Trigger	UI Behavior
Loading	Page mount / filter change	Show skeleton rows
Empty	API returns 0 results	Show empty state with CTA
Loaded	API success	Render store rows
Error	API failure	Show error with retry
Selecting	Checkbox clicked	Show bulk action bar
Filtering	Filter applied	Show filtered results

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
List fetch failed	500	"Unable to load stores"	Retry button
Store not found	404	"Store no longer exists"	Refresh list

Status change failed	422	"Cannot change status: active campaigns"	Show affected campaigns
Bulk operation partial	207	"X of Y stores updated"	Show failure details
Permission denied	403	"You don't have permission to edit this store"	Contact admin
Export failed	500	"Unable to generate export"	Retry button

8.2 Validation Messages

Field	Validation	Message
Status Change	Has active campaigns	"Complete or reassign X active campaigns first"
Bulk Select	Exceeds limit	"Maximum 100 stores can be selected"
Group Assignment	Invalid group	"Selected group no longer exists"
Invitation	Already accepted	"This store has already been onboarded"

8.3 Error Requirements

REQ-ID	Requirement
REQ-B006-ERR-001	Failed bulk operations SHALL report individual failures
REQ-B006-ERR-002	Status change blocks SHALL explain reason with link to details
REQ-B006-ERR-003	Network errors SHALL preserve filter state for retry

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B006-A11Y-001	Data table SHALL use proper <table>, <th>, <td> markup	1.3.1 Info and Relationships
REQ-B006-A11Y-002	Status tabs SHALL use role="tablist" with proper ARIA attributes	4.1.2 Name, Role, Value
REQ-B006-A11Y-003	Row selection checkboxes SHALL have accessible labels	1.3.1 Info and Relationships
REQ-B006-A11Y-004	Status badges SHALL have text alternatives (not just color)	1.4.1 Use of Color
REQ-B006-A11Y-005	Sort controls SHALL announce current sort state	4.1.2 Name, Role, Value
REQ-B006-A11Y-006	Pagination controls SHALL indicate current page and total	2.4.8 Location

REQ-B006-A11Y-007	Action menu SHALL be keyboard accessible with Escape to close	2.1.1 Keyboard
REQ-B006-A11Y-008	Bulk action bar SHALL announce selection count	4.1.3 Status Messages
REQ-B006-A11Y-009	Filter changes SHALL announce result count	4.1.3 Status Messages

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B006-FR-001	Store list SHALL display all stores for brand	Must
REQ-B006-FR-002	Status tabs SHALL filter stores by status	Must
REQ-B006-FR-003	Search SHALL filter stores by number, name, address	Must
REQ-B006-FR-004	Region filter SHALL include hierarchical regions	Must
REQ-B006-FR-005	Group filter SHALL filter by store group membership	Should
REQ-B006-FR-006	Table columns SHALL be sortable	Should
REQ-B006-FR-007	Row actions SHALL be accessible via action menu	Must
REQ-B006-FR-008	Bulk selection SHALL enable bulk status change	Should
REQ-B006-FR-009	Bulk selection SHALL enable bulk group assignment	Should
REQ-B006-FR-010	Export SHALL generate CSV/Excel of filtered stores	Should
REQ-B006-FR-011	Pagination SHALL navigate between result pages	Must
REQ-B006-FR-012	Store invitation SHALL be creatable from this screen	Should

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B006-01	Brand Admin views all stores	All stores for brand displayed
TC-B006-02	Regional Manager views stores	Only stores in assigned region shown
TC-B006-03	Click Active tab	Only ACTIVE stores shown
TC-B006-04	Search for store number "1234"	Matching stores filtered
TC-B006-05	Filter by Northeast region	Only Northeast stores shown
TC-B006-06	Sort by status	Stores reordered by status
TC-B006-07	Change store status to Inactive	Confirmation dialog, status updated

TC-B006-08	Bulk select 5 stores, change status	All 5 stores updated
TC-B006-09	Assign store to group	Group membership updated
TC-B006-10	Export active stores as CSV	CSV file downloaded
TC-B006-11	Resend store invitation	New invitation email sent
TC-B006-12	Keyboard navigate store list	All controls accessible via keyboard

11. Related Screens

Screen	Relationship
B001 Dashboard	KPI click-through destination
B003 Store Selection	Store selection for campaigns
B008 Store Detail	Row click destination
B009 Store Groups	Group management

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications

B007 - Photo Verification Queue

SRS Section: 7.1.7 | **Module:** BrandAdmin (B-Series) **Version:** 1.0 | **Status:** Draft **Last Updated:** 2026-01-01

1. Screen Overview

1.1 Purpose

The Photo Verification Queue provides brand administrators with a streamlined interface for reviewing store-submitted installation photos. It enables efficient approval or rejection of photos, management of retake requests, and tracking of verification progress across campaigns.

1.2 Access Control

Role	Access Level
BRAND_ADMIN	Full access (all photos)
CAMPAIGN_MANAGER	Full access (photos for assigned campaigns)

REGIONAL_MANAGER	Read-only (photos for stores in assigned regions)
------------------	---

1.3 Navigation Path

- **Route:** /admin/verification
- **Route:** /admin/verification?campaign={id} (campaign-filtered)
- **Entry Points:**
 - Main navigation: "Verification" menu item
 - Dashboard: "Pending Reviews" KPI click-through
 - Campaign Detail: "Review Photos" action

1.4 Screenshot Reference



2. User Roles & Permissions

2.1 Role-Based Access Matrix

Capability	BRAND_ADMIN	CAMPAIGN_MANAGER	REGIONAL_MANAGER
View all pending photos	Y	N	N
View scoped pending photos	Y	Y*	Y*
Approve photo	Y	Y*	N
Reject photo	Y	Y*	N
Request retake	Y	Y*	N
Add review comment	Y	Y*	Y*
View review history	Y	Y*	Y*
Bulk approve/reject	Y	Y*	N
Export verification report	Y	Y*	Y*
Override previous decision	Y	N	N

Legend: Y = Full access | Y* = Scoped access | N = No access

2.2 Data Scoping Requirements

REQ-ID	Requirement
REQ-B007-SEC-001	Photo queue SHALL be filtered by authenticated user's brand_id
REQ-B007-SEC-002	Campaign Managers SHALL only see photos for campaigns in their memberships
REQ-B007-SEC-003	Regional Managers SHALL only see photos from stores in their region_scope_id
REQ-B007-SEC-004	All review decisions SHALL be logged with reviewer_id and timestamp

3. UI Components

3.1 Layout Structure

+-----+		
Photo Verification	Pending: 23	
+-----+		
[All] [Pending] [Approved] [Rejected] [Retake Requested]		
+-----+		
Campaign [All Campaigns v] Store [All Stores v] [Export]		
+-----+		
+-----+ +-----+		
[Photo]	[Photo]	
Store #1234	Store #5678	
Summer Promo	Summer Promo	
Window Banner	Counter Display	
Submitted 2h ago	Submitted 1h ago	
[Approve] [Reject]	[Approve] [Reject]	
+-----+ +-----+		
+-----+ +-----+		
[Photo]	[Photo]	
Store #9012	Store #3456	
Holiday Display	Summer Promo	
End Cap A	Entry Door	
Submitted 30m ago	Submitted 15m ago	
[Approve] [Reject]	[Approve] [Reject]	
+-----+ +-----+		
+-----+		
Showing 1-20 of 23 pending	[<] [1] [2] [>]	
+-----+		

3.2 Component Specifications

Component	Type	Description
Page Header	Header bar	Title + pending count badge
Status Tabs	Tab bar	Filter by review status
Campaign Filter	Dropdown	Filter by campaign
Store Filter	Dropdown	Filter by store
Photo Grid	Card grid	Responsive photo card layout

Photo Card	Interactive card	Photo, metadata, actions
Photo Viewer	Modal	Full-size photo with zoom
Bulk Select	Checkbox overlay	Enable bulk actions
Bulk Action Bar	Toolbar	Approve/Reject selected
Pagination	Page controls	Navigate result pages

3.3 Status Tab Definitions

Tab	Filter Criteria	Badge Count
All	No status filter	Total count
Pending	<code>review_status = 'PENDING'</code>	Pending count
Approved	<code>review_status = 'APPROVED'</code>	Approved count
Rejected	<code>review_status = 'REJECTED'</code>	Rejected count
Retake Requested	Has active <code>retake_request</code>	Retake count

3.4 Photo Review Status Badges

Status	Color	Icon	Description
PENDING	Yellow	Clock	Awaiting review
APPROVED	Green	Checkmark	Verified correct
REJECTED	Red	X	Does not meet requirements
SUPERSEDED	Gray	Archive	Replaced by newer submission

3.5 Photo Card Information

Field	Source	Display
Photo Thumbnail	S3 presigned URL	200x200 crop
Store Number	<code>stores.store_number</code>	"#1234"
Campaign Name	<code>campaigns.name</code>	"Summer Promo"
Item Name	<code>kit_items.name</code>	"Window Banner"
Location Slot	<code>location_slots.slot_code</code>	"Front Window"
Submitted Time	<code>photo_uploads.created_at</code>	Relative time
Submission Count	<code>photo_uploads</code> count for item	"Attempt 2"

3.6 Photo Card Actions

Action	Visibility	Effect
Approve	status = 'PENDING'	Mark as approved
Reject	status = 'PENDING'	Open rejection dialog
View Full Size	Always	Open photo modal
View History	Has previous reviews	Show review timeline
Override	status != 'PENDING' AND BRAND_ADMIN	Change previous decision

3.7 Rejection Reason Codes

Code	Display Text	Description
WRONG_ANGLE	Wrong Angle	Photo taken from incorrect perspective
TOO_DARK	Too Dark	Insufficient lighting
BLURRY	Blurry/Out of Focus	Image quality issue
WRONG_ITEM	Wrong Item Shown	Incorrect POP material
INCOMPLETE	Incomplete Installation	Installation not finished
OBSTRUCTED	View Obstructed	Item blocked by objects
OTHER	Other	Custom reason required

3.8 Component States

State	Photo Grid	Bulk Actions	Filters	Pagination
Loading	Skeleton cards	Hidden	Disabled	Hidden
Empty	Empty state message	Hidden	Enabled	Hidden
Loaded	Photo cards	Hidden	Enabled	Visible
Selecting	Checkbox overlays	Visible	Enabled	Visible
Processing	Cards disabled	Loading	Disabled	Disabled
Error	Error message	Hidden	Enabled	Hidden

4. Data Requirements

4.1 Entities & Fields

Entity	Fields Used	Access
photo_uploads	id, s3_key, review_status, created_at, assignment_item_id	Read/Write
photo_reviews	id, photo_id, decision, reason_code, comment, reviewer_id, created_at	Write

retake_requests	id, photo_id, reason, resolved_at	Read/Write
assignment_items	id, assignment_id, kit_item_id, slot_id	Read
store_assignments	id, campaign_id, store_id	Read
kit_items	id, name	Read
location_slots	id, slot_code	Read
stores	id, store_number	Read
campaigns	id, name	Read

4.2 Queue Query Requirements

REQ-ID	Requirement
REQ-B007-DATA-001	Photo queue SHALL return paginated results with default page size of 20
REQ-B007-DATA-002	Photos SHALL be ordered by created_at DESC (newest first) by default
REQ-B007-DATA-003	Photo thumbnails SHALL use optimized S3 presigned URLs with 1-hour expiry
REQ-B007-DATA-004	Campaign filter SHALL only show campaigns with pending photos
REQ-B007-DATA-005	Store filter SHALL only show stores with photos in current filter

4.3 Photo URL Requirements

REQ-ID	Requirement
REQ-B007-DATA-006	Thumbnail URLs SHALL use CloudFront for CDN delivery
REQ-B007-DATA-007	Full-size photo URLs SHALL be generated on-demand
REQ-B007-DATA-008	URLs SHALL be signed to prevent unauthorized access

5. Business Rules & Validation

5.1 Review Decision Rules

REQ-ID	Rule
REQ-B007-BR-001	Each photo SHALL have exactly one active review decision
REQ-B007-BR-002	REJECTED photos SHALL require a reason_code
REQ-B007-BR-003	OTHER rejection reason SHALL require a custom comment
REQ-B007-BR-004	Review decisions SHALL be immutable except for BRAND_ADMIN override

5.2 Retake Request Rules

REQ-ID	Rule
--------	------

REQ-B007-BR-005	Rejection SHALL automatically create a retake_request
REQ-B007-BR-006	Retake requests SHALL trigger store notification
REQ-B007-BR-007	New photo submission SHALL supersede previous REJECTED photo
REQ-B007-BR-008	Maximum retake attempts SHALL be configurable at brand level (default: 3)

5.3 Assignment Completion Rules

REQ-ID	Rule
REQ-B007-BR-009	Assignment item SHALL be marked COMPLETE when photo is APPROVED
REQ-B007-BR-010	All assignment items APPROVED SHALL mark assignment as SUBMITTED_VERIFIED
REQ-B007-BR-011	Any REJECTED photo SHALL keep assignment in IN_PROGRESS or REWORK_REQUIRED

5.4 Bulk Operation Rules

REQ-ID	Rule
REQ-B007-BR-012	Bulk approve SHALL be limited to 50 photos per operation
REQ-B007-BR-013	Bulk reject SHALL require single reason_code for all selections
REQ-B007-BR-014	Bulk operations SHALL display confirmation with count

6. API Integration Points

6.1 API Endpoints

Endpoint	Method	Purpose
/api/v1/photos	GET	List photos with filters
/api/v1/photos/{id}	GET	Get photo details
/api/v1/photos/{id}/review	POST	Submit review decision
/api/v1/photos/{id}/override	POST	Override previous decision
/api/v1/photos/bulk/approve	POST	Bulk approve photos
/api/v1/photos/bulk/reject	POST	Bulk reject photos
/api/v1/photos/pending/count	GET	Get pending count
/api/v1/photos/export	POST	Export verification report

6.2 List Request Parameters

```
GET /api/v1/photos
?status=PENDING
```

```
&campaign_id=uuid
&store_id=uuid
&sort=-created_at
&page=1
&limit=20
```

6.3 List Response Schema

```
{
  "data": [
    {
      "id": "uuid",
      "thumbnailUrl": "https://cdn.example.com/photos/thumb/...",
      "fullSizeUrl": "https://cdn.example.com/photos/full/...",
      "reviewStatus": "PENDING",
      "createdAt": "2025-12-15T14:30:00Z",
      "submissionNumber": 1,
      "store": {
        "id": "uuid",
        "storeNumber": "1234"
      },
      "campaign": {
        "id": "uuid",
        "name": "Summer Promo 2025"
      },
      "kitItem": {
        "id": "uuid",
        "name": "Window Banner"
      },
      "locationSlot": {
        "id": "uuid",
        "slotCode": "FRONT_WINDOW",
        "displayName": "Front Window"
      },
      "assignmentItem": {
        "id": "uuid",
        "status": "SUBMITTED"
      }
    }
  ],
  "meta": {
    "total": 23,
    "page": 1,
    "limit": 20,
    "totalPages": 2
  },
  "statusCounts": {
    "PENDING": 23,
    "APPROVED": 456,
    "REJECTED": 34,
    "SUPERSEDED": 12
  }
}
```

```
}  
}
```

6.4 Review Request

```
// POST /api/v1/photos/{id}/review  
{  
  "decision": "REJECTED",  
  "reasonCode": "WRONG_ANGLE",  
  "comment": "Please retake photo from the front of the store"  
}
```

6.5 Review Response

```
{  
  "photoReview": {  
    "id": "uuid",  
    "photoId": "uuid",  
    "decision": "REJECTED",  
    "reasonCode": "WRONG_ANGLE",  
    "comment": "Please retake photo from the front of the store",  
    "reviewerId": "uuid",  
    "createdAt": "2025-12-15T15:00:00Z"  
  },  
  "retakeRequest": {  
    "id": "uuid",  
    "photoId": "uuid",  
    "reason": "WRONG_ANGLE",  
    "createdAt": "2025-12-15T15:00:00Z"  
  },  
  "notification": {  
    "sent": true,  
    "method": "push",  
    "recipient": "store_manager@store1234.com"  
  }  
}
```

6.6 Bulk Approve Request

```
// POST /api/v1/photos/bulk/approve  
{  
  "photoIds": ["uuid1", "uuid2", "uuid3"],  
  "comment": "Batch approval for verified installations"  
}
```

6.7 Bulk Reject Request


```
// POST /api/v1/photos/bulk/reject
{
  "photoIds": ["uuid1", "uuid2"],
  "reasonCode": "TOO_DARK",
  "comment": "Please retake with better lighting"
}
```

6.8 API Requirements

REQ-ID	Requirement
REQ-B007-API-001	Photo list SHALL respond within 500ms for up to 1,000 photos
REQ-B007-API-002	Review decision SHALL be processed within 100ms
REQ-B007-API-003	Bulk operations SHALL return individual success/failure status
REQ-B007-API-004	Photo URLs SHALL be cached for 1 hour
REQ-B007-API-005	Review SHALL emit webhook event for integrations

7. State Transitions

7.1 Photo Review Status State Machine




7.2 Photo Review Transitions

From	To	Trigger	Conditions
PENDING	APPROVED	Review decision	Valid reviewer permissions
PENDING	REJECTED	Review decision	Reason code required
REJECTED	SUPERSEDED	New photo uploaded	Same assignment_item_id
APPROVED	REJECTED	Override	BRAND_ADMIN only
REJECTED	APPROVED	Override	BRAND_ADMIN only

7.3 Assignment Item Status Updates

```
[Photo APPROVED] --> assignment_item.status = 'COMPLETE'
    |
    v (if all items complete)
assignment.status = 'SUBMITTED'
    |
    v (if all photos verified)
assignment.status = 'COMPLETE'
```

7.4 UI State Machine



7.5 Photo Modal States

State	Trigger	UI Behavior
Loading	Card click	Show loading spinner
Viewing	Image loaded	Display full-size photo
Zooming	Zoom control	Enable pan/zoom
Reviewing	Action clicked	Show decision form
Submitting	Form submitted	Show loading state
Complete	Decision saved	Close modal, update card

8. Error Handling

8.1 Error Scenarios

Error	HTTP Code	User Message	Recovery Action
List fetch failed	500	"Unable to load photos"	Retry button
Photo load failed	404	"Photo no longer available"	Remove from grid
Review failed	422	"Unable to save review"	Retry
Already reviewed	409	"Photo was reviewed by another user"	Refresh
Permission denied	403	"You don't have permission to review"	Contact admin
Bulk partial failure	207	"X of Y photos reviewed"	Show failures

8.2 Validation Messages

Field	Validation	Message
Rejection Reason	Required	"Select a reason for rejection"
Custom Comment	Required for OTHER	"Provide a comment for 'Other' reason"
Photo Selection	Exceeds limit	"Maximum 50 photos can be selected"

8.3 Error Requirements

REQ-ID	Requirement
REQ-B007-ERR-001	Concurrent review conflicts SHALL refresh photo status
REQ-B007-ERR-002	Failed bulk operations SHALL report individual failures
REQ-B007-ERR-003	Image load failures SHALL show placeholder with retry

9. Accessibility Requirements

REQ-ID	Requirement	WCAG Criterion
REQ-B007-A11Y-001	Photo grid SHALL use proper grid ARIA roles	1.3.1 Info and Relationships
REQ-B007-A11Y-002	Photo cards SHALL be keyboard navigable with arrow keys	2.1.1 Keyboard
REQ-B007-A11Y-003	Photos SHALL have alt text describing content	1.1.1 Non-text Content
REQ-B007-A11Y-004	Status badges SHALL have text alternatives	1.4.1 Use of Color
REQ-B007-A11Y-005	Photo modal SHALL trap focus when open	2.4.3 Focus Order
REQ-B007-A11Y-006	Escape key SHALL close photo modal	2.1.1 Keyboard
REQ-B007-A11Y-007	Approval/rejection SHALL announce result	4.1.3 Status Messages
REQ-B007-A11Y-008	Pending count changes SHALL be announced	4.1.3 Status Messages
REQ-B007-A11Y-009	Rejection reason selector SHALL be keyboard accessible	2.1.1 Keyboard

10. Acceptance Criteria

10.1 Functional Requirements

REQ-ID	Criterion	Priority
REQ-B007-FR-001	User SHALL see pending photos in card grid layout	Must
REQ-B007-FR-002	User SHALL be able to filter by status	Must
REQ-B007-FR-003	User SHALL be able to filter by campaign	Must
REQ-B007-FR-004	User SHALL be able to filter by store	Should
REQ-B007-FR-005	User SHALL be able to approve photos	Must
REQ-B007-FR-006	User SHALL be able to reject photos with reason	Must
REQ-B007-FR-007	Rejection SHALL trigger retake request	Must
REQ-B007-FR-008	User SHALL be able to view full-size photo	Must
REQ-B007-FR-009	User SHALL be able to bulk approve photos	Should
REQ-B007-FR-010	User SHALL be able to bulk reject photos	Should
REQ-B007-FR-011	Pending count SHALL update in real-time	Should
REQ-B007-FR-012	Export SHALL generate verification report	Should

10.2 Test Scenarios

Test ID	Scenario	Expected Result
TC-B007-01	View pending photos	All pending photos displayed in grid
TC-B007-02	Filter by campaign	Only photos for selected campaign shown
TC-B007-03	Approve photo	Photo marked approved, removed from pending
TC-B007-04	Reject photo with reason	Photo rejected, retake request created
TC-B007-05	Reject with OTHER reason	Custom comment required
TC-B007-06	View full-size photo	Modal opens with zoomable image
TC-B007-07	Bulk select and approve	All selected photos approved
TC-B007-08	Bulk reject exceeds limit	Error: maximum 50 photos
TC-B007-09	Concurrent review conflict	Refresh notification shown
TC-B007-10	Keyboard navigate grid	All cards accessible via keyboard
TC-B007-11	Store resubmits after rejection	New photo in queue, old superseded
TC-B007-12	Export verification report	CSV/PDF downloaded

11. Related Screens

Screen	Relationship
B001 Dashboard	KPI click-through destination
B002 Campaign List	Campaign filter source
S005 Photo Upload	Store-side photo submission
S006 Retake Notification	Store retake request display

12. Revision History

Version	Date	Author	Changes
1.0	2026-01-01	System	Initial specification

Document Status: Draft IEEE 830 Compliance: Section 3.2 - Functional Requirements / Screen Specifications