

boardgame-platform (Parent POM)

infrastructure (Docker, DB init scripts)

```
mysql-central/init.sql
mysql-local/init.sql
mysql-local/init-building-2.sql
mysql-local/init-building-3.sql
docker-compose.yml
docker-compose.multi.yml
```

e2e-tests

```
Integration Tests
- MultiBuildingEndToEndIT
- ContractTestBase
- MessageContractIT
```

shared (shared modules - NO framework deps)

```
shared-domain
com.gameplatform.shared.domain
- model (Value Objects, Enums, Entities)
- security (Role)
- game (GameFactory, GameLifecycle)
- result (GameResult + subtypes)
- events (DomainEvent + subtypes)
```

```
shared-mqtt
com.gameplatform.shared.mqtt
- MqttConfig
- MqttClient
- Message serialization
```

```
shared-dto
com.gameplatform.shared.dto
- Request/Response DTOs
- Event DTOs (outbox payloads)
- Sync DTOs
```

central-system (Spring Boot microservice)

```
domain
com.gameplatform.central.domain
- model (User, GameDefinition, Tournament,
- Team, TournamentParticipant, TournamentMatch,
- TournamentStanding, PlayerStatistics,
- PlayerMatchFact, AggregatedStatistics,
- RegisteredLocalServer, ProcessedEvent,
- ReplicationProgress, LocalAdminBuilding,
- FailedLoginAttempt)
- ports.in (Use Cases)
- ports.out (Repository Ports, External Ports)
- exception (Domain Exceptions)
```

```
application
com.gameplatform.central.application
- service (UserService, AuthService,
- TournamentService, TournamentRegistrationService,
- TournamentBracketService, GameDefinitionService,
- SyncReceiverService, SyncEventProcessor,
- PlayerStatisticsService, PlayerStatisticsProjectionService,
- StatisticsService, LocalAdminBuildingService,
- UserReplicationSchedulerService,
- LateRegistrationCatchUpService,
- TournamentStandingsService,
- GameSessionCompletedPlayerStatisticsProjectionService)
```

```
infrastructure
com.gameplatform.central.infrastructure
- adapters.in.rest (Controllers:
- AuthController, UserController,
- TournamentController, TournamentRegistrationController,
- GameAdminController, StatisticsController,
- PlayerStatisticsController, AdminServerController,
- SyncController, LocalAdminController)
- adapters.in.mqtt (N/A - Central no MQTT)
- adapters.out.mysql (JPA Entities, Repositories,
- Mappers, Repository Adapters)
- adapters.out.rest (LocalRestAdapter,
- LocalServerUserCountRestAdapter,
- LocalMetadataRestAdapter,
- LocalGameDefinitionRestAdapter)
- config (SecurityConfig, JwtConfig, TlsConfig,
- SchedulerConfig, CorsConfig)
- security (JwtTokenProvider, JwtAuthenticationFilter,
- InternalApiKeyFilter, CurrentUserService,
- PasswordEncoderConfig)
```

game-client-emulator (JavaFX Desktop App)

```
application
com.gameplatform.client
- service (AuthService, GameService,
- SessionService, ReservationService,
- TournamentService, StatisticsService,
- AdminService)
```

```
infrastructure
com.gameplatform.client.infrastructure
- ui (MainView, NavbarController,
- GameView, SessionView, TournamentView,
- StatisticsView, AdminView, LoginView,
- RegistrationView)
- mqtt (MqttConnectionManager,
- MqttMessageRouter, GameClientMqttHandler)
- rest (RestClient, ApiEndpoints)
- security (ClientJwtTokenManager)
```

local-server (Spring Boot microservice - per building)

```
domain
com.gameplatform.local.domain
- model (User, Game, GameSession, Reservation,
- TournamentSummaryLocal, TournamentMatchLocal,
- TournamentStandingLocal, TournamentParticipantLocal,
- LocalStatistics, GameDefinitionLocal,
- RegisteredLocalServerLocal, LocalAdminBuilding,
- OutboxEvent, LocalSignupUser, AdminRequestLocal,
- DeadLetterEvent)
- ports.in (Use Cases:
- ManageGameCatalogUseCase, ListBuildingGamesUseCase,
- ListBuildingActiveSessionsUseCase,
- GetBuildingStatisticsUseCase,
- GetPlayerStatisticsUseCase,
- RegisterLocalServerUseCase, etc.)
- ports.out (Repository Ports,
- External Ports: PushUserToCentralPort,
- PushTournamentSummaryToCentralPort,
- GameDefinitionLocalRepository,
- LocalAdminBuildingLocalRepository)
- exception (Domain Exceptions)
```

```
application
com.gameplatform.local.application
- service (GameSessionService, GameStateService,
- ReservationService, SessionRecoveryService,
- StatisticsService, LocalAuthService,
- LocalSignupService, UserSyncService,
- GameCatalogService, GameDefinitionSyncService,
- SyncSchedulerService, OutboxPurgeService,
- HealthCheckService, LobbyExpirationService,
- SessionAbortHelper, TournamentLifecycleRequestedService,
- CreateTournamentRequestedService,
- UpdateTournamentRequestedService,
- DeleteTournamentRequestedService,
- TournamentMatchLocalSyncService,
- TournamentParticipantsLocalSyncService,
- TournamentStandingsLocalSyncService,
- TournamentSummarySyncService,
- RegisterTournamentParticipantRequestedService,
- UpsertGameDefinitionRequestedService,
- LocalServerRegistrationService,
- AdminRequestTimeoutService)
```

```
infrastructure
com.gameplatform.local.infrastructure
- adapters.in.rest (Controllers:
- AuthController, GameController,
- GameSessionController, ReservationController,
- StatisticsController, PlayerStatisticsController,
- AdminLocalController, InternalMetadataController,
- InternalGameDefinitionSyncController,
- InternalTournamentController,
- PlayerTournamentController,
- LocalAdminController)
- adapters.in.mqtt (MqttMessageHandler,
- SessionStartHandler, SessionPauseHandler,
- SessionResumeHandler, SessionEndHandler,
- LobbyCreateHandler, LobbyJoinHandler,
- LobbyStartHandler, LobbyCancelHandler,
- HeartbeatHandler, MoveHandler, ScoreHandler,
- TurnHandler, DeviceRegisterHandler)
- adapters.out.mysql (JPA Entities, Repositories,
- Mappers, Repository Adapters)
- adapters.out.rest (CentralSystemRestAdapter,
- RegisterLocalServerAdapter)
- adapters.out.mqtt (MqttPublisher,
- GameStatePublisher, AlertPublisher)
- config (MqttConfig, JwtConfig, SecurityConfig,
- SchedulerConfig, TlsConfig, JacksonConfig)
- security (JwtTokenProvider, JwtTokenValidator,
- JwtAuthenticationFilter, InternalApiKeyFilter,
- CurrentUserService, LocalAdminBuildingAuthorizationManager)
```

defines ports

implements ports

used by

used by

used by

used by

defines ports

implements ports

REST /internal/** API Key auth

REST /internal/** API Key auth

uses

MQTT

used by