




THE LOCAL · AI-NATIVE DEVELOPMENT PLATFORM

# Tame AI inside a DAG.

AI's capability and creativity — with the stability of a graph you can trust.

Open source (MIT) · Local-first

[github.com/VisualLogic-AI/VL-Code](https://github.com/VisualLogic-AI/VL-Code)



Map mode — a whole VL app as one architecture graph.

# Not AI-assisted programming. **AI-native programming.**

## VL Language

Component-oriented,  
minimal but complete

## VL IDE

A graphical projection  
of VL syntax

## AI Generation

Native AI-first,  
multi-agent parallel

**Not Low-Code** · **Not No-Code** · **Not DSL** — general-purpose, no capability ceiling.

*Low-code **hides** complexity. VL **structures** it.*

# Programming languages were **never designed for AI.**

## THE 60-YEAR ASSUMPTION

### Human + Compiler

- Millions of lines to understand
- Linear, sequential structure
- Implicit relationships
- Line-by-line generation

## NOW WE FORCE AI INTO IT

### A fundamental mismatch

We built languages for humans to write and compilers to run — then dropped a probabilistic model into the middle and hoped.

***“This is fundamentally misaligned.”***

# To AI, every language looks **alike**.

## WHAT AI ERASED

Natural languages — **English · Chinese · Japanese**.  
Programming languages too —  
**Python · Java · JS**.

*To a model, one language is much like another.*

## WHAT STILL DIFFERS — A LOT

- Tokens burned per I/O
- How logic is expressed
- How an app is composed

***The cost is wildly unequal.***


If the model is indifferent, design the language that costs **it** the least — a language whose user is the **AI**, not the human. (People still learn it in an afternoon.)

# AI is brilliant at a point. It can't hold a line.

Today's best coding agents are point-wise: one input, one output. You can't predict the output — so you can't predict the next step's starting point, and you end up babysitting every move.

**So VLC puts the AI inside a DAG.**

Creativity lives in the nodes. Determinism lives in the edges. You stop babysitting and start orchestrating.



Flow mode — every build runs as a verifiable DAG: generate → check → fix → preview.

# Same AI. 10× the gap between people.

On a single point, you can't out-think AI anymore. But apps aren't a point — they're a line of many points, stacked in layers. Driving every I/O along that line is the whole job now: with the same model, one builder ships 10× while another stalls.

## A DAG is the leveler.

It's the path-plan that drives AI across the whole line — and the AI can draw that plan itself.

### WHY A DAG CAN DO THIS

1

#### Logic decomposes — and recomposes

Any complex process splits into points and edges; so does the compute behind it.

2

#### AI is exceptional at logic

Give the model explicit structure and it plans, fills and checks each step reliably.

# VL is AI's Intermediate Representation.



**Whoever controls the representation layer controls the system's ceiling.** Representation efficiency > model size — the real moat.

# One document. Infinite apps.

## TRADITIONAL FULL-STACK

React · Node · Express · TypeScript · PostgreSQL ·  
Redis · Tailwind · Prisma + 50 more

*Scattered across hundreds of docs — always changing.*

## VL FULL-STACK

The VL Syntax Reference — “The Bible.” One ~100 KB document covers UI, logic, backend, database, deployment.

1

Document

100

KB

∞

Apps



# Decoupled on every axis.

- Front / back**


Sections + Components ( .sc + .cp ) vs Services ( .vs )
- Look / structure**

Visuals & design tokens live in THEME — apart from logic
- Build / deploy**

What you author is not what you ship
- Data / data-usage**

Schema ( .vdb ) vs VirtualTable
- Small focused files**

Every file < 100 lines, one responsibility, no cross-file mess



THEME — visuals decoupled from structure.

Smaller, independent surfaces → less ambiguity in, fewer hallucinations out.

# Everything is a **component**.



## Properties

Data state, configuration



## Methods

Actions, business logic



## Events

Triggers, interactions

**P + M + E** — the trinity in every component. **Program = component composition.**

**From 1D to 2D programming.** Lines in sequence → a multi-dimensional graph of components with explicit relationships.

# Bank the **token-compute**. Share it to everyone.

Every asset is encapsulated as a reusable component. Generate it once, store it, and share it to every developer — the expensive token-compute of AI becomes a reusable asset instead of a one-off spend.

- 1 **Generate once** — AI pays the token cost a single time
- 2 **Store** — The component is banked, versioned
- 3 **Reuse everywhere** — Amortized across every project & team

**Higher output.**

**Lower spend.**

The cost of intelligence is paid once and amortized across everyone who builds on it.

# Don't buy more GPUs. Store the compute.

The industry races to add GPUs and power. We think that's the wrong axis. **Most of that compute is storable** — once AI pays the tokens to build something correct, the result is banked forever. The **Component Factory** is exactly that: a compute-storage center.

**The compute to “write code” all but vanishes.**

You assemble banked compute — you don't re-spend it.

**10,000,000**

**COMPONENTS BANKED**

Generated once, stored, shared to everyone

**99.999%**

**OF ALL SOFTWARE NEEDS**

Web · platform · enterprise — already covered

# Fewer tokens. Faster. **Bigger.**

÷10

## TOKENS

Components are pre-abstracted — pure logic, no boilerplate

×10

## SPEED

Files generate in parallel, not one after another

10×

## SCALE

500+ components — beyond ordinary token limits

**1 line of VL ≈ 200–400 lines of code** · 80% less code · 90% token savings

# VL needs **less AI capability** — and it works today.

## TRADITIONAL AI IDE

- × Strong reasoning across complex codebases
- × Many frameworks at once, implicit state
- × 500+ lines per feature, context overflow
- × High hallucination under complexity

Stable complex-app generation: **5–10 more years.**

## VL AI IDE


- ✓ Simple P + M + E — one consistent pattern
- ✓ One document covers everything
- ✓ 50–100 lines per file, parallel generation
- ✓ Structural validation catches errors

Stable VL-app generation: **AVAILABLE TODAY.**


*Because the bar is lower, **cheap, small, even local models run VL well.***

# You reason in **pictures**, not buried text.


## Architecture → Map



## Process → DAG + Event



## Data → ER



Code ↔ Graph, 1:1 and bidirectional. **The VL IDE is VL Code.**

# From “looks right” to **verified**.

Because every build is a DAG, every node can run lint, compile, preview, a test, or a human gate. AI can only debug explicit structure — so debugging becomes structural, not textual. Runs are reproducible and auditable.

***“From probability to process.”***

|           | Raw LLM chat         | VLC — AI in a DAG         |
|-----------|----------------------|---------------------------|
| Next step | Unpredictable        | Defined by the graph      |
| Your role | Babysit every output | Orchestrate the flow      |
| Trust     | “Looks right”        | Compile / test / gate     |
| Reuse     | Copy-paste prompts   | Components, tools, skills |



# Collaborate without competing for lines.

## Human + AI, at the component layer

Components are self-contained units. People and agents both work on structure and merge at the component layer — no fighting over the same lines, no git text-conflicts.

## The right model for every node

Route expensive models to the hard nodes and cheap models or tools to the routine ones. Capability where it counts, savings everywhere else.

# Local-first. Cloud optional. **Zero lock-in.**

**RECOMMENDED**

## Run local

Download & run the IDE on your machine — local read/write + AI, the smoothest path.

**OPTIONAL**

## Deploy to cloud

One click to managed cloud. Pay-as-you-go compute. Zero server ops.

**0 BINDING**

## Export source

Take the React + Node source out and self-host anywhere. Full data sovereignty.

*Use the cloud when it helps — walk away with your code whenever you want.*



THE BET

# Whoever controls the representation layer controls the **ceiling**.

AI's creativity, harnessed — not hoped for. And this is just the beginning.

[github.com/VisualLogic-AI/VL-Code](https://github.com/VisualLogic-AI/VL-Code)

[VisualLogic.ai-VL — language & samples](#)

[editor.visuallogic.ai](https://editor.visuallogic.ai)

Open source (MIT) · Local-first · An AI-native development platform