IS: 9401 (Part 6) - 1984

Indian Standard

METHOD OF MEASUREMENT OF WORKS IN RIVER VALLEY PROJECTS (DAMS AND APPURTENANT STRUCTURES)

PART 6 VENTILATION PIPES AND OTHER EMBEDDED MATERIALS

UDC 69.003.12:627.8:697.922.5:621.643.2



@ Copyright 1985

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

METHOD OF MEASUREMENT OF WORKS IN RIVER VALLEY PROJECTS (DAMS AND APPURTENANT STRUCTURES)

PART 6 VENTILATION PIPES AND OTHER EMBEDDED MATERIALS

Measurement of Works of River Valley Projects Sectional Committee, BDC 69

Chairman

SHRI S. P. CAPRIHAN Redecon (India) Pvt Ltd, B-92, Himalaya House, Kasturba Gandhi Marg, New Delhi

Members

Representing

Shri K. D. Arcot Engineers India Limited, New Delhi
Shri G. K. Natrajan (Alternate)
Shri J. Bahadur Irrigation Department, Government of Bihar,

Patna
Shri Mahavir Bidasaria
Ferro-Concrete Consultants Pvt Ltd, Indore

SHRI ASHOK BIDASARIA (Alternate)

CHIEF ENGINEER (NSP) Irrigation Department, Government of Andhra

Pradesh, Hyderabad

CHIEF ENGINEER (SP) (Alternate)
CHIEF ENGINEER (PROJECTS)
Water and Power (Irrigation) Department,
Government of Kerala, Trivandrum

DEPUTY CHIEF ENGINEER
(IRRIGATION) (Alternate)
SHRI S. M. DEB Irri

DIRECTOR (R & C) SHRI OM PRAKASH GUPTA

SHRI S. M. JOSHI SHRI G. G. KARMARKAR PROF S. KRISHNAMOORTHY SHRI B. N. MATHUR Irrigation & Waterways Department, Government of West Bengal, Calcutta Central Water Commission, New Delhi Irrigation Department, Government of Uttar Pradesh, Lucknow

Gammon India Limited, Bombay Institution of Surveyors, Delhi Indian Institute of Technology, New Delhi Irrigation Department, Government of Rajasthan,

(Continued on page 2)

Copyright 1985

Jaipur

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS: 9401 (Part 6) - 1984

(Continued from page 1)

Members

SHRI G. A. MUSTAFFA

SHRI R. C. PATEL

SHRI T. RANGANNA SHRI M. B. VITTAL RAO

SHRI P. S. RAO SHRI D. M. SAVUR SHRI P. S. SUBRAMANIAM SUPERINTENDING ENGINEER (NIPC) SHRI V. VENKATESWARALU

DR VARSHNEY (Alternate) SHRI VITHAL RAM

KUMARI E. DIVATIA (Alternate) SHRI G. RAMAN,

Director (Civ Engg)

Representing

Public Works Department. Government of Jammu & Kashmir, Srinagar

Irrigation Department, Government of Gujarat,

Gandhinagar Karnataka Power Corporation Ltd. Bangalore

Irrigation Department, Government of Karnataka,

Haryana Irrigation Department, Chandigarh Hindustan Construction Co Ltd, Bombay Tarapore and Company, Madras Government

Department, Irrigation Maharashtra, Bombay Construction Corporation National Projects

of

Limited, New Delhi

Power Corporation National Hydro-electric Limited, New Delhi

Director General, ISI (Ex-officio Member)

Secretary

SHRIK, M. MATHUR Senior Deputy Director (Civ Engg), ISI

Indian Standard

METHOD OF MEASUREMENT OF WORKS IN RIVER VALLEY PROJECTS (DAMS AND APPURTENANT STRUCTURES)

PART 6 VENTILATION PIPES AND OTHER EMBEDDED MATERIALS

0. FOREWORD

- 0.1 This Indian Standard (Part 6) was adopted by the Indian Standards Institution on 14 December 1984, after the draft finalized by the Measurement of Works of River Valley Projects Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 In measurement of quantities, in construction of river valley projects a large diversity of methods exists at present according to local practices. This lack of uniformity creates complication regarding measurements and payments. This standard is intended to provide a uniform basis for measurement of ventilation pipes and other embedded materials in the construction of river valley projects.
- **0.2.1** The provisions contained in this standard shall generally have precedence over the provisions in IS: 1200 (Part 2)-1974*. However, the provisions of both the standards may be considered complimentary and supplementary to each other.
- 0.3 In reporting the result of measurement made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS: 2-1960†.

1. SCOPE

1.1 This standard (Part 6) covers the method of measurement of ventilation pipes and other embedded material in river valley projects, such as dams, hydraulic structures, canals and power houses.

^{*}Method of measurement of building and civil engineering works: Part 2 Concrete works (third revision).

[†]Rules for rounding off numerical values (revised).

IS: 9401 (Part 6) - 1984

2. GENERAL

- 2.1 Clubbing of Items Items may be clubbed together provided these are on the basis of the detailed description of items stated in this standard.
- 2.2 Booking of Dimensions In booking dimensions, the order shall be consistent and generally in the sequence of length, breadth or width and height or depth or thickness.
- 2.3 Description of Items The description of each item shall, unless stated otherwise, be held to include where necessary, conveyance and delivery, handling, loading, unloading, storing, fabrication, hoisting, lowering, all labour for finishing to required shape and size.
- 2.4 Measurements All works shall be measured net in decimal system, as fixed in its place as given in 2.4.1 and 2.4.2.
 - 2.4.1 Dimensions shall be measured to the nearest 0.01 m.
 - 2.4.2 Weight shall be worked out to the nearest 0.01 kg.

3. MEASUREMENT OF PIPES AND EMBEDDED MATERIALS

- 3.0 Items included in this standard are as follows:
 - a) Ventilation pipes;
 - b) Grout pipes;
 - c) Foundation, drainage/uplift pressure pipes;
 - d) Internal drainage pipes in dams;
 - e) Sewer pipe drains;
 - f) Metal pipes embedded for post-cooling concrete;
 - g) Steel liners for air-vents, plumb bob wells, etc;
 - h) Embedded parts for trashracks, control gates, etc, steel ladders, metal hand rails, manhole frames, covers and other miscellaneous metal work;
 - i) Electrical metal conduits; and
 - k) Anchor rods, anchor bolts.
- 3.1 Ventilation / Grout / Foundation / Drainage / Uplift Pressure Pipes The pipes shall be classified according to their nominal diameter,

the quality of pipe, kind of material and the method of jointing and shall be measured in running metres, inclusive of all joints. The measurement shall be taken along the central line of the pipes and fittings or specials. All fittings or specials shall be enumerated separately as extra over the pipes. Cutting and jointing the pipes to such fittings or specials shall be deemed to be included with the item of fittings or specials.

- 3.2 Internal Drainage Pipes in Dams Measurement for porous concrete pipes shall be on the basis of the length of pipe in metre laid in the body of dam. The nominal diameter and type of the pipe shall be specified.
- 3.3 Sewer Pipe Drains Measurement for perforated sewer pipe and constructing drains shall be made in metres along the centre lines of the pipe, from end to end of the pipe in place and no allowance shall be made for laps at joints. The nominal diameter and type of the pipe shall be specified.
- 3.4 Metal Pipes Embedded for Post-Cooling of Mass Concrete—The pipes shall be classified according to their nominal diameter, the quality of pipe, kind of material and the method of jointing and shall be measured in running metres, inclusive of all joints. The measurement shall be taken along the central line of the pipes and fittings or specials. All fittings or specials shall be enumerated separately as extra over the pipes. Cutting and jointing the pipes to such fittings or specials shall be deemed to be included with the item of fittings or specials.
- 3.5 Steel Liners for Air-Vents, Plumb Bob Wells, etc Measurement for the lining plates and other structural steel shall be on the basis of mass in kilograms of plates and structural steel actually embedded in the structure.
- 3.6 Embedded Parts for Trashracks, Control Gates, etc, Steel Ladders, Metal Hand Rails, Manhole Frames, Covers and Other Miscellaneous Metal Work Measurement for these items shall be on the basis of weight in kilograms of metal work actually installed and left in place.
- 3.7 Electrical Metal Conduits Measurement for various types and sizes of electrical metal conduit shall be on the basis of length in running metres of conduits, actually embedded in the structure.
- 3.8 Anchor Rods, Anchor Bolts Measurement for anchor rods and anchor bolts shall be made on the basis of weight in kilograms of anchor bolts or anchor rods actually embedded. In case of anchor bolts the weight shall include the weight of bolt, nut, washers, wedges and bearing plates.

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

QUANTITY	Unit	Symbol	
Length	metre	m.	
Mass	kilogram	kg	
Time	second		
Electric current	am pere	Α	
Thermodynamic temperature	kelvin	K	
Luminous intensity	candela	$\epsilon \mathbf{d}$	
Amount of substance	mole	mol	
Supplementary Units			
QUANTITY .	Unit	SYMBOL	
Plane angle	radian	rad	
Solid angle	steradian	sr	
Derived Units			
QUANTITY	Unit	Symbol	DEFINITION
Force	newton	N	$i N = 1 \text{ kg.m/s}^2$
Energy.	joule	J	1 J = 1 N.m.
Power	watt	W	1 W = 1 J/s
Flux	weber	Wb	1 Wb = 1 V.s
Flux density	tesla .	T	$1 T = 1 Wb/m^2$
Frequency	hertz	Hz	1 Hz = 1 c/s (s-1)
Electric conductance	siemens	S	1 S = 1 A/V
Electromotive force	volt	v	1 V = 1 W/A
Pressure, stress,	pascal	Pa	1 Pa = 1 N/m2

AMENDMENT NO. 1 MAY 1993 TO

IS 9401 (Part 6): 1984 METHOD OF MEASUREMENT OF WORKS IN RIVER VALLEY PROJECTS (DAMS AND APPURTENANT STRUCTURES)

PART 6 VENTILATION PIPES AND OTHER EMBEDDED MATERIALS

(Page 5, clauses 3.1 and 3.4, line 5) — Substitute 'centre' for 'central'.

(Page 5, clause 3.5, line 3) - substitute 'weight' for 'mass'.

(RVD 23)