ASME A17.1-2013/CSA B44-13

(Revision of ASME A17.1-2010/CSA B44-10)

Safety Code for Elevators and Escalators

Includes Requirements for Elevators, Escalators, Dumbwaiters, Moving Walks, Material Lifts, and Dumbwaiters With Automatic Transfer Devices

AN AMERICAN NATIONAL STANDARD







INTENTIONALLY LEFT BLANK



ASME A17.1-2013/CSA B44-13

(Revision of ASME A17.1-2010/CSA B44-10)

Safety Code for Elevators and Escalators

Includes Requirements for Elevators, Escalators, Dumbwaiters, Moving Walks, Material Lifts, and Dumbwaiters With Automatic Transfer Devices

AN AMERICAN NATIONAL STANDARD







Date of Issuance: October 21, 2013

The next edition of this Code is scheduled for publication in 2016. This Code will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the ASME Web site under the Committee Pages at http://cstools.asme.org/ as they are issued. Interpretations will also be included with each edition.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at http://cstools.asme.org/. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

ASME Forewor	rd	viii
ASME Commit	tee Roster	xiii
CSA Committe	es	xix
		xxi
Summary of Ci	nanges	XXV
Part 1	General	1
1.1	Scope	1
1.2	Purpose and Exceptions	2
1.3	Definitions	2
Part 2	Electric Elevators	19
2.1	Construction of Hoistways and Hoistway Enclosures	19
2.2	Pits	21
2.3	Location and Guarding of Counterweights	23
2.4	Vertical Clearances and Runbys for Cars and Counterweights	24
2.5	Horizontal Car and Counterweight Clearances	26
2.6	Protection of Space Below Hoistways	27
2.7	Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	27
2.8	Equipment in Hoistways, Machinery Spaces, Machine Rooms,	
	Control Spaces, and Control Rooms	35
2.9	Machinery and Sheave Beams, Supports, and Foundations	37
2.10	Guarding of Equipment and Standard Railing	39
2.11	Protection of Hoistway Openings	39
2.12	Hoistway Door Locking Devices and Electric Contacts, and Hoistway Access Switches	47
2.13	Power Operation of Hoistway Doors and Car Doors	52
2.14	Car Enclosures, Car Doors and Gates, and Car Illumination	57
2.15	Car Frames and Platforms	66
2.16	Capacity and Loading	70
2.17	Car and Counterweight Safeties	74
2.18	Speed Governors	78
2.19	Ascending Car Overspeed and Unintended Car Movement Protection	81
2.20	Suspension Means and Their Connections	83
2.21	Counterweights	91
2.22	Buffers and Bumpers	93
2.23	Car and Counterweight Guide Rails, Guide-Rail Supports, and Fastenings	95
2.24	Driving Machines and Sheaves	104
2.25	Terminal Stopping Devices	107
2.26	Operating Devices and Control Equipment	111
2.27	Emergency Operation and Signaling Devices	122
2.28	Layout Drawings	139
2.29	Identification	139
2.30	Sway Control Guides	140
Part 3	Hydraulic Elevators	141
3.1	Construction of Hoistways and Hoistway Enclosures	



3.2	Pits	141
3.3	Location and Guarding of Counterweights	141
3.4	Bottom and Top Clearances and Runbys for Cars and	
0.1	Counterweights	141
3.5	Horizontal Car and Counterweight Clearances	142
3.6	Protection of Spaces Below Hoistway	142
3.7	Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	143
3.8	Electrical Equipment, Wiring, Pipes, and Ducts in Hoistway, Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	143
3.9	Machinery and Sheave Beams, Supports, and Foundations	143
3.10	Guarding of Exposed Auxiliary Equipment	143
3.11		143
	Protection of Hoistway Landing Openings	144
3.12	Hoistway Door Locking Devices, Electric Contacts, and Hoistway Access Switches	144
3.13	Power Operation, Power Opening, and Power Closing of Hoistway	
	Doors and Car Doors or Gates	144
3.14	Car Enclosures, Car Doors and Gates, and Car Illumination	144
3.15	Car Frames and Platforms	144
3.16	Capacity and Loading	145
3.17	Car Safeties, Counterweight Safeties, Plunger Gripper, and	110
5.17	Governors	145
2 10		143
3.18	Hydraulic Jacks Pining and Fitting	
3.19	Valves, Pressure Piping, and Fittings	149
3.20	Ropes and Rope Connections	152
3.21	Counterweights	152
3.22	Buffers and Bumpers	152
3.23	Guide Rails, Guide-Rail Supports, and Fastenings	153
3.24	Hydraulic Machines and Tanks	153
3.25	Terminal Stopping Devices	153
3.26	Operating Devices and Control Equipment	155
3.27	Emergency Operation and Signaling Devices	157
3.28	Layout Data	158
3.29	Identification	158
Part 4	Elevators With Other Types of Driving Machines	159
4.1	Rack-and-Pinion Elevators	159
4.2	Screw-Column Elevators	161
4.3	Hand Elevators	165
Part 5	Special Application Elevators	169
5.1	Inclined Elevators	169
5.2	Limited-Use/Limited-Application Elevators	175
5.3	Private Residence Elevators	180
5.4	Private Residence Inclined Elevators	188
5.5	Power Sidewalk Elevators	191
5.6	Rooftop Elevators	195
5.7	Special Purpose Personnel Elevators	199
5.8	Marine Elevators	204
5.9	Mine Elevators	205
5.10	Elevators Used for Construction	208
5.11	Wind Turbine Tower Elevators	213
5.12	Outside Emergency Elevators	229
Part 6	Escalators and Moving Walks	230
6.1	Escalators	230
6.2	Moving Walks	243



Part 7	Dumbwaiters and Material Lifts	. 254
7.1	Power and Hand Dumbwaiters Without Automatic Transfer Devices	. 254
7.2	Electric and Hand Dumbwaiters Without Automatic Transfer	
	Devices	. 258
7.3	Hydraulic Dumbwaiters Without Automatic Transfer Devices	
7.4	Material Lifts Without Automatic Transfer Devices	
7.5	Electric Material Lifts Without Automatic Transfer Devices	
7.6		
	Hydraulic Material Lifts Without Automatic Transfer Devices	
7.7	Automatic Transfer Devices	
7.8	Power Dumbwaiters With Automatic Transfer Devices	
7.9	Electric Material Lifts With Automatic Transfer Devices	
7.10	Hydraulic Material Lifts With Automatic Transfer Devices	
7.11	Material Lifts With Obscured Transfer Devices	. 279
Part 8	General Requirements	
8.1	Security	. 280
8.2	Design Data and Formulas	. 281
8.3	Engineering Tests, Type Tests, and Certification	. 300
8.4	Elevator Seismic Requirements	
8.5	Escalator and Moving Walk Safety Requirement for Seismic Risk	
	Zone 2 or Greater	. 333
8.6	Maintenance, Repair, Replacement, and Testing	. 334
8.7	Alterations	
8.8	Welding	
8.9	Code Data Plate	
8.10	Acceptance Inspections and Tests	
8.11	Periodic Inspections and Witnessing of Tests	
8.12	Flood Resistances	
0.12	1 TOOU RESIStances	. 399
Part 9	Reference Codes, Standards, and Specifications	400
1 WIL /	Reference Codes, Standards, and Specifications	400
9.1	Reference Documents	
•		401
9.1 9.2	Reference Documents	401
9.1	Reference Documents	401
9.1 9.2	Reference Documents	401
9.1 9.2 Figures	Reference Documents Procurement Information	. 401 . 408 . 71
9.1 9.2 Figures 2.16.1.1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets	. 401 . 408 . 71 . 87
9.1 9.2 Figures 2.16.1.1 2.20.9.4	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets	. 401 . 408 . 71 . 87
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails	. 401 . 408 . 71 . 87
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With	. 401 . 408 . 71 . 87
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified	. 401 . 408 . 71 . 87 . 88
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail	. 401 . 408 . 71 . 87 . 88 . 96
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1	. 401 . 408 . 71 . 87 . 88 . 96
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail	. 401 . 408 . 71 . 87 . 88 . 96
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 99
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h)	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 134
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 232
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.23.4.1-2 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10 6.1.6.9.1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions Caution Sign	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 232 . 241
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10 6.1.6.9.1 8.2.1.2	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions Caution Sign Minimum Rated Load for Passenger Elevators	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 232 . 241 . 282
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10 6.1.6.9.1 8.2.1.2 8.2.2.5.1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions Caution Sign Minimum Rated Load for Passenger Elevators Turning Moment Based on Class of Loading	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 232 . 241 . 282 . 285
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10 6.1.6.9.1 8.2.1.2 8.2.2.5.1 8.2.4	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions Caution Sign Minimum Rated Load for Passenger Elevators Turning Moment Based on Class of Loading Gravity Stopping Distances	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 232 . 241 . 282 . 285 . 287
9.1 9.2 Figures 2.16.1.1 2.20.9.4 2.20.9.5 2.23.3 2.23.4.1-1 2.27.3.1.6(h) 2.27.3.3.7 2.27.7.1 2.27.7.2 2.27.8 2.27.9 5.1.17.3 6.1.3.3.10 6.1.6.9.1 8.2.1.2 8.2.2.5.1	Reference Documents Procurement Information Inside Net Platform Areas for Passenger Elevators Tapered Rope Sockets Wedge Rope Sockets Elevator Guide Rails Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1 Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement Visual Signal Panel Layout Phase I Emergency Recall Operation Instructions Phase II Emergency In-Car Operation FEO-K1 Key Elevator Corridor Call Station Pictograph Vertical and Horizontal Components of Velocity Dimensions Caution Sign Minimum Rated Load for Passenger Elevators Turning Moment Based on Class of Loading	. 401 . 408 . 71 . 87 . 88 . 96 . 98 . 128 . 131 . 134 . 135 . 136 . 174 . 282 . 285 . 285 . 288



8.2.7	Minimum Factors of Safety of Suspension Members of Power	
	Passenger and Freight Elevators	293
8.2.8.1.1	Allowable Gross Loads	295
8.2.9.1.3	Load Distribution	298
8.4.3.1.3	Arc of Contact	310
8.4.8.2-1	12 kg/m (8 lb/ft) Guide-Rail Bracket Spacing	312
8.4.8.2-2	16.5 kg/m (11 lb/ft) Guide-Rail Bracket Spacing	313
8.4.8.2-3	18 kg/m (12 lb/ft) Guide-Rail Bracket Spacing	314
8.4.8.2-4	22.5 kg/m (15 lb/ft) Guide-Rail Bracket Spacing	315
8.4.8.2-5	27.5 kg/m (18.5 lb/ft) Guide-Rail Bracket Spacing	316
8.4.8.2-6	33.5 kg/m (22.5 lb/ft) Guide-Rail Bracket Spacing	317
8.4.8.2-7	44.5 kg/m (30 lb/ft) Guide-Rail Bracket Spacing	318
8.4.8.2-8	Car and Counterweight Load Factor	319
8.4.8.9	Guide-Rail Axes	324
8.4.10.1.1	Earthquake Elevator Equipment Requirements Diagrammatic	324
0.4.10.1.1	1 1 1	325
9 4 10 1 2	Representation	326
8.4.10.1.3	Earthquake Emergency Operation Diagrammatic Representation	
8.6.8.15.19(e)		353
Tables		
2.4.2.2	Minimum Bottom Runby for Counterweight Elevators With Spring	
	Buffers or Solid Bumpers and Rheostatic Control or Single-Speed	
	AC Control	25
2.15.10.1	Maximum Allowable Stresses in Car Frame and Platform Members	
2.10.10.1	and Connections, for Steels Specified in 2.15.6.2.1 and 2.15.6.2.2	69
2.16.1.1	Maximum Inside Net Platform Areas for the Various Rated Loads	71
2.17.3	Maximum and Minimum Stopping Distances for Type B Car Safeties	71
2.17.5	With Rated Load and Type B Counterweight Safeties	75
2.18.2.1	Maximum Car Speeds at Which Speed Governor Trips and Governor	13
2.10.2.1	Overspeed Switch Operates	79
2 10 7 4		81
2.18.7.4	Multiplier for Determining Governor Sheave Pitch Diameter	
2.20.3	Minimum Factors of Safety for Suspension Members	84
2.20.9.4.5	Relation of Rope Diameter to Diameter of the Small Socket Hole	88
2.22.3.1	Minimum Spring Buffer Stroke	93
2.22.4.1	Minimum Oil Buffer Strokes	94
2.23.3	T-Section Guide-Rail Dimensions	96
2.23.4.2	Load Multiplying Factor for Duplex Safeties	102
2.23.4.3.1	Guide Rails for Counterweight Without Safeties	103
2.23.4.3.3	Intermediate Tie Brackets	103
2.23.7.2.1	Minimum Thickness of Fishplates and Minimum Diameter of	
	Fastening Bolts	104
2.23.10.2	Minimum Size of Rail-Fastening Bolts	104
2.26.4.3.2	SIL for Electrical Protective Devices and Other Electrical Safety	
	Functions	118
2.26.12.1	Symbol Identification	123
4.1.9.1	Maximum and Minimum Stopping Distances for Rack-and-Pinion	
	Safeties With Rated Load	161
5.1.14.2	Minimum and Maximum Stopping Distances at Given Angles From	
	Horizontal	173
5.1.17.2	Spring Buffer Stroke	173
5.1.17.4.4	Minimum Oil Buffer Strokes at Given Angle From Horizontal	174
6.2.3.7	Treadway Width	245
6.2.4	Treadway Speed	247
7.2.6.4	Factors of Safety for Wire Rope and Chains	261
7.2.8.1	Minimum Spring Buffer Strokes	262
7.2.8.2	Minimum Oil Buffer Strokes	262
7.4.3	Type B Material Lifts	267
	1, pc 2 1,1mtc11tt 111tt	_0/



7.9.2.13 7.9.2.14	Minimum Spring Buffer Strokes Minimum Oil Buffer Strokes	279 279
8.4.8.7	Stresses and Deflections of Guide-Rail Brackets and Supports	322
8.4.11.13	Pipe Support Spacing	328
8.4.12.2.2	Maximum Allowable Deflection	331
8.6.4.20.4	Brake Test Loads	345
Nonmandatory .	Appendices	
Α	Control System	411
В	Unlocking Zone	413
C	Location of Top Emergency Exit	414
D	Rated Load and Capacity Plates for Passenger Elevators	415
E	Elevator Requirements for Persons With Physical Disabilities in	
	Jurisdictions Enforcing NBCC	416
F	Ascending Car Overspeed and Unintended Car Movement	
	Protection	424
G	Top of Car Clearance	428
Н	Private Residence Elevator Guarding (5.3.1.6.2)	433
I	Escalator and Moving Walk Diagrams	434
J	Relationship of Pit Ladder to Hoistway Door Unlocking Means	441
K	Beveling and Clearance Requirements (7.4.7.4)	442
L	Index of Alteration Requirements for Electric Elevators, Hydraulic	
	Elevators, Escalators, and Moving Walks	443
M	Inertia Application for Type A Safety Device Location of Test Weight	
	[8.10.2.2.2(ii)(2)]	448
N	Recommended Inspection and Test Intervals in "Months"	449
P	Plunger Gripper Stopping Distances	457
Q	Explanatory Figures for the Definitions of Elevator Machinery Space,	
	Machine Room, Control Space, Control Room, Remote Machine	450
D	Room, or Remote Control Room	458
R	Inspection Operation and Hoistway Access Switch Operation Hierarchy	461
S	Vertically Sliding Doors — Illustrations of Detection Zones (2.13.3.4)	463
T	Inspection and Replacement of Steel Wire Ropes	476
U	Design Requirements — Traction Elevator Suspension System	478
V	Building Features for Occupant Evacuation Operation	479
W	Wind Turbine Tower Elevator Clearances	481
X	Acceptance Tests	482
Y	Maintenance Control Program Records	486
_	Transfer Control Frogram Records	490



ASME FOREWORD

The first edition of this Code was published in January 1921. It was prepared by an American Society of Mechanical Engineers (ASME) Committee on Protection of Industrial Workers with the assistance of representatives of a number of interests including manufacturers, insurance carriers, regulatory bodies, and technical societies.

Subsequently, ASME requested the American Engineering Standards Committee (AESC) to authorize the organization of a Sectional Committee to undertake this revision. They acted favorably on this request, and in January 1922, assigned sponsorship for the project jointly to the American Institute of Architects, the National Bureau of Standards, and ASME, all three of whom had taken an active part in the preparation of the first edition of the Code.

The organization meeting of the Sectional Committee A17 was held in November 1922. A number of meetings of the Committee were held during the next two years and in July 1925, a revision of the 1921 Code was completed, approved by the AESC, and published as an American Standard.

Subsequent to the publication of the 1925 revision of the Code, the necessity for development research on the design and construction of car safeties and oil buffers and for the development of test specifications for various parts of elevator equipment was realized.

As a result, a Subcommittee on Research, Recommendations, and Interpretations was appointed in 1926. This subcommittee held regular meetings thereafter until interrupted by the war in 1940, and carried on an extensive test program at the National Bureau of Standards in connection with oil buffers and car safeties. Subsequent to the war, the name of this subcommittee was changed to "Executive Committee for the Elevator Safety Code."

The information gained as a result of these tests, together with the developments that had occurred in the design of the equipment as a result of installations made in very tall buildings, prompted the Sectional Committee to prepare and issue the third edition of the Code in 1931. The third edition was approved by the Sectional Committee in February 1931, and subsequently by the sponsors and by the American Standards Association (formerly the AESC) in July 1931.

Further experience and developments in the design of elevator equipment, led the Sectional Committee, in line with its policy of revising the Code periodically, to prepare the fourth edition in 1937, which was approved by the sponsors and by the American Standards Association (ASA) in July 1937.

A fifth edition of the Code was well under way in 1940 when it was necessary to suspend the work due to the Second World War. However, a number of the revisions already agreed upon by the Sectional Committee and approved by the sponsors and by the ASA in April 1942, were issued as a supplement to the 1937 edition. They were subsequently incorporated in a reprint of the 1937 edition in 1945. In response to public demand, requirements for private residence elevators were also issued in a separate supplement, ASA A17.1.5-1953, and incorporated into the Code as Part V in the 1955 edition.

The Sectional Committee reinitiated consideration of the fifth edition of the Code in 1946. Due to the considerable period which had elapsed since the fourth revision in 1937, and to the very extensive developments in the elevator art, the committee decided that the Code should be completely rewritten and brought up to date.

Special subcommittees were appointed to prepare the revisions of the various requirements. The membership of each subcommittee consisted of persons especially familiar with the requirements to be covered by that subcommittee. Fifteen subcommittees were set up with a total membership of over 150 persons. The membership of these subcommittees was not confined to members of the Sectional Committee. It also included other persons having expert knowledge of the subjects under consideration by the subcommittees. These subcommittees and their personnel were listed in the 1955 edition of the Code.

The drafts prepared by these subcommittees were widely circulated to interested groups for comment. After review of the comments and correlation of the drafts, the fifth edition of the Code was approved by the Sectional Committee, subsequently by the sponsors, and by the ASA in June 1955.

In December 1957, a Supplement to the Code listing a number of revisions was approved by the ASA and published by ASME.

A sixth edition was published in 1960 which incorporated the revisions contained in the 1957 Supplement as well as approximately 96 revisions which were approved by the Sectional Committee in March 1960.

In 1958 the scope of the A17 Code was enlarged to include moving walks. The membership of the Sectional Committee was expanded to include manufacturers whose primary interest in the Committee was the development of rules and regulations on moving walks. A



subcommittee prepared a Safety Code for Moving Walks which was approved by the Sectional Committee, the sponsors, and by the ASA on March 20, 1962. This Code was published as Part XIII of the A17.1 Code, and was designated ASA A17.1.13-1962.

During 1962 and 1963, 38 additional changes to Parts I through XII of A17.1 were approved by the Sectional Committee, the sponsors, and the ASA, and were published as the 1963 Supplement to the 1960 edition of the Code.

A seventh edition was published in 1965 which incorporated the rules of the Safety Code for Moving Walks, ASA A17.1.13-1962, as Part XIII, the revisions covered by the 1963 Supplement as well as approximately 90 other revisions approved by the Sectional Committee, the sponsors, and the ASA. The title of the Code was also changed to the American Standard Safety Code for Elevators, Dumbwaiters, Escalators, and Moving Walks.

On August 24, 1966, the American Standards Association was reconstituted as the United States of America Standards Institute. The designation of standards approved as American Standards was changed to USA Standards. There was no change in the index identification or the technical content of the standards. At the same time, the ASA Sectional Committee, A17 on A Safety Code for Elevators, was changed to the USA Standards Committee, A17 on A Safety Code for Elevators. Four supplements to this edition were published from 1967 through 1970.

The United States of America Standards Institute later changed its name to American National Standards Institute, Incorporated (ANSI) on October 6, 1969. At the time that the new name became effective, the designation USA Standard was changed to American National Standard and the name of committees changed from USA Standards Committees to American National Standards Committees. The alphabetical designation of standard documents was changed from USA to ANSI.

The eighth edition of the Code (1971) incorporated the revisions covered by the four supplements and an additional 94 revisions. Seven supplements were issued from 1972 through 1976. Part XIV covering Material Lifts and Dumbwaiters with Automatic Transfer Devices was added in supplement ANSI A17.1d-1975.

The ninth edition of the Code (1978) incorporated 75 revisions in addition to those covered by the previous supplements. Part XV covering Special Purpose Personnel Elevators was added and the Reference Codes, Standards, and Specifications were moved from the Preface to a new Part XVI. Two supplements to this edition were issued in 1979 and 1980.

The tenth edition of the Code (1981) incorporated the revisions covered by Supplements ANSI A17.1a-1979 and ANSI A17.1b-1980, as well as the following new material: Part XVII, Inclined Elevators; Appendix F, Seismic Regulations; and Appendix G, Recommended

Practice for Accelerating Moving Walks. Rule 211.3 and Part V were also completely revised, with the Private Residence Inclined Lifts moved to Part XVIII. Numerous other revisions and additions were also included which were approved since the time of the 1980 supplement.

The tenth edition of the Code was approved by the A17 Standards Committee. Since that time, the committee was reorganized in accordance with the ANSI Accredited Organization Method under the sponsorship of ASME. With this reorganization, the National Bureau of Standards and the American Institute of Architects relinquished their roles as cosecretariats. The Standards, Conference, and Executive Committees were also restructured as the Main Committee and the National Interest Review Committee, with the Working Committees (subcommittees) continuing to operate as before

This reorganization also prompted a change in the title of the Code to the ANSI/ASME A17.1 Safety Code for Elevators and Escalators. The title was also shortened for convenience, and it should not be construed that the Code no longer covers dumbwaiters, moving walks, or the other equipment included within the Scope of the Code.

Two supplements to the 1981 edition were issued: ANSI/ASME A17.1a-1982 and ANSI/ASME A17.1b-1983. The 1982 supplement included a new Part XIX covering Elevators Used for Construction. In the 1983 supplement, the requirements for Private Residence Inclined Lifts in Part XVIII were expanded and incorporated into a new Part XXI covering Private Residence Inclined Stairway Chairlifts and Inclined and Vertical Wheelchair Lifts. Part XX was added to cover these same devices installed in buildings other than private residences. Requirements for Screw Column Elevators were also added and designated as Part XVIII.

The eleventh edition of the Code (1984) incorporated the changes made in the 1982 and 1983 supplements, as well as additional revisions.

The eleventh edition was updated with five supplements which were issued approximately every 6 months in 1985 through the spring of 1987. Appendix I (since redesignated as Appendix E) was added in ANSI/ASME A17.1a-1985. Requirements for rack and pinion elevators were added in ANSI/ASME A17.1c-1986, designated as Part XVI. The previous Part XVI (Reference Codes, Standards, and Specifications) was moved to Section 4 of the Introduction. In ANSI/ASME A17.1d-1986, the requirements for sidewalk elevators in Part IV, and alterations in Part XII, were completely revised.

The twelfth edition of the Code incorporated the changes made in supplements A17.1a-1985 through A17.1e-1987, as well as additional revisions. Among these changes was a complete revision of the requirements for dumbwaiters in Part VII. The format of the



Code was also changed editorially to incorporate Exceptions into the body of the Rules.

The thirteenth edition of the Code incorporated the changes made in A17.1a-1988 and A17.1b-1989 as well as additional revisions. Part XXII, Shipboard Elevators, was added in A17.1b-1989. Part XXIII, Rooftop Elevators, appeared for the first time in this edition.

The fourteenth edition of the Code incorporates the changes made in A17.1a-1991 and A17.1b-1992 as well as the revisions shown in the Summary of Changes. Safety requirements for seismic risk zone 3 and greater were moved from Appendix F into new Part XXIV, Elevator Safety Requirements for Seismic Risk Zone 2 or Greater. Requirements for seismic risk zone 2 were added to Part XXIV.

The fifteenth edition of the Code incorporates the changes made in A17.1a-1994 and A17.1b-1995 as well as the revisions shown in the Summary of Changes. Part XXV, Limited Use/Limited Application Elevators, was added in A17.1b-1995. The rules in Part III have been harmonized with the CAN/CSA B44, Elevator Safety Standard, Sections 4 and 11, and Appendix G4.

The sixteenth edition of the Code incorporates changes made in A17.1a-1997 through A17.1d-2000. Requirements for Mine Elevators have also been added in Section 5.9 of this edition. In addition, the entire Code was reformatted to incorporate a decimal numbering system. For this edition of the Code cross-reference tables have been provided in order to facilitate the correlation between requirements from the fifteenth edition of the Code to the renumbered requirements of the sixteenth edition and vice versa. It is also noted, that this edition of A17.1 was the result of a joint effort between the ASME A17 Elevator and Escalator Committee and the CSA B44 Technical Committee to harmonize requirements between the ASME A17.1, Safety Code for Elevators and Escalators, and the CSA B44, Safety Code for Elevators.

The seventeenth edition of the Code incorporates changes made in A17.1a-2002 and A17.1b-2003. Additionally, in Sections 8.10 and 8.11, cross-references have been updated to reflect ASME A17.2-2001, Guide for Inspection of Elevators, Escalators, and Moving Walks.

The eighteenth edition of the Code is a fully bi-national standard. All former deviations between the ASME A17.1 Code and the CSA B44 Code have been fully addressed within this one Code. Additionally, this edition incorporates revisions to address the advancement of technologies used in the design and construction of elevator equipment which has enabled the installation of the equipment in other than traditional locations such as machine rooms. New requirements have also been

added to address programmable electronic systems in safety-related applications of elevators.

The nineteenth edition of the Code incorporates changes made in A17.1a-2008 and A17.1b-2009. Major changes include former periodic inspections now being covered under maintenance requirements. New requirements have been added to address the means and members of suspension, compensation, and governor systems for elevators. These new requirements are covered in detail through reference to ASME A17.6, which includes the material properties, design, testing, inspection, and replacement criteria for these means. It includes the requirements for steel wire rope, aramid fiber rope, and noncircular elastomeric-coated steel suspension members and provides direction for future constructions as new technology develops.

This twentieth edition of the Code contains well over one hundred revisions made to existing requirements, as well as some new requirements being added, since the publication of the nineteenth edition.

New requirements have been added to address new types of elevator equipment being used in the industry, specifically wind turbine elevators and outside emergency elevators. In addition, requirements have been added to address a new feature called Elevator Evacuation Operation (EEO) which allows for the use of elevators for occupant evacuation.

Besides the above, several major changes include the following:

- (a) An extensive update to the seismic requirements of the Code that have been revised to include seismic force levels as specified in the latest building codes in the US (IBC) and Canada (NBCC). In order to facilitate incorporation of these requirements, a *Guide for Elevator Seismic Design* has been separately published.
- (b) Requirements have been updated related to the maintenance control program in order to improve clarity and organization for records, content, availability, and format.
- (c) Regarding qualifications for elevator inspectors (QEI), effective January 1, 2014, accreditation of organizations that certify elevator inspectors and inspection supervisors is being discontinued by The American Society of Mechanical Engineers. Requirements have been revised in this area to allow for accreditation to be done by other organizations.

The following is a complete list of past editions and supplements to the Code that have been published and the dates when they received final approval. The dates of issuance are also included for the documents published since 1974, and the dates on which they became effective are included for those published since 1978.



Editio	ons and Supplements	Approved	Issued	Effective
First Edition	1921	January 1921		
Second Edition	A17–1925	April 1925		
Third Edition	ASA A17–1931	July 1931		
Fourth Edition	ASA A17.1–1937	July 1937		
Supplements	ASA A17.3-1942	April 1942	•••	
11	ASA A17.1.5–1953	June 9, 1953	•••	•••
Fifth Edition	ASA A17.1–1955	June 15, 1955		
Supplements	ASA A17.1a–1957	December 10, 1957		
Sixth Edition	ASA A17.1-1960	August 29, 1960		
Supplements	ASA A17.1.13-1962	March 20, 1962	•••	•••
	ASA A17.1a-1963	August 16, 1963		
Seventh Edition	ASA A17.1-1965	July 29, 1965		
Supplements	USAS A17.1a-1967	July 7, 1967		
	USAS A17.1b-1968	December 11, 1968	•••	•••
	USAS A17.1c-1969	May 6, 1969		
	ANSI A17.1d-1970	March 2, 1970		
Eighth Edition	ANSI A17.1–1971	July 27, 1971		
Supplements	ANSI A17.1a–1972	February 16, 1972	•••	•••
	ANSI A17.1b–1973	October 11, 1973		
	ANSI A17.1c-1974	April 26, 1974	September 15, 1974	•••
	ANSI A17.1d-1975	February 26, 1975	October 31, 1975	
	ANSI A17.1e-1975	March 26, 1975	October 31, 1975	
	ANSI A17.1f-1975	April 2, 1975	October 31, 1975	
	ANSI A17.1g–1976	August 12, 1976	November 30, 1976	
Ninth Edition	ANSI A17.1–1978	May 4, 1978	June 15, 1978	September 15, 1978
Supplements	ANSI A17.1a–1979	February 5, 1979	March 30, 1979	June 30, 1979
	ANSI A17.1b–1980	March 20, 1980	May 15, 1980	August 15, 1980
Tenth Edition	ANSI/ASME A17.1-1981	September 8, 1981	October 22, 1981	April 22, 1982
Supplements	ANSI/ASME A17.1a-1982	October 5, 1982	November 30, 1982	May 30, 1983
	ANSI/ASME A17.1b-1983	October 24, 1983	December 23, 1983	June 23, 1984
Eleventh Edition	ANSI/ASME A17.1-1984	August 16, 1984	September 16, 1984	March 16, 1985
Supplements	ANSI/ASME A17.1a-1985	February 27, 1985	April 15, 1985	October 15, 1985
	ANSI/ASME A17.1b–1985	August 6, 1985	October 15, 1985	April 15, 1986
	ANSI/ASME A17.1c-1986	March 5, 1986	April 30, 1986	October 31, 1986
	ANSI/ASME A17.1d-1986	September 8, 1986	November 30, 1986	May 31, 1987
	ANSI/ASME A17.1e-1987	February 18, 1987	April 30, 1987	October 30, 1987
Twelfth Edition	ASME/ANSI A17.1-1987	October 20, 1987	January 15, 1988	July 16,1988
Supplements	ASME/ANSI A17.1a–1988	October 6, 1988	November 15, 1988	May 16, 1989
	ASME/ANSI A17.1b-1989	November 10, 1989	November 30, 1989	May 31, 1990
Thirteenth Edition	ASME A17.1-1990	October 8, 1990	February 8, 1991	August 9, 1991
Supplements	ASME A17.1a-1991	October 21, 1991	February 28, 1992	August 29, 1992
	ASME A17.1b-1992	October 28, 1992	December 29, 1992	June 30, 1993
Fourteenth Edition	ASME A17.1-1993	October 18, 1993	December 31, 1993	July 1, 1994
Supplements	ASME A17.1a-1994	August 17, 1994	December 31, 1994	July 1, 1995
	ASME A17.1b-1995	October 5, 1995	January 31, 1996	August 1, 1996

Editio	ns and Supplements	Approved	Issued	Effective
Fifteenth Edition	ASME A17.1–1996	October 3, 1996	December 31, 1996	July 1, 1997
Supplements	ASME A17.1a-1997	January 8, 1998	February 27, 1998	August 28, 1998
	ASME A17.1b-1998	November 13, 1998	February 19, 1999	August 20, 1999
	ASME A17.1c-1999	May 13, 1999	June 30, 1999	December 31, 1999
	ASME A17.1d-2000	October 12, 2000	November 30, 2000	January 31, 2001
Sixteenth Edition	ASME A17.1-2000	October 16, 2000	March 23, 2001	March 23, 2002
Supplements	ASME A17.1a-2002	February 26, 2002	April 4, 2002	October 4, 2002
	ASME A17.1b-2003	April 10, 2003	May 30, 2003	November 30, 2003
Seventeenth Edition	ASME A17.1-2004	January 14, 2004	April 30, 2004	October 31, 2004
Supplements	ASME A17.1a-2005	March 18, 2005	April 29, 2005	October 29, 2005
	ASME A17.1S-2005	March 23, 2005	August 12, 2005	February 12, 2006
Eighteenth Edition	ASME A17.1-2007/CSA B44-07	February 20, 2007	April 6, 2007	October 6, 2007
Supplements	ASME A17.1a-2008/CSA B44a-08	September 19, 2008	December 5, 2008	June 5, 2009
	ASME A17.1b-2009/CSA B44b-09	November 17, 2009	December 30, 2009	June 30, 2010
Nineteenth Edition	ASME A17.1-2010/CSA B44-10	October 19, 2010	December 30, 2010	June 30, 2011
Twentieth Edition	ASME A17.1-2013/CSA B44-13	May 31, 2013	October 21, 2013	April 21, 2014

ASME A17 ELEVATOR AND ESCALATOR COMMITTEE

(October 2012)

STANDARDS COMMITTEE

H. E. Peelle III, Chair J. W. Coaker, Vice Chair R. A. Gregory, Vice Chair G. A. Burdeshaw, Secretary E. V. Baker, IUEC M. D. Morand, Alternate, IUEC

T. D. Barkand, U.S. Department of Labor
R. E. Baxter, Baxter Residential Elevators, LLC
K. S. Lloyd, Jr., Alternate, Abell Elevator International

L. Bialy, Otis Elevator Co.
B. D. Black, BD Black & Associates

J. R. Brooks, Wagner Consulting Group, Inc.

J. W. Coaker, Coaker & Co., PC

J. A. Filippone, Port Authority of New York and New Jersey
J. H. Humphrey, Alternate, Port Authority of New York and New

C. C. Fox, Rainbow Security Control Ltd.

B. D. Fox, Alternate, Fox & Sons Quality Elevator Inspection

G. W. Gibson, George W. Gibson and Associates, Inc.

R. S. Seymour, Alternate, Robert L. Seymour and Associates, Inc.

R. A. Gregory, Vertex Corp.

R. F. Hadaller, Technical Standards and Safety Authority

M. Tevyaw, Alternate, Technical Standards and Safety Authority

P. Hampton, ThyssenKrupp Elevator Co.

R. J. Walker, Alternate, ThyssenKrupp Elevator Co.

J. T. Herrity, VTE

A. P. Juhasz, KONE, Inc.

D. A. Kalgren, KONE, Inc.

D. S. Boucher, Alternate, KONE, Inc.

J. W. Koshak, Elevator Safety Solutions, Inc.

H. Simpkins, Alternate, ThyssenKrupp Elevator Co.

N. B. Martin, State of Ohio

Z. R. McCain, Jr., McCain Engineering Associates, Inc.

M. V. Farinola, Alternate, MV Farinola, Inc.

D. McColl, Otis Canada, Inc.

J. L. Meyer, Bureau Veritas

H. E. Peelle III, The Peelle Co., Ltd.

S. P. Reynolds, Alternate, The Peelle Co., Ltd.

A. Rehman, Schindler Elevator Corp.

V. P. Robibero, Schindler Elevator Corp.

C. W. Rogler, State of Michigan

J. H. Shull, J. H. Shull Engineering, LLC

D. M. Stanlaske, NAESA International

D. L. Turner, Davis L. Turner & Associates

R. S. Caporale, Alternate, Elevator World, Inc.

A. H. Verschell, Dwan Elevator

G. W. Kosinski, Alternate, EIWPF

D. A. Witham, GAL Manufacturing

J. Varon, Alternate, GAL Manufacturing

Honorary Members

L. J. Blaiotta A. A. Mascone
E. A. Donoghue E. M. Philpot
H. E. Godwin, Jr. R. L. Rogers
C. E. Hempel C. E. Vlahovic
C. L. Kort L. E. White

Regulatory Advisory Council

N. B. Martin, Chair
J. L. Borwey, Vice Chair
G. A. Burdeshaw, Staff
Secretary
D. McLellan, Secretary
G. Antona
G. Barnes
J. H. Burpee
J. R. Calpini
P. Caploon
J. Day
N. C. Dimitruck
M. Dorosk
C. Gardiner
L. A. Giovannetti
J. M. Gould
A. N. Griffin
R. F. Hadaller
W. J. Hartung
S. J. Hickory

D. Holmes

C. C. Mann M. J. Mellon, Jr.

I. D. Mercer S. Mercier K. P. Morse M. E. Pedersen M. R. Poulin W. Reinke J. P. Roche C. W. Rogler A. Smith I. Stewart M. K. Stewart S. F. Stout L. M. Taylor D. Tudor L. E. Watson W. C. Watson W. J. Witt R. Kaspersma, Contributing

Member

D. M. Stanlaske,
Contributing Member

D. L. Barker, Alternate

D. Melvin, Alternate



NATIONAL INTEREST REVIEW GROUP

G. A. Burdeshaw, Secretary M. Krstanoski J. P. Andrew M. L. Lane D. M. Begue W. R. Larsen R. I. Blatz M. A. Malek I. E. Brannon J. J. Mancuso M. T. Brierley C. C. Mann B. B. Calhoun N. E. Marchitto J. A. Caluori D. Mason C. S. Carr J. L. Meyer M. A. Chavez T. S. Mowrey R. F. Dieter F. G. Newman B. Faerber J. W. O'Boyle J. J. O'Donoghue H. S. Frank J. G. Gerk B. Peyton L. A. Giovannetti M. J. Pfeiffer J. M. Gould M. R. Poulin S. H. Grainer P. M. Puno N. R. Herchell L. Rigby J. E. Herwig J. R. Runyan R. Howkins R. D. Schloss J. M. Imgarten S. Shanes J. Inglis J. L. Stabler T. Isaacs D. M. Stanlaske

B44.1/A17.5 ELEVATOR AND ESCALATOR ELECTRICAL EQUIPMENT COMMITTEE

D. A. Swerrie

B. T. Irmacher M. L. Hite, Chair J. H. Shull, Chair I. Lee G. A. Burdeshaw, Staff R. A. Mackenzie Secretary P. F. McDermott M. Dodd, Secretary B. Mierzejewski P. D. Barnhart M. Mihai J. W. Blain A. Zemanek J. D. Busse M. L. Jaremko, Alternate J. Caldwell O. Simonetta, Alternarte J. L. Della Porta R. S. Williams, Alternate D. A. Donner

CODE COORDINATION COMMITTEE

G. A. Burdeshaw, Secretary
L. Bialy
R. Cote
J. W. Koshak
V. Robibero
B. Tubbs

B. D. Black, Chair

Q. JianXiong

F. A. Kilian

R. Bukowski, Contributing Member

P. Caploon, Contributing Member

G. W. Gibson, Contributing Member

K. Paarlberg, Alternate

DUMBWAITER AND ATD COMMITTEE

D. Witt, Chair
R. A. Gregory
J. B. Peskuski, Vice Chair
R. Mohamed, Secretary
R. P. McCune

EARTHQUAKE SAFETY COMMITTEE

B. Blackaby, Chair
W. E. Schadrack III, Vice
Chair
M. Gerson, Secretary
L. C. Barulich
J. L. Meyer
W. C. Ribeiro
A. J. Schiff
A. J. Shelton
M. J. Smith

G. A. Gibson
D. A. Kalgren, Alternate
A. Jahn
R. Lorenzo
D. A. Kalgren, Alternate
R. D. Shepherd, Alternate

EDITORIAL COMMITTEE

G. A. Burdeshaw, Secretary
B. D. Black
J. Filippone
D. McColl

ELECTRICAL COMMITTEE

B. Blackaby, Chair S. P. Wood J. Caldwell, Vice Chair S. H. Benjamin, Contributing D. Henderson, Vice Chair Member C. R. Ramcharran, Secretary R. Elias, Contributing T. D. Barkand Member P. D. Barnhart S. E. Fisher, Contributing I. W. Blain Memher J. D. Busse Y. C. Ho, Contributing S. J. Carlton Member B. C. Castillo T. G. Moskal, Contributing J. L. Della Porta Memher J. P. Donnelly P. M. Puno, Contributing W. J. Hartung Member G. N. Henry M. Stergulc, Contributing A. P. Juhasz Member P. F. McDermott J. C. Carlson, Alternate M. Mihai. Alternate B. Ortiz A. L. Peck J. C. Ramos, Alternate D. K. Prince J. H. Shull, Alternate V. P. Robibero

ELEVATORS USED FOR CONSTRUCTION COMMITTEE

N. B. Martin, Chair
G. A. Burdeshaw, Secretary
J. A. Lowery, Jr.
R. E. Baxter
C. C. Fox



EMERGENCY OPERATIONS COMMITTEE

C. Koenig, Chair M. Tevyaw, Vice Chair C. R. Ramcharran, Secretary D. R. Beste B. D. Black J. C. Carlson R. B. Fraser

D. Henderson S. R. James J. Latham

J. A. Marinelli D. McColl S. A. Morse C. H. Murphy T. F. Norton J. J. O'Donoghue D. K. Prince P. D. Rampf A. Rehman L. F. Richardson

D. J. Winslow D. A. Witham M. Abbott, Contributing Memher

D. Warne

T. Bitz. Contributina Member

M. T. Brierley, Contributing Member

M. W. Bunker, Jr., Contributina Member P. Caploon, Contributing Member

G. B. Cassini, Contributing Member

D. P. Cook, Contributing Member D. Holmes, Contributing

Memher M. Martin, Contributing

Member B. F. O'Neill, Contributing Memher

R. C. Burch, Contributing Memher

R. F. Hadaller, Alternate J. K. O'Donnell, Alternate G. G. Rees, Alternate R. Reiswig, Alternate

R. J. Roux, Alternate A. J. Shelton, Alternate

EXISTING INSTALLATIONS COMMITTEE

J. S. Rearick, Chair D. B. Labrecque, Vice Chair M. Gerson, Secretary R. E. Baxter I. Bera C. A. Buckley J. D. Carlisle C. J. Duke A. T. Gazzaniga R. A. Gregory J. A. Jaudes R. Kremer K. S. Llovd, Jr. G. M. Losey P. McPartland N. R. Mistry R. C. Morrical G. L. Nyborg III S. A. Quinn P. Reid R. D. Shepherd

J. L. Stabler

V. G. Bahna

R. Carter

J. Doyle

N. J. Montesano, Chair

R. S. Caporale, Vice Chair

G. A. Burdeshaw, Secretary

G. Stiffler H. M. Vyas T. Waardenburg I. H. Butler. Contributina Member G. B. Cassini, Contributing Member J. G. Gerk, Contributing Member J. T. Herrity, Contributing Member

Z. R. McCain, Jr., Contributing Member A. J. Saxer, Contributing Memher P. J. Welch, Contributing

Member

E. A. Heath III, Alternate D. Keller, Alternate V. P. Robibero, Alternate D. J. Winslow, Alternate

EMERGENCY PERSONNEL COMMITTEE

C. C. Fox, Chair D. L. Turner, Vice Chair G. A. Burdeshaw, Secretary J. R. Brooks R. S. Caporale

D. L. Flint J. L. Meyer

D. R. Evans

K. M. Harris

R. Herndobler

I. A. Kinahan

D. McLellan

K. J. Smith

J. L. Stabler

R. D. Shepherd

J. G. Gerk

C. W. Rogler R. S. Seymour D. P. Cook, Contributing Member

J. J. O'Donoghue, Contributing Member

HOISTWAY COMMITTEE

HAND AND SIDEWALK ELEVATOR COMMITTEE

J. Duffy

G. West

G. Greenberg

E. L. Krull, Jr.

C. P. Robinson

ESCALATOR AND MOVING WALK COMMITTEE D. L. Turner, Chair P. Velasquez, Jr. T. R. Nurnberg, Vice Chair P. J. Welch R. Mohamed, Secretary D. Winkelhake P. R. Bothwell P. L. Edwards, Contributing P. E. A. Burge Member J. Filippone, Contributing Member R. A. Glanzmann C. Anayiotos, Alternate C. Banks, Alternate H. A. Hausmann C. S. Carr, Alternate

K. G. Hamby, Alternate

T. P. Kenny, Alternate

A. Rehman, Alternate

D. E. Rush, Alternate

R. C. Shumate, Alternate

S. P. Reynolds, Vice Chair C. R. Ramcharran, Secretary B. D. Black D. S. Boucher L. M. Capuano A. S. Conkling H. J. Gruszynski R. F. Hadaller E. A. Heath III J. A. Marinelli S. A. Morse G. L. Nuschler H. E. Peelle III F. Regalado A. Rehman H. Simpkins D. S. Warne D. A. Witham

D. McColl, Chair

W. Ziegert L. J. Blaiotta, Contributing Memher G. W. Gibson, Contributing Member J. L. Harding, Contributing Member D. Holmes, Contributing Member L. C. Woods, Contributing Member L. Bialy, Alternate R. C. Burch, Alternate F. R. Cooper, Alternate D. P. Kraft, Alternate R. K. Leckman, Alternate W. M. Miller. Alternate M. Tevyaw, Alternate

HYDRAULIC COMMITTEE

INCLINED ELEVATOR COMMITTEE

INSPECTIONS COMMITTEE

H. Simpkins, Chair C. B. Jackson, Vice Chair G. A. Burdeshaw, Secretary D. M. Begue

L. Bialy S. A. Bruno M. G. Miller T. S. Mowrey M. J. Paschke L. Rigby J. L. Shrum

P. E. A. Burge, Contributing Member

C. C. Fox, Contributing Memher

H. A. Hammerstrom, Contributina Member A. Jahn, Contributing Member

C. W. Rogler, Contributing Member

B. Giddens. Alternate

K. A. Grunden, Alternate J. W. Koshak, Alternate A. M. McClement, Alternate W. M. Shrum, Jr., Alternate

LIMITED-USE/LIMITED-APPLICATION **ELEVATOR COMMITTEE**

J. P. Schumacher R. E. Baxter, Chair P. Chance, Vice Chair F. C. Slater A. H. Verschell M. Gerson, Secretary R. B. Weber K. L. Brinkman P. W. Lackler D. M. Winkle, Ir. S. J. Mehalko C. C. Fox, Contributing R. J. Murphy Member J. E. Newstrom M. L. McDonald, Alternate

MAINTENANCE, REPAIR, AND REPLACEMENT COMMITTEE

I. R. Carrick. Chair

A. H. Verschell, Vice Chair G. A. Burdeshaw, Secretary

J. Filippone, Chair

G. Antona

C. Archer

I. Coaker

C. J. Duke

K. Garst

P. Hampton

J. T. Herrity

J. J. Knolmajer

G. W. Kosinski

C. P. Robinson

J. D. Rosenberger

C. W. Rogler

J. S. Rearick

A. Rehman

Z. R. McCain, Jr.

R. E. Baxter

J. R. Brooks

C. A. Buckley

M. V. Farinola

M. Tevyaw, Vice Chair

R. Mohamed, Secretary

I. T. Herrity

J. R. Runyan

R. D. Schloss

R. S. Seymour

R. D. Shepherd

W. M. Snyder

J. S. Rearick, Contributing Member

R. A. Gregory, Chair D. B. Labrecque, Vice Chair M. Gerson, Secretary

R. E. Baxter C. J. Duke M. V. Farinola I. Filippone S. Greene J. A. Jaudes R. Kremer P. W. Lackler K. S. Llovd, Jr. G. M. Losey

M. D. Morand

R. C. Morrical

V. P. Robibero

P. Rosenberg

R. D. Schloss

H. M. Vyas

R. D. Shepherd

T. Waardenburg

Member

Member

J. S. Rearick

P. Reid

W. Richardson

D. M. Stanlaske Z. R. McCain, Jr. D. S. Warne P. McPartland J. L. Borwey, Contributing J. L. Meyer N. R. Mistry Member

H. S. Frank, Contributing Member

R. F. Hadaller, Contributing

J. Strzelec, Contributing Memher

P. G. Bender. Alternate M. D. Morand, Alternate J. L. Stabler, Alternate

M. Boutin, Alternate C. S. Carr, Alternate D. McLellan, Alternate

S. Swett, Alternate

J. G. Gerk, Contributing Member

R. F. Hadaller, Contributing Memher

R. E. Haukeness, Contributing Member J. T. Herrity, Contributing Member

A. S. Hopkirk, Contributing Member

J. J. Knolmajer, Contributing Member

D. McColl, Contributing Member

J. Murphy, Contributing Memher W. B. Pletch, Contributing

Member A. Rehman, Contributing

Member

A. J. Saxer, Contributing Member

J. Strzelec, Contributing Member

C. Buckley, Alternate C. S. Carr, Alternate E. A. Heath III, Alternate

D. Keller, Alternate J. L. Stabler, Alternate

D. J. Winslow, Alternate

INTERNATIONAL STANDARDS COMMITTEE

L. Bialy, Chair V. P. Robibero, Vice Chair G. A. Burdeshaw, Secretary

B. D. Black B. Blackaby R. S. Caporale J. Coaker

G. W. Gibson J. T. Herrity A. P. Juhasz

G. A. Kappenhagen

J. W. Koshak J. Popp D. L. Turner

D. McColl, Contributing Member

J. Strzelec, Contributing Member

V. Q. Bates, Jr., Alternate D. R. Evans, Alternate D. A. Kalgren, Alternate D. McKee, Alternate

W. D. George, Chair

M. R. Tilyou, Vice Chair G. A. Burdeshaw, Secretary

G. B. Cassini, Contributing

J. J. DeLorenzi, Contributing

E. J. Crawford

MARINE ELEVATOR COMMITTEE

T. J. Ingram H. Moran

R. Wagner



MECHANICAL DESIGN COMMITTEE

L. Bialy, Chair
D. L. Turner, Vice Chair
R. J. Walker, Vice Chair
A. B. Byk, Secretary
E. V. Baker
F. Belio
C. C. Fox
G. W. Gibson
B. W. Horne
D. A. Kalgren
V. King

V. King
J. W. Koshak
R. Kremer
M. P. Lamb
A. Rehman
H. Simpkins

R. E. Creak, Contributing
Member

H. S. Frank, Contributing

Member

R. F. Hadaller, Contributing Member

K. Konyar, Contributing Member

M. Rhiner, *Contributing Member*

C. E. Vlahovic, *Contributing Member*

S. P. Wurth, Contributing Member

D. P. Kraft, Alternate R. K. Leckman, Alternate

W. C. Ribeiro, Alternate

C. Ribello, Alternate

QUALIFICATION OF ELEVATOR INSPECTORS (QEI) COMMITTEE

J. R. Brooks, Chair J. A. Marchack M. Tevyaw, Vice Chair Z. R. McCain, Jr. G. A. Burdeshaw, Secretary V. P. Robibero E. V. Baker C P Robinson R. E. Baxter C. W. Rogler L. Bialy J. R. Runyan B. D. Black R. S. Seymour J. Coaker D. M. Stanlaske J. Cosbev J. Strzelec

G. W. Gibson
C. J. Duke, Alternate
P. Hampton
D. McLellan, Alternate
J. T. Herrity
J. L. Meyer, Alternate
G. W. Kosinski
M. D. Morand, Alternate
E. L. Krull, Jr.
D. L. Turner, Alternate

MINE ELEVATOR COMMITTEE

N. B. Martin, Chair
M. Gerson, Secretary
C. C. Adkins, Sr.
C. D. Barchet
T. D. Barkand
W. M. Dietz

T. D. Barkand
W. M. Dietz
W. M. Heimbuch
M. G. Kalich
J. B. Ketchem

A. L. Martin H. E. Newcomb M. P. Snyder J. K. Taylor

P. E. Fernatt, *Contributing Member*

A. J. Saxer, Contributing Member

RACK AND PINION AND SPECIAL PURPOSE PERSONNEL ELEVATOR COMMITTEE

G. A. Burdeshaw, Staff
Secretary
S. Harris, Secretary
J. L. Borwey
T. A. Gross
K. M. Harrison
R. Kaspersma

J. W. Koshak

D. L. Flint

S. D. Larson
A. J. Marchant
R. C. Meiresonne
R. E. Haukeness,
Contributing Member
B. L. O'Neill, Contributing

D. S. Warne

J. A. Harrison, Alternate

NEW TECHNOLOGY COMMITTEE

L. Bialy, Chair
D. McColl, Vice Chair
A. L. Guzman, Secretary
B. D. Black
R. S. Caporale
L. M. Capuano
T. M. Chambers
J. Coaker
M. Dodd
G. W. Gibson
A. N. Griffin
J. T. Herrity
A. P. Juhasz
D. A. Kalgren

R. Kaspersma

J. W. Koshak
G. W. Kosinski
J. L. Meyer
M. Mihai
M. Pedram
V. P. Robibero
D. Schroeter
D. W. Soos
D. M. Stanlaske
D. L. Turner
R. E. Baxter, Alte

D. L. Turner
R. E. Baxter, Alternate
M. Chan, Alternate
M. D. Morand, Alternate
O. Simonetta, Alternate

RESIDENCE ELEVATOR COMMITTEE

K. L. Brinkman, Chair A. H. Verschell, Vice Chair M. Gerson, Secretary T. M. Chambers P. Chance F. M. Hoch S. D. Holat C. S. Jones T. C. Kingsley P. W. Lackler K. H. Lewis M. Lewis I. C. Lund S. J. Mehalko R. J. Murphy J. E. Newstrom T. L. Pope

W. Richardson

J. P. Schumacher
F. C. Slater
R. B. Weber
D. M. Winkle, Jr.
R. E. Baxter, Contributing
Member
D. J. DeGere, Contributing
Member
P. Edwards, Contributing
Member
M. L. McDonald,
Contributing Member
W. M. McKinley,
Contributing Member

Contributing Member
W. M. McKinley,
Contributing Member
J. B. Peskuski, Alternate
J. Tometich, Alternate
G. Ziebell, Alternate

OUTSIDE EMERGENCY ELEVATOR COMMITTEE

G. L. Nuschler, Chair
W. C. Christensen
H. E. Peelle III
R. F. Fahy
J. Shimshoni
J. K. O'Donnell
D. M. Stanlaske

WIND TURBINE ELEVATOR COMMITTEE

J. W. Koshak, Chair M. J. Logan R. J. Gromek, Vice Chair D. Lohbeck J. Asensio A. J. Marchant J. Ayerbe K. Matharu J. L. Borwey J. S. Rearick G. Brickell G. A. Rogers D. R. Brown S. Rowles J. R. Dunlop G. Santos J. H. Shull S. H. Franklin P. Grewal C. Smith T. A. Gross D. W. Soos J. J. Haigh S. Swett S. Harris C. Vanhoutte S. W. Weaver C. A. Heins J. T. Herrity R. Weinmuller R. Kaspersma R. S. Yeatman, Jr.

G. J. Kolodziej

CSA B44 COMMITTEE ON THE ELEVATOR SAFETY CODE

TECHNICAL COMMITTEE

- R. Hadaller, Chair, Technical Standards & Safety Authority, Toronto, Ontario, Canada
- D. McColl, Vice Chair, Otis Canada, Inc., Mississauga, Ontario, Canada
- O. Simonetta, Project Manager, CSA Group, Mississauga, Ontario, Canada
- C. Ayling, Ayling Consulting Services, Inc., Mississauga, Ontario, Canada
- S. Bornstein, KONE Inc., Toronto, Ontario, Canada
- D. Eastman, Service NL, Newfoundland and Labrador, St. John's, Newfoundland, Canada
- M. Fournier, STM (Montreal Transport Society), Montréal, Québec, Canada
- A. Griffin, Alberta Municipal Affairs and Housing, Edmonton, Alberta, Canada
- R. Haukeness, Technical Safety Authority of Saskatchewan, Regina, Saskatchewan, Canada
- A. Hopkirk, Trident Elevator Co., Ltd., Scarborough, Ontario,
- U. Huskic, Toronto, Ontario, Canada
- K. Jenkins, KJA Consultants Inc., Montréal, Québec, Canada
- G. Kappenhagen, Stroudsburg, Pennsylvania, USA
- F. Kassem, Ascenseurs ThyssenKrupp (Canada) Limitée, Montréal, Québec, Canada
- R. Kennedy, Department of Labour and Advanced Education, Halifax, Nova Scotia, Canada
- J. Lee, British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada
- E. MacArthur, Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island, Canada
- A. Marchant, Alimak Hek, Inc., Shelton, Connecticut, USA
- R. Marsiglio, H. H. Angus & Associates Ltd., Toronto, Ontario,
- B. McIntyre, IUEC Local No. 50, Scarborough, Ontario, Canada
- S. Mercier, Régie du bâtiment du Québec, Montréal, Québec, Canada
- M. Pedram, ThyssenKrupp Northern Elevator Corp., Scarborough, Ontario, Canada
- H. Peelle, The Peelle Company Limited, Brampton, Ontario, Canada
- A. Procktor, ARP Engineers, division of 1001845 Ontario Inc., Burlington, Ontario, Canada
- A. Rehman, Schindler Elevator Corporation, Morristown, New Jersey, USA
- J. Rooney, Priestman, Neilson & Associates Ltd., Kanata, Ontario, Canada
- R. Scharfe, Public Works and Government Services Canada, Ottawa. Ontario. Canada
- B. Virk, Unitech Elevator Company, Pickering, Ontario, Canada
- P. Yau, Public Works and Government Services Canada, Toronto, Ontario, Canada

Associate Members

- T. Baik, Toronto Transit Commission, Toronto, Ontario, Canada
- L. Bialy, Otis Elevator Company, Farmington, Connecticut, USA
- M. Brierley, Toronto Fire Service, Coldwater, Ontario, Canada
- D. Bruce, Alberta Municipal Affairs, Edmonton, Alberta, Canada
- G. Burdeshaw, The American Society of Mechanical Engineers, New York, New York, USA
- K. Cheong, Applied Engineering Solutions Ltd., Vancouver, British Columbia, Canada
- E. Donoghue, Edward A. Donoghue Associates, Inc., Salem, New York, USA
- K. Dunbar, Government of the Northwest Territories, Yellowknife, Northwest Territories. Canada
- G. Gibson, George W. Gibson & Associates, Inc., Sedona, Arizona, IISA
- P. Girouard, Plafolift Inc., Warwick, Québec, Canada
- A. Gower, Manitoba Office of the Fire Commissioner, Winnipeg, Manitoba. Canada
- F. Kassem Ascenseurs ThyssenKrupp (Canada) Limitée, Montréal, Québec, Canada
- J. Koshak, Elevator Safety Solutions Inc., Collierville, Tennessee,
- R. MacKenzie, CSA Group, Toronto, Ontario, Canada
- A. McGregor, Rooney, Irving & Associates, Ottawa, Ontario,
 Canada
- D. McLellan, Technical Standards & Safety Authority, Toronto, Ontario. Canada
- Mercer, Service NL, Newfoundland and Labrador, St. John's, Newfoundland, Canada
- M. Mihai, Technical Standards & Safety Authority, Toronto, Ontario, Canada
- A. Reistetter, National Elevator & Escalator Association, Mississauga, Ontario, Canada
- S. Reynolds, The Pelle Company Limited, Brampton, Ontario,
- J. Shull, J. H. Shull Engineering, LLC, Southington, Connecticut, USA
- E. Sopeju, Underwriters Laboratories of Canada, Scarborough, Ontario, Canada
- M. Tevyaw, Technical Standards & Safety Authority, Toronto, Ontario, Canada
- J. Virk, Unitech Elevator Company, Pickering, Ontario, Canada
- D. Walton, Eastern Elevator Inc., Oshawa, Ontario, Canada
- D. Warne, Alberta Elevating Devices & Amusement Rides Safety Association, Calgary, Alberta, Canada
- A. Zemanek CSA Group, Toronto, Ontario, Canada
- M. Zingarelli, MAD Elevator Fixtures Inc., Etobicoke, Ontario, Canada



CSA B44.1/ASME A17.5 JOINT COMMITTEE ON ELEVATOR AND ESCALATOR ELECTRICAL EQUIPMENT

- M. Hite, Chair, KONE Inc., Allen, Texas, USA
- J. Della Porta, Vice Chair, Otis Elevator Co., Farmington, Connecticut, USA
- O. Simonetta Project Manager, CSA Group, Mississauga, Ontario,
- P. Barnhart, Underwriters Laboratories, Inc., Research Triangle Park, North Carolina, USA
- J. Blain, Schindler Elevator Corporation, New York, New York, USA
- G. Burdeshaw, The American Society of Mechanical Engineers, New York, New York, USA
- J. Busse, Fujitec America, Inc., Mason, Ohio, USA
- J. Caldwell, ThyssenKrupp Elevator, Memphis, Tennessee, USA

- S. Carlton, Underwriters Laboratories, Inc., Northbrook, Illinois, USA
- D. Donner, KONE Inc., McKinney, Texas, USA
- T. Evans, CSA Group, Toronto, Ontario, Canada
- T. Irmscher, British Columbia Safety Authority, New Westminster, British Columbia, Canada
- R. MacKenzie, CSA Group, Toronto, Ontario, Canada
- P. McDermott, Technical Standards & Safety Authority, Toronto, Ontario, Canada
- B. Mierzejewski, Otis Elevator Co., Farmington, Connecticut, USA
- M. Mihai, Technical Standards & Safety Authority, Toronto, Ontario, Canada
- B. Shah, Schindler Elevator Corp., Randolph, New Jersey, USA
- J. Shull, J. H. Shull Engineering, LLC, Southington, Connecticut,
- D. Stefancic, CSA Group, Mississauga, Ontario, Canada
- R. Williams, Computerized Elevator Corp., Elmont, New York, USA
- A. Zemanek, CSA Group, Toronto, Ontario, Canada



ASME PREFACE

GENERAL

This Code is one of the numerous codes and standards developed and published by The American Society of Mechanical Engineers (ASME) under the general auspices of the American National Standards Institute, Inc. (ANSI).

The Code is intended to serve as the basis for the design construction, installation, operation, testing, inspection, maintenance, alteration, and repair of elevators, dumbwaiters, escalators, moving walks, and material lifts.

Safety codes and standards are intended to enhance public health and safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

This Code applies to new installations only, except Part 1, and 5.10, 8.1, 8.6, 8.7, 8.8, 8.9, 8.10, and 8.11, which apply to both new and existing installations. Also, see ASME A17.3, Safety Code for Existing Elevators and Escalators, for further requirements.

The following conditions are not addressed in this Code:

- (a) assignment of the responsibility for compliance to any particular party.
- (b) establishment of a frequency for periodic inspections and tests. See Nonmandatory Appendix N for recommended inspections and test intervals.
- (c) assignment of responsibility for persons authorized to make and witness inspections and tests.

APPLICATION OF REQUIREMENTS TO NEW TECHNOLOGY

With the advent of new technologies, materials, and processes in the mechanical, structural, electronic, and optic fields, and the analytical capabilities now available, the need for flexibility to introduce products into the marketplace using these technical developments is desirable. Previous editions of ASME A17.1 had long-standing provisions, in Section 1.2, that suggested that Authorities Having Jurisdiction should recognize safety equivalent to that required by the Codes. This edition of ASME A17.1/CSA B44 recognizes ASME A17.7/CSA B44.7 provides a structured method for establishing the safety of designs and products and that compliance with ASME A17.7/CSA B44.7 is equivalent to compliance with the requirements in ASME A17.1/CSA B44.

FORM AND ARRANGEMENT

This Code consists of parts and sections, each covering a specific subject so as to facilitate reference to the requirements.

The Foreword, Preface, Notes, and Appendices that are included in this document, and the Interpretations that are provided as a separate booklet are not part of this American National Standard. They are advisory in nature and are intended for clarification only.

In this edition, the revisions that are appearing for the first time are identified by (13). Where editorial changes have been made, they are identified by (ED). See also Summary of Changes.

METRIC (SI) UNITS

This edition of the Code uses hard metric (SI) units wherever practical. The acceptable equivalent imperial units are shown in parentheses. Information on the usage of SI units and conversion to imperial units is contained in IEEE/ASTM SI 10-1997 Standard for the Use of the International System of Units (SI): The Modern Metric System, ASME Guide SI-1, Orientation and Guide for Use of SI (Metric) Units, or CAN/CSA-Z234.1, Canadian Metric Practice Guide.

Tables related to speed and load use the hard metric and hard imperial units in common practice, even though they are not exactly equivalent (e.g., see Table 2.22.4.1, Minimum Buffer Strokes). The tabular values have been derived using 8.2.1 formulas and the metric and imperial values for buffer strokes, safety stopping distances, etc., are therefore not equivalent.

ASME ELEVATOR PUBLICATIONS

The following ASME publications are of special interest to users of this Code. For prices and availability, contact:

ASME Order Department 22 Law Drive Box 2300 Fairfield, NJ 07007-2300

Tel: 800-843-2763 Fax: 973-882-1717

E-Mail: infocentral@asme.org

ASME Website: www.asme.org/catalog

ASME A17.2, Guide for Inspection of Elevators, Escalators, and Moving Walks. This Guide gives detailed



procedures for the inspection and testing of elevators, escalators, and moving walks required to conform to the Safety Code for Elevators and Escalators, A17.1–1955 and later editions and the Safety Code for Existing Elevators and Escalators, A17.3. Subsections are arranged to focus on routine and periodic inspection requirements, as well as acceptance criteria.

ASME A17.3 Safety Code for Existing Elevators and Escalators. This Code covers retroactive requirements for existing elevators and escalators. The purpose of this Code is to establish minimum requirements that will provide a reasonable degree of safety for the general public. While many of these requirements will also increase the degree of safety for the elevator mechanic and inspector, this area has not been specifically addressed at this time.

ASME A17.4 Guide for Emergency Personnel. This guide for emergency personnel (fire, police, etc.), building owners, lessees, and building operating managers explains the proper procedures to be used for the safe removal of passengers from stalled cars.

CSA B44.1/ASME A17.5 Elevator and Escalator Electrical Equipment. This Code contains requirements for obtaining, labeling, and listing electrical equipment for elevators, escalators, moving walks, dumbwaiters, material lifts, platform lifts, and stairway lifts.

ASME A17.6 Standard for Elevator Suspension, Compensation, and Governor Systems. This Standard covers the means and members of suspension, compensation, and governor systems for elevators within the Scope of ASME A17.1/CSA B44. This Standard includes the material properties, design, testing, inspection, and replacement criteria for these means. It includes the requirements for steel wire rope, aramid fiber rope, and noncircular elastomeric-coated steel suspension members, and provides direction for future constructions as new technology develops.

ASME A17.7/CSA B44.7 Performance-Based Safety Code for Elevators and Escalators. This American
National Standard performance-based safety code covers the design, construction, installation, operation, testing, maintenance, alteration, and repair of elevators, dumbwaiters, escalators, moving walks, and material lifts

Published Interpretations. Interpretations of the various A17 standards are published periodically.

Interpretations of A17.1 and A17.2 approved by the A17 Committee from June 14, 1972 through June 1979, were published in a separate book in 1980.

Starting with the 1981 edition of the Code, interpretations are published with each new edition and supplement of the applicable standard. A compilation of Interpretations Nos. 2-13 (June 1979–May 1989) has also been published by ASME. A compilation of all interpretations can also be obtained through the A17 CD-ROM.

Handbook on A17.1/B44 Safety Code. This handbook augments the A17.1/B44 Code with commentary, diagrams, and illustrations that are intended to explain the requirements of the A17.1/B44 Code.

The commentary contained in the Handbook is the opinion of the author and has not been approved by the A17 Committee or the B44 Technical Committee.

QEI-1 Standard for the Qualification of Elevator Inspectors. This Standard covers requirements for the qualification and duties of inspectors and inspection supervisors engaged in the inspection and testing of equipment within the scope of the A17.1/B44 Code.

ASME A18.1 Safety Standard for Platform Lifts and Stairway Chairlifts. This safety Standard covers the design, construction, installation, operation, inspection, testing, maintenance, and repair of inclined stairway chairlifts and inclined and vertical platform lifts intended for transportation of a mobility impaired person only.

CORRESPONDENCE WITH A17 COMMITTEE

ASME codes and standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this and other ASME A17 codes and standards may interact with the committee by requesting interpretations, proposing revisions, and attending committee meetings. Correspondence should be addressed to:

Secretary, A17 Standards Committee The American Society of Mechanical Engineers Two Park Avenue New York, NY 10016 E-mail: infocentral@asme.org

All correspondence to the Committee must include the individual's name and post office address in case the Committee needs to request further information.

Proposing Revisions. Revisions are made periodically to the Code to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the procedures, and in order to conform to developments in the elevator art. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Code. Such proposals should be as specific as possible: citing the Section number(s), the proposed wording, and a detailed description of the reasons for the proposal including any pertinent documentation.

Requesting Interpretations. On request, the A17 Committee will render an interpretation of any requirement of the Code. Interpretations can only be rendered in response to a written request sent to the Secretary of the Standards Committee.

The request for interpretation should be clear and unambiguous. It is further recommended that the



Abbreviations Used in This Code

Abbreviation	Unit	Abbreviation	Unit
Α	Ampere	lb	pound (mass)
°C	degree Celsius	lbf	pound (force)
deg	degree (angle)	lx	lux
°F	degree Fahrenheit	m	meter
ft/min	foot per minute	m ²	square meter
ft/s	foot per second	m ³	cubic meter
ft	foot	mA	milliampere
fc	footcandle	m/s	meter per second
ft ²	square foot	m/s ²	meter per second per second
ft ³	cubic foot	mm	millimeter
ft/s ²	foot per second per second	mm ²	square millimeter
h	hour	mm ³	cubic millimeter
Hz	hertz	MPa	megapascal
in.	inch	N	Newton
in. ²	square inch	psi	pound per square inch
in. ³	cubic inch	5	second
kg	kilogram	SIL	Safety Integrity Level
kPa	kilopascal	V	volt

inquirer submit his request utilizing the following format:

Subject: Cite the applicable Section number(s) and

a concise description.

Edition: Cite the applicable edition and supplement

of the Code for which the interpretation is

being requested.

Question: Phrase the question as a request for an inter-

pretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. The question shall be phrased, where possible, to permit a specific "yes" or "no" answer. The inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in this format will be rewritten in this format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Attending Committee Meetings. The A17 Standards Committee and the various Working Committees regularly hold meetings, all of which are open to the public. Persons wishing to attend any meeting should contact the Secretary of the Standards Committee.



CSA PREFACE

This is the third edition of ASME A17.1/CSA B44, *Safety Code for Elevators and Escalators*. It replaces the previous edition of ASME A17.1/CSA B44, published in 2010, and the previous editions of CSA B44, published in 2007, 2004, 2000, 1994, 1990, 1985, 1975, 1971, 1966, 1960, and 1938.

This Code is the result of a joint effort by the CSA B44 Technical Committee on the Elevator Safety Code and the ASME A17 Committee on Elevators and Escalators to harmonize the provisions of CSA B44 and ASME A17.1. This edition of ASME A17.1/CSA B44 consists of the complete ASME A17.1 Code, with additional requirements applicable only in Canadian jurisdictions. These Canadian requirements are prefaced in the body of the Code by the following: "In jurisdictions enforcing the NBCC..."

CSA B44 was originally developed to facilitate the implementation of uniform legislation across Canada and to replace the existing legislation, which had proved inadequate for prevailing elevator practices. The primary purpose of the Code is to establish minimum requirements, suitable for adoption by regulatory authorities throughout Canada, for the design, installation, and maintenance of elevators, escalators, dumbwaiters, moving walks, and material lifts. It is also intended as a standard reference for architects, consulting engineers, elevator manufacturers, and building owners.

This Code was prepared for use in Canada by the CSA Technical Committee on the Elevator Safety Code under the jurisdiction of the CSA Strategic Steering Committee on Mechanical Industrial Equipment Safety. It has been formally approved by the CSA Technical Committee.

2013

NOTES:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity." It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- (4) To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include "Request for Interpretation" in the subject line:
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue. Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- (5) This Standard is subject to periodic review, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for Change" in the subject line:
 - (a) Standard designation (number)
 - (b) relevant clause, table, and/or figure number
 - (c) wording of the proposed change
 - (d) rationale for the change.



ASME A17.1-2013/CSA B44-13 SUMMARY OF CHANGES

Following approval by the ASME A17 Elevator and Escalator Committee, and after public review, ASME A17.1-2013/CSA B44-13 was approved by the American National Standards Institute on May 31, 2013. It was issued on October 21, 2013, and is effective as of April 21, 2014, with the exception of Requirements 8.10.1.1.3 and 8.11.1.1, which shall be effective immediately.

ASME A17.1-2013/CSA B44-13 incorporates the revisions and editorial changes made since the previously published edition. Revisions are identified by a margin note, (13). Changes made to correct errors, as well as other new editorial changes, are identified by (ED). Revision designators will remain on the pages up to the publication of the next edition of the Code. The (ED) designators will appear only when the editorial changes are introduced. The following is a summary of the latest revisions and changes:

Page	Location	Change
viii–xii	ASME Foreword	Revised
xxi–xxiii	ASME Preface	Revised
xxiv	CSA Preface	Revised
1	1.1.1	In subpara. (c), last sentence revised
2	1.1.4	Revised
	1.2.2	Title editorially revised

Section 1.3

2, 5, 6–8, 10, 13–18

(1) Definition of accredited certifying organization; accrediting body; base, building; control, mechanical-hydraulic; conveyor, vertical reciprocating (VRC); driving machine, traction climbing; elevator, outside emergency; elevator discharge level; elevator, wind turbine tower; guide rope fixes; guiding means, ladder; hard, copy; maintenance control program (MCP); maintenance interval; maintenance procedure; maintenance task; Occupant Evacuation Operation; operation, automatic call; operation, automatic send; pallet band; platform, landing; records, electronic; seal, adjustment; SIL rated; step band; sway control guide; sway control guide suspension means; tail line; and travel path added



Page	Location	Change
		(2) Definition of control, electrohydraulic; electrical/electronic/programmable electric system (E/E/PES); manual reset, escalator and moving walk; material lift; operation, group automatic; safety integral level (SIL); terminal stopping device, final; terminal stopping device, normal; and unlocking zone revised
23	2.2.6.2	Sentence added to end of paragraph
	2.2.6.3	Moved to 2.2.6.2
	2.3.2.1	Subparagraph (a) revised
24	2.4.1.6	Revised in its entirety
26	2.4.7.2	Revised in its entirety
28	2.7.3.1.3	Added
	2.7.3.2.2	Revised
32	2.7.5.3.2	Editorially revised
	2.7.5.3.5	Revised
39	2.10.2.1	Revised
	2.11.1.2	Subparagraph (e) revised
40	2.11.5	Subparagraph (a) revised
	2.11.6.3	Revised in its entirety
42	2.11.10.1.4	Added
	2.11.11.1	Subparagraph (d) added
47	2.11.19.3	Revised
49	2.12.4.1	Subparagraph (b) editorially revised
50	2.12.4.3	Subparagraph (c) editorially revised
	2.12.5	Deleted; material revised and moved to 2.14.5.7
	2.12.7.2.1	Revised in its entirety
	2.12.7.2.3	Revised in its entirety
	2.12.7.3	Revised in its entirety
52	2.13.2.1.1	Revised
	2.13.2.2.1	Revised
55	2.13.3.4.9	Revised
60	2.14.2.1.2	(1) Subparagraphs (a) and (b) revised(2) Subparagraph (c) deleted
64	2.14.5.7	Revised in its entirety
	2.14.5.8	(1) New para. 2.14.5.8 added(2) Original 2.14.5.8 through 2.14.5.9.4 redesignated as 2.14.5.9 through 2.14.5.10.4, respectively

Page	Location	Change
66	2.15.2	Title and paragraph revised in its entirety
68	2.15.9.2	First paragraph and subpara. (b) revised
	2.15.9.5	Added
70	2.15.16.1	Revised in its entirety
	2.16.1.1	Editorially revised
72	2.16.3.3	Revised in its entirety
	2.16.4	Editorially revised
	2.16.4.7	Deleted, and original 2.16.4.8 and 2.16.4.9 redesignated as 2.16.4.7 and 2.16.4.8, respectively
73	2.16.5.2	Revised
78	2.18.4.1.2	Revised
	2.18.4.1.3	Added
79	2.18.4.2.5	Subparagraph (a) revised
80	2.18.4.4	Deleted
82	2.19.2.2	Subparagraph (b) editorially revised
	2.19.3.1.3	Added
	2.19.3.1.4	Redesignated from former 2.19.3.1.3 and revised
	2.19.3.2	Subparagraphs (b), (c), and (d) revised
84	2.20.3	Nomenclature for N editorially revised
85, 86	2.20.8.1	(1) First paragraph editorially revised(2) Subparagraphs (d)(2) and (f)editorially revised
	2.20.8.2	Subparagraph (c) editorially revised
	2.20.8.2 2.20.8.3	Subparagraph (c) editorially revised Subparagraph (c) editorially revised
88		
88 92	2.20.8.3	Subparagraph (c) editorially revised
	2.20.8.3 2.20.9.6.2	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised
92	2.20.8.3 2.20.9.6.2 2.21.1.3	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh,
92	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised
92	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised Revised
92 94, 95	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1 2.22.4.6 2.22.4.7.3	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised Revised Editorially revised
92 94, 95	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1 2.22.4.6 2.22.4.7.3 2.24.4	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised Revised Editorially revised Title revised
92 94, 95 106	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1 2.22.4.6 2.22.4.7.3 2.24.4 2.24.4.1	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised Revised Editorially revised Title revised Revised in its entirety
92 94, 95 106	2.20.8.3 2.20.9.6.2 2.21.1.3 Table 2.22.4.1 2.22.4.6 2.22.4.7.3 2.24.4 2.24.4.1 2.25.2.1.1	Subparagraph (c) editorially revised Subparagraph (c)(1)(m) editorially revised Title and paragraph revised in its entirety Under Imperial Units, 115% of Rated Speed, ft/min; second, fifth, seventh, and penultimate values revised Revised Editorially revised Title revised Revised in its entirety Revised

Page	Location	Change
	2.25.4.1.3	Added
	2.25.4.1.4	Redesignated from former 2.25.4.1.3 and revised; original 2.25.4.1.4 deleted
	2.25.4.1.8	Subparagraph (a) revised in its entirety
	2.25.4.2	Revised in its entirety
	2.26.1.4.1	(1) Subparagraph (b)(4)(b) revised(2) Subparagraph (d)(1) revised
113	2.26.1.4.3	Subparagraph (d) revised
	2.26.1.5.1	Revised in its entirety
114	2.26.1.6.6	Revised in its entirety
	2.26.2	First paragraph editorially revised
115	2.26.2.4	Revised in its entirety
	2.26.2.6	Editorially revised
	2.26.2.10	Editorially revised
116	2.26.2.25	Revised
	2.26.2.39	Added
117	2.26.4.3.1	Second sentence revised
	2.26.4.3.2	Revised
	2.26.4.4	Revised
	2.26.4.4.1	Editorially revised
118, 119	Table 2.26.4.3.2	 (1) Requirement 2.12.7.2.3 revised (2) Requirement 2.26.1.4.1(b) revised (3) Requirement 2.26.2.25 revised (4) Requirement 2.26.2.39 added (5) General Note (c) editorially revised
120	2.26.8.2	Revised
	2.26.9.3.1	Subparagraph (c) editorially revised
	2.26.9.3.2	Subparagraph (b) revised
121	2.26.9.5.1	Subparagraph (b) revised
	2.26.9.6.1	Subparagraph (b) revised
122, 124	2.27.1.1.3	(1) Subparagraph (a) editorially revised(2) Subparagraph (f) revised
	2.27.1.1.4	Subparagraph (b) revised
	2.27.1.1.6	(1) Subparagraph (a) revised in its entirety(2) Subparagraph (b)(3) revised(3) Subparagraph (d)(4) added
125	2.27.2.3	Revised
	2.27.2.4.4	Subparagraph (a) revised
126	2.27.3.1.1	Subparagraph (b) revised

Page	Location	Change
	2.27.3.1.2	(1) Revised(2) Note added
	2.27.3.1.6	(1) Subparagraph (a) revised(2) Subparagraph (d)(2) editorially revised
		(3) Subparagraph (f)(2) revised
127–129	2.27.3.2.1	(1) First paragraph revised(2) Subparagraphs (a) and (b) editorially revised
	2.27.3.2.2	(1) Subparagraphs (a) and (b) revised(2) Subparagraph (c) added
	2.27.3.2.3	Subparagraph (b) editorially revised
	2.27.3.2.6	Revised in its entirety
	2.27.3.2.7	Added
	2.27.3.3	First paragraph revised
	2.27.3.3.1	Subparagraphs (b)(2), (d), (e), and (n) revised
130, 131	2.27.3.3.2	Last paragraph added
	2.27.3.3.4	Revised in its entirety
132	2.27.4.1	Second paragraph editorially revised
133	2.27.4.2	Revised in its entirety
	2.27.5.1	Revised
	2.27.5.2	Subparagraphs (a) and (b) revised
	2.27.5.3	Editorially revised
	2.27.6	Editorially revised
135	Fig. 2.27.8	Added
	2.27.8	Revised
	2.27.10	Reserved for future use
	2.27.11	Added
139	2.29.1	Revised in its entirety
140	Section 2.30	Added
142	3.4.1.6	Revised
144	Section 3.12	Title revised
	3.12.1	Title and paragraph revised
145	3.17.1.1	Second sentence editorially revised
146	3.17.3.2	Revised
	3.17.3.2.1	(1) Deleted, and original 3.17.3.2.2 revised and redesignated 3.17.3.2.1(2) New 3.17.3.2.2 added
	3.17.3.4	Redesignated 3.17.3.4.1, and new 3.17.3.4 added

Page	Location	Change
	3.17.3.4.2	Added
147	3.17.3.8	First paragraph revised
	3.18.1.2	 (1) 3.18.1.2.1 revised (2) Original 3.18.1.2.2 and 3.18.1.2.3 deleted, and original 3.18.1.2.4 through 3.18.1.2.8 redesignated as 3.18.1.2.2 through 3.18.1.2.6, respectively
149	3.18.3.8.3	Revised
	3.18.6	First paragraph revised
150	3.19.2.5	(1) Redesignated 3.19.2.6, and original 3.19.4.5 redesignated 3.18.2.5(2) Original 3.19.2.6 redesignated 3.19.2.7(3) New 3.19.2.8 added
151	3.19.4.5	(1) Redesignated 3.19.2.5(2) 3.19.4.5 to be reserved for future use
	3.19.4.6.2	(1) Subparagraph (c) editorially revised(2) Subparagraph (f) deleted
	3.19.4.6.3	Added
153, 154	3.24.1.1	Revised
	3.25.1.1	Revised in its entirety
	3.25.2.2.1	Revised in its entirety
169	Part 5 Scope	Subparagraphs (k) and (l) added
170	5.1.9	(1) Revised and redesignated 5.1.11.4(2) 5.1.9 to be reserved for future use
	5.1.10.3.1	Editorially revised
	5.1.10.3.2	Editorially revised
	5.1.10.3.3	Editorially revised
171	5.1.11.4	Redesignated 5.1.11.5, and new 5.1.11.4 added
176, 177	5.2.1.2	Revised
	5.2.1.2.1	Added
	5.2.1.4.4	Subparagraphs (b) and (b)(1) revised
	5.2.1.4.5	Added
	5.2.1.12	(1) Subparagraph (d) editorially revised(2) Subparagraph (e) deleted
	5.2.1.14	Subparagraph (m) revised
180	5.2.2.1	Subparagraph (c) revised
	5.2.2.1.1	Added
	5.2.2.6	Revised
	Section 5.3	Revised

Page	Location	Change
181	5.3.1.1	Last sentence added
101	5.3.1.2.3	Added
102		Revised
183	5.3.1.11.1	
104	5.3.1.11.2	First sentence editorially revised
184	5.3.1.11.7	Redesignated 5.3.1.11.8, and new 5.3.1.11.7 added
185	5.3.1.14.1	Revised in its entirety
187	5.3.1.18.2.1	(1) Subparagraph (a) editorially revised(2) Subparagraph (c) deleted(3) Subparagraph (d) revised and redesignated subpara. (c)(4) Subparagraph (e) redesignated subpara. (d)
188	5.3.2.4.6	Subparagraph (b) editorially revised
	Section 5.4	Last sentence in first paragraph added
189	5.4.2.4	Revised
	5.4.3.1	Revised
	5.4.3.2	Revised and redesignated from former 5.4.3.3; original 5.4.3.2 deleted
	5.4.3.3	Revised and redesignated from former 5.4.3.4
	5.4.3.4	Deleted
	5.4.4.1.2	Revised
	5.4.4.2.1	Revised
	5.4.4.3	Title revised
	5.4.4.3.1	(1) First paragraph revised(2) Subparagraph (b) revised
	5.4.4.3.2	Revised
	5.4.4.3.3	Title and paragraph revised
190	5.4.6.2	Last sentence added
	5.4.7.6	Revised
	5.4.7.7	Revised in its entirety
	5.4.7.9	Title and paragraph revised
	5.4.8	(1) Paragraph added(2) 5.4.8.1 revised in its entirety(3) 5.4.8.2 title and paragraph revised(4) 5.4.8.3 title and paragraph revised(5) 5.4.8.4 through 5.4.8.9 deleted
	5.4.9	(1) Paragraph added (2) 5.4.9.1 and 5.4.9.2 deleted
191	5.4.11	(1) Paragraph added(2) 5.4.11.1 revised in its entirety(3) 5.4.11.2 and 5.4.11.3 deleted

Page	Location	Change
	5.4.12	Deleted, and former 5.4.13 redesignated as 5.4.12
	5.4.12.1	Added
	5.4.12.2	Redesignated from former 5.4.13.8
	5.4.12.3	Redesignated from former 5.4.13.10
	5.4.13	 (1) Redesignated as 5.4.12 (2) Original 5.4.13.1 through 5.4.13.7, and 5.4.13.9 deleted (3) New 5.4.13.1 redesignated and revised from original 5.4.14.1 (4) Original 5.4.14.2 and 5.4.14.3 deleted
	5.4.14	 (1) Redesignated as 5.4.13 (2) Original 5.4.15 through 5.4.15.5.3 redesignated as 5.4.14 through 5.4.14.5.3 (3) Newly redesignated 5.4.14.2 revised from former 5.4.15.2
	5.4.15	Redesignated from former 5.4.16
203	5.7.17.2	First sentence editorially revised
213	Section 5.11	Added
229	Section 5.12	Added
230	6.1.1.1	Revised
231	6.1.3.3.9	In subpara. (a), second sentence editorially revised
233	6.1.3.4.5	Second sentence editorially revised
235	6.1.3.15	Title and paragraph revised
238	6.1.6.3.6	Revised
	6.1.6.3.9	Revised
239	6.1.6.3.12	(1) In first paragraph, second sentence revised(2) Last paragraph revised
	6.1.6.4	Revised
240	6.1.6.9.2	Title and paragraph revised
	6.1.6.9.3	Added
243	6.1.8.2.2	Revised
250	6.2.6.3.10	(1) In first paragraph, third sentence revised(2) Last paragraph revised
251	6.2.6.4	Revised
	6.2.6.8.2	Title and paragraph revised
	6.2.6.8.3	Added

Page	Location	Change
253	6.2.8.2.2	Revised
256	7.1.11.4	Revised
	7.1.11.4.1	Added
	7.1.11.4.2	Added
258	7.1.12.4	Subparagraph (b) revised
263	7.2.12	Second sentence editorially revised
264	7.2.12.16–7.2.12.39	Original 7.2.12.16 deleted, and 7.2.12.17 through 7.2.12.39 redesignated as 7.2.12.16 through 7.2.12.38, respectively
265	7.3.11.4.1	Subparagraph (c) editorially revised
269, 270	7.4.14.2	In fourth sentence, reference in parentheses editorially revised
	7.4.14.4	Deleted, and original 7.4.14.5 through 7.4.14.7 redesignated as 7.4.14.4 through 7.4.14.6, respectively
	7.4.15.7	Added
273	7.5.12.1	Editorially revised
274	7.5.12.1.12–7.5.12.1.24	 (1) Original 7.5.12.1.12 deleted, and 7.5.12.1.13 through 7.5.12.1.24 redesignated as 7.5.12.1.12 through 7.5.12.1.23, respectively (2) In newly redesignated 7.5.12.1.15, subpara. (g) editorially revised
	7.5.12.2	Editorially revised
275	7.5.12.2.15–7.5.12.2.34	Original 7.5.12.2.15 deleted, and 7.5.12.2.16 through 7.5.12.2.34 redesignated as 7.5.12.2.15 through 7.5.12.2.33, respectively
276	7.6.8.1	Subparagraphs (a) and (b) editorially revised
	7.6.8.3	Subparagraph (e) editorially revised
280	8.1.2	Subparagraph (n) editorially revised
284	8.2.2.5.1	In subparas. (a) through (c), all equations containing variable <i>E</i> editorially revised to variable <i>B</i>
285	Fig. 8.2.2.5.1	In all instances, variable E editorially revised to variable B
300	8.3.1.3.1	Subparagraph (h) editorially revised
	8.3.1.3.2	Editorially revised
308, 309	Section 8.4	(1) Title revised(2) Paragraph revised in its entirety
	8.4.2.1	Title and paragraph revised
	8.4.2.2	Title and paragraph revised

Page	Location	Change
	8.4.2.3	Title revised
	8.4.2.3.1	Revised
	8.4.2.3.2	Revised
	8.4.2.3.3	Revised
	8.4.2.3.4	Added
310	8.4.5.2.1	Revised
311	8.4.6	Revised in its entirety
	8.4.7.1.1	Revised
	8.4.7.1.3	Deleted, and original 8.4.7.1.4 redesignated as 8.4.7.1.3
	8.4.7.2.2	Revised
	8.4.8.1.1	Added
	8.4.8.2.1	Revised in its entirety
	8.4.8.2.2	Definitions of nomenclatures W and W_a editorially revised
312	Fig. 8.4.8.2-1	Revised
313	Fig. 8.4.8.2-2	Revised
314	Fig. 8.4.8.2-3	Revised
315	Fig. 8.4.8.2-4	Revised
316	Fig. 8.4.8.2-5	Revised
317	Fig. 8.4.8.2-6	Revised
318	Fig. 8.4.8.2-7	Revised
320	8.4.8.2.6	Added
	8.4.8.3	Revised in its entirety
	8.4.8.4	Revised in its entirety
321–324	8.4.8.7	Revised in its entirety
	8.4.8.8	Second paragraph editorially revised
	8.4.8.9	First sentence editorially revised
	8.4.8.9.1	Subparagraphs (a) and (b) revised in their entirety
	8.4.8.9.2	Subparagraphs (a) and (b) revised in their entirety
	8.4.9.1	Revised
	8.4.10.1	Revised
	8.4.10.1.1	Subparagraphs (a)(1) and (a)(2) revised
	Table 8.4.8.7	Revised in its entirety
325	Fig. 8.4.10.1.1	Revised
327	8.4.11.2.1	Title and paragraph revised

Page	Location	Change
	8.4.11.3.1	Editorially revised
	8.4.11.5.2	Revised
	8.4.11.9	Revised
	8.4.11.12	Revised
328	8.4.11.15	Second sentence editorially revised
	8.4.11.15.1	(1) First paragraph revised(2) Subparagraphs (a) and (b) revised in their entirety
	8.4.11.15.2	(1) First paragraph revised(2) Subparagraphs (a) and (b) revised in their entirety
329–331	8.4.12.1.1	Revised in its entirety
	8.4.12.1.2	Revised in its entirety
	8.4.12.2.1	Subparagraphs (a) and (b) revised in their entirety
	8.4.12.2.2	Subparagraphs (a) and (b) revised in their entirety
	8.4.13	(1) Title revised (2) Paragraph added
	8.4.13.1	Revised in its entirety
332, 333	8.4.13.2	Revised in its entirety
	8.4.14	Added
	8.4.15	Added
334	Section 8.6	Paragraph revised
335–337	8.6.1.1.3	Revised
	8.6.1.2.1	Revised in its entirety
	8.6.1.2.2	Revised in its entirety
	8.6.1.4	Revised in its entirety
	8.6.1.6.3	Revised in its entirety
	8.6.1.7.2	Title and paragraph revised
338	8.6.2.6	Added
	8.6.3.4.6	Editorially revised
	8.6.3.5	Second paragraph editorially revised
340	8.6.3.13	Added
	8.6.3.14	Added
	8.6.4.1.3	Revised
	8.6.4.3.2	Subparagraph (b) editorially revised
	8.6.4.3.3	Editorially revised
	8.6.4.3.5	Second sentence editorially revised

Page	Location	Change
341	8.6.4.6.2	Last sentence added
541	8.6.4.10.2	Revised in its entirety
342	8.6.4.13.1	Subparagraph (l) revised
312	8.6.4.19.2	Subparagraph (b)(2) editorially revised
343–346	8.6.4.19.4	Title and paragraph revised
010 010	8.6.4.19.5	Editorially revised
	8.6.4.19.6	Revised
	8.6.4.19.10	Revised in its entirety
	8.6.4.19.11	(1) Title revised
	0.0.4.17.11	(2) Revised in its entirety
	8.6.4.19.12	Subparagraph (b) editorially revised
	8.6.4.19.14	Added
	8.6.4.19.15	Added
	8.6.4.19.16	Added
	8.6.4.20.1	Revised in its entirety
	8.6.4.20.3	 (1) Subparagraph (a) revised in its entirety (2) Second sentence of subpara. (d) editorially revised (3) Subparagraphs (e), (f), and (g) added
	8.6.4.20.4	(1) Title revised(2) Revised in its entirety
	8.6.4.20.5	Text deleted; reserved for future use
	8.6.4.20.7	Revised
	8.6.4.20.10	Revised in its entirety
	8.6.4.22	Added
	8.6.5.9	Editorially revised
347	8.6.5.13	First sentence added
	8.6.5.14.1	Title and paragraph revised
	8.6.5.14.7	Editorially revised
348	8.6.5.17	Added
	8.6.6.1.1	First sentence revised
349	8.6.7.9	Editorially revised
350	8.6.7.11	Added
	8.6.7.12	Added
351	8.6.8.5	Subparagraph (a) revised
353	8.6.8.15.24	Added
355–357	8.6.11.5.4	Revised
	8.6.11.6	Title revised

Page	Location	Change
	8.6.11.6.1	Revised in its entirety
	8.6.11.10–8.6.11.12	 (1) Original 8.6.11.10 redesignated as 8.6.11.11, and new 8.6.11.10 added (2) Original 8.6.11.11 redesignated as 8.6.11.12 (3) Original 8.6.11.12 redesignated as 8.6.11.14, and new 8.6.11.13 added
	8.7.1.7	Second sentence deleted
358	8.7.1.9	Added
330	8.7.2.7.2	Revised
360, 361	8.7.2.11.5	Editorially revised
300, 301	8.7.2.12	Revised
	8.7.2.13	
	8.7.2.14.3	First paragraph revised
	0.7.2.14.3	Subparagraphs (b) and (c) editorially revised
	8.7.2.14.4	Revised
	8.7.2.16.2	Second sentence added
362	8.7.2.17.1	(1) First paragraph revised(2) Subparagraph (c)(3) editorially revised(3) Subparagraph (d) added
364–366	8.7.2.25.2	Revised in its entirety
	8.7.2.27.1	Title and paragraph revised in their entirety
	8.7.2.27.4	Revised in its entirety
	8.7.2.27.5	Revised in its entirety
	8.7.2.27.6	Revised in its entirety
	8.7.2.27.7	Revised in its entirety
	8.7.2.27.9	Added
	8.7.2.28	(1) Subparagraph (c) revised(2) Subparagraph (e) added
367	8.7.3.7	Title and paragraph revised
	8.7.3.12	Revised
	8.7.3.13	(1) Title revised(2) Revised in its entirety
368	8.7.3.18	Last sentence added
369–371	8.7.3.31.5	Revised in its entirety
	8.7.3.31.6	Revised in its entirety
	8.7.3.31.7	Revised in its entirety
	8.7.3.31.8	(1) Subparagraph (c) revised(2) Subparagraphs (d) and (e) added
	8.7.3.31.10	Revised in its entirety

D		
Page	Location	Change
	8.7.3.31.12	Added
373	8.7.5.10	Added
374	8.7.6.1.17	Added
375	8.7.6.2.16	Added
	8.9.1	Revised
376	Section 8.10	Note revised
	8.10.1.1.3	Revised
	8.10.1.1.4	Added
	8.10.1.1.5	Added
377–380	8.10.1.2–8.10.1.4	 (1) Original 8.10.1.2 redesignated as 8.10.1.3, and new 8.10.1.2 added (2) Original 8.10.1.3 redesignated as 8.10.1.4 (3) Original 8.10.1.4 redesignated as 8.10.1.5 and revised (4) New 8.10.1.6 added
	8.10.2.2.1	(1) Subparagraph (k)(2) editorially revised(2) Subparagraph (r) revised
	8.10.2.2.2	 (1) Subparagraph (v) revised (2) Subparagraph (cc)(3)(c)(2) editorially revised (3) Subparagraph (ii)(1)(b) revised (4) Subparagraph (nn) editorially revised
382	8.10.2.2.8	Title and paragraph revised
	8.10.2.2.9	Added
384–386	8.10.3.2.2	(1) Subparagraph (cc) editorially revised(2) Subparagraph (gg) editorially revised
	8.10.3.2.3	(1) Subparagraph (z) editorially revised(2) Subparagraph (aa) editorially revised
387	8.10.3.3.2	Subparagraph (i) editorially revised
388	8.10.4.1.1	Subparagraph (e) editorially revised in its entirety
389	8.10.4.1.2	Subparagraph (c)(2) revised in its entirety
392	8.10.5.14	Added
	8.10.5.15	Added
393, 394	8.11.1.1	Revised
	8.11.1.1.2	Subparagraph (a) revised
	8.11.1.7	Revised
	8.11.1.8	Added
	8.11.2.1.1	Subparagraph (r) revised
	8.11.2.1.2	Subparagraph (ll) editorially revised

Page	Location	Change
396	8.11.2.1.8	Added
	8.11.3.1.2	Subparagraph (cc) editorially revised
399	8.11.5.14	Added
	8.11.5.15	Added
401–407	Section 9.1	Updated to reflect new and revised references
408, 409	Section 9.2	Updated to reflect new and revised references
413	Nonmandatory Appendix B	Title revised
	Fig. B-1	Subtitle and figure revised
416–423	Nonmandatory Appendix E	Revised in its entirety
425	Table F-1	Revised
451	Table N-2	First column heading editorially revised
462	Table R-1	Fourth column heading revised
479	Nonmandatory Appendix V	Added
481	Nonmandatory Appendix W	Added
482	Nonmandatory Appendix X	Added
486	Nonmandatory Appendix Y	Added

SPECIAL NOTE:

The interpretations to ASME A17.1 issued between July 2009 through June 2012 follow the last page of this edition as a separate supplement, Interpretations No. 32.



INTENTIONALLY LEFT BLANK

SAFETY CODE FOR ELEVATORS AND ESCALATORS

Part 1 General

SECTION 1.1 SCOPE

(13) 1.1.1 Equipment Covered by This Code

This Code covers the design, construction, operation, inspection, testing, maintenance, alteration, and repair of the following equipment and its associated parts, rooms, spaces, and hoistways, where located in or adjacent to a building or structure (see 1.2):

- (a) hoisting and lowering mechanisms, equipped with a car, that move between two or more landings. This equipment includes, but is not limited to elevators (see 1.3).
- (b) power-driven stairways and walkways for carrying persons between landings. This equipment includes, but is not limited to escalators and moving walks (see 1.3).
- (c) hoisting and lowering mechanisms equipped with a car that serves two or more landings and is restricted to the carrying of material by its limited size or limited access to the car. This equipment includes, but is not limited to dumbwaiters and material lifts; it does not include vertical reciprocating conveyors (see 1.3).

1.1.2 Equipment Not Covered by This Code

Equipment not covered by this Code includes, but is not limited to, the following:

- (a) personnel hoists within the scope of ANSI A10.4 and CSA-Z185
- (b) material hoists within the scope of ANSI A10.5 and CSA-Z256
- (c) platform lifts and stairway chairlifts within the scope of ASME A18.1, CSA B355, and CSA B613
- (*d*) manlifts within the scope of ASME A90.1 and CSA B311, and in jurisdictions enforcing NBCC Special Purpose Personnel Elevators (ASME A17.1, Section 5.7)
- (e) mobile scaffolds and towers; platforms within the scope of ANSI/SIA A92 and CSA-B354
- (f) powered platform and equipment for exterior and interior building maintenance within the scope of ASME A120.1 and CSA-Z271
- (g) conveyors and related equipment within the scope of ASME B20.1

- (h) cranes, derricks, hoists, hooks, jacks, and slings within the scope of ASME B30, CSA Z150, CSA B167, CSA Z202, and CSA Z248
- (i) industrial trucks within the scope of ASME B56 and CSA B335
- (*j*) portable equipment, except for portable escalators, that are covered by 6.1
- (k) tiering or piling machines used to move material to and from storage located and operating entirely within one story
- (*l*) equipment for feeding or positioning material at machine tools, printing presses, etc.
 - (m) skip or furnace hoists
 - (n) wharf ramps
 - (o) amusement devices
 - (p) stage and orchestra lifts
 - (q) lift bridges
 - (r) railroad car lifts and dumpers
 - (s) mechanized parking garage equipment
- (t) line jacks, false cars, shafters, moving platforms, and similar equipment used for installing an elevator
- (*u*) platform-type elevators installed on board a marine vessel

NOTES:

- A maritime, industrial-use device with no car enclosure. Controls are located outside of the hoistway. Typically utilizes elevator-type rail systems and elevator-type interlock systems.
- (2) Not a platform lift within the scope of A18.1.
- (v) dock levelers (freight platform lifts) having a rise of 500 mm (20 in.) or less
- (w) in Canadian jurisdictions, devices having a rise of 2 000 mm (79 in.) or less and used only for the transfer of materials or equipment
- (*x*) in jurisdictions enforcing NBCC, mine elevators within the scope of 5.9

1.1.3 Application of Parts

This Code applies to new installations only, except Part 1, and 5.10, 8.1, 8.6, 8.7, 8.8, 8.9, 8.10, and 8.11, that apply to both new and existing installations.

