

%%sql

postgresql:///international\_debt

SELECT \*

from international\_debt

limit 10

%%sql

SELECT

count(distinct country\_name) AS total\_distinct\_countries

FROM international\_debt;

%%sql

select distinct indicator\_code as distinct\_debt\_indicators

from international\_debt

order by distinct\_debt\_indicators

%%sql

SELECT

round(sum(debt)/1000000, 2) as total\_debt

FROM international\_debt;

%%sql

SELECT

country\_name,

sum(debt) as total\_debt

FROM international\_debt

GROUP BY country\_name

ORDER BY total\_debt desc

limit 1;

%%sql

```
SELECT
    indicator_code AS debt_indicator,
    indicator_name,
    avg(debt) as average_debt
FROM international_debt
GROUP BY debt_indicator, indicator_name
ORDER BY average_debt desc
limit 10;
```

%%sql

```
SELECT
    country_name, indicator_name
FROM international_debt
WHERE debt = (SELECT
    max(debt)
    FROM international_debt
    where indicator_code='DT.AMT.DLXF.CD' );
```

%%sql

```
select indicator_code,
    count(indicator_code) as indicator_count
from international_debt
group by indicator_code
order by (COUNT(indicator_code), indicator_code) desc
limit 20;
```

%%sql

```
select country_name, indicator_code, max(debt) as maximum_debt
from international_debt
group by country_name, indicator_code
order by maximum_debt desc
```

limit 10