test-org-face

Vitaly Ankh

November 25, 2021

Contents

1 Xah Lee **1**
1.1 Subsection 1

1 Xah Lee

1.1 Subsection

Hello **there** this is *Emacs* org-mode **No markdown!**.

```
fn main() {
    println!("Hello, org-mode!");
    println!("jkk");
}
```

```
print("Hello!")
```

`https://gitee.com/Vitaly/img/raw/master/anime.jpg`

```
#include<cstdio>
int main(){
    printf("Hello, Emacs!\n");
    return 0;
}
```

$D = B \times CE \mid B \in B$ *and* $C \in C \forall$ `https://gitee.com/Vitaly/img/raw/master/images/habitica.png`

Theorem 15.1 If C
is a basis for the topology of X and

Problem $f(x) = \frac{ax^3+bx+1}{e^2} -$. $f(1) = 1$ $f(x) = 12$ $(0, 1)$ b .
$\forall x$ $f(x) = \frac{ax^x+bx+1}{e^2}$

$f(b) = \sum_{i=1}^{\infty} \frac{1}{i_i} \sigma$

$\sum_{5}^{6} f(x) - g(x) = \sum_{1}^{\infty} 5^2 \forall i \mathbb{W} \langle a \rangle fdsa \, \mathrm{GM} \, f^{-1} = g(x) \, f(x) \, f(x) - g(x)$ $lim_{x \to 0} \, lim_{x \to 0} \frac{1}{x} = \infty \, f(x) g(x)$ is good to use. This cpp code is bad. Aliasing is hard. Why?

```
std::vector<std::string> v;
v.push_back("Hello, ");
std::string &x = v[0];

v.push_back("world!");
std::cout << x << std::endl;
std::cout << v;
```

$\forall x \, f(x) - g(x)$ Give me a citation:
(see Porta 2015) $\bigcup \forall x \in A \, afdsasfsa$
$\cup$
$f(x)$
n_i #+print$_{\text{bibliography}}$