

Installation Instructions for ReaTooled: The Pro Tools Alternative with REAPER

Thank you for downloading ReaTooled! This download includes the following files:

- [ReaTooled Installation Instructions.pdf](#) (this document)
- [ReaTooled v2.xx.ReaperConfigZip](#) (a REAPER Configuration file to modify REAPER)


As you follow the instructions below, you will also download an application called [ReaBoot](#), which installs the latest version of REAPER and all the necessary extensions and packages for ReaTooled.

*ATTENTION: Installing ReaTooled will modify REAPER's default appearance, setup preferences, and overwrite any existing key commands, custom actions, and mouse behavior. **If you already use REAPER--particularly if you've created your own custom action or installed any scripts--please consider [exporting your current REAPER configuration](#) to back up your REAPER setup before continuing.** This way, you can revert to your previous configuration if needed. Alternatively, you may choose to install ReaTooled as a [portable installation](#), which will let you run ReaTooled alongside a pre-existing REAPER installation.*

Installing REAPER with the ReaBoot Installer

FOR MAC USERS:


Determine if your Mac uses an M1 (or higher) Apple Silicon chip or an Intel Core processor (i5, i7, or i9). To check this, go to your Menu Bar > Apple and select "About This Mac."




FOR MAC + WINDOWS USERS (AUTOMATED INSTALLATION):

ReaTooled requires installing REAPER along with some additional extensions and packages. The ReaBoot installer will make sure you've installed all the necessary files properly.


1. [Click here to go to the download page for the ReaBoot installer for ReaTooled.](#)
2. On the ReaBoot download page, **select the proper installer for your computer:**



- a. If you have a Mac with an M1 chip or higher, download the “macOS ARM64” installer.
 - b. If you have an Intel Mac (i5, i7 or i9), download the “macOS Intel” installer.
3. **Unzip the ReaBoot installer and launch the ReaBoot installation application.**
 4. Confirm ReaBoot says “Today we are going to install ReaTooled v2.x!” then **click “Let’s go!”**




5. If given the option, **select “Update REAPER if a new version is available.”**




NOTE: I always recommend using the most recent version of REAPER!


6. Select either Main or Portable installation
- Most users should **select “Main REAPER installation,”** however...
 - ...if you prefer to leave your pre-existing REAPER installation untouched or want to install a copy of REAPER inside a specific folder on your computer, select “Portable REAPER installation” and choose the desired installation location. This will allow you to run a copy of REAPER with ReaTooled alongside another REAPER installation.
7. **Click “Continue.”**
8. On the REAPER license agreement page, **click “Agree”**




9. On the Customize installation page, click **“Continue.”**



10. On the Review page, click **“Start installation.”**




11. ReaBoot will install the necessary extensions and package files.
a. In some cases, ReaBoot may prompt you to install REAPER manually:




If this happens, ReaBoot will download the REAPER installer for you. **Open the installer and install REAPER manually:**




- b. In other cases, ReaBoot will install everything automatically. **Click “Launch REAPER and quit!”**



12. When REAPER launches for the first time, **select an audio device**, if prompted:



13. Finally, **confirm that the Extensions have been installed.** Look for Menu Bar > Extensions -- if you can see “Extensions” as part of REAPER’s Menu Bar with both “SWS/S&M” and “ReaPack,” then you’ve installed the extensions successfully!



Now REAPER is ready to import the ReaTooled Configuration file! **Continue to the instructions for Importing the ReaTooled Configuration on the following page.**

FOR LINUX/ADVANCED USERS (MANUAL INSTALLATION):


You can install ReaTooled without ReaBoot by installing the following extensions and packages manually:

- [ReaPack: Package manager](#)
- [The SWS Extension](#)
- [RealmGui \(REAPER Immediate-Mode Graphical User Interface\)](#)
- [js_ReaScriptAPI](#)
- [Rodilab_Color palette](#)


Importing the ReaTooled Configuration

Reminder: If you've already been using REAPER, please consider [exporting your current REAPER configuration](#) to back it up before continuing.


1. Find ReaTooled v2.xx.ReaperConfigZip in the explorer/finder.
2. **Do NOT attempt to “unzip” or “open” this file**; it won't work! You need to “import” this file through REAPER instead.
3. **Launch REAPER** (If you are prompted to Select an Audio Device, choose the default setting.)
4. **Drag and drop “ReaTooled v2.xx.ReaperConfigZip” directly into the REAPER application.**
5. A popup will appear saying “*Import Configuration?*” Click “OK.”



6. The “Import Configuration” window will appear as a list with several checkboxes. Leave all checkboxes as they are. Click “Import.”



7. REAPER will re-launch with the ReaTools Configuration. *NOTE: The ReaTools Configuration moves the Transport (Rec/Play/Stop buttons) to the top of the screen—this is how you know it has been installed correctly!*



8. Congratulations. **You have successfully installed ReaTooled!**

If you find ReaTooled useful, please consider supporting me with a donation to maintain this resource:

- [via Venmo](#)
- [via PayPal](#)
- [or buy me a coffee](#)

Also, [visit my YouTube channel](#) for in-depth REAPER tutorials.

Thank you! 🙏

– Brendan

www.brendanpatrickbaker.com

[@BrendanPBaker](#)