





Vitor Klein



RA:2577895

Instalação MINIX







Ativar o Windows
Acesse Configurações para ativar o Windows.



UNIVERSIDADE TECNOLÓGICA FEDERAL DO PARANÁ


Ativar o Windows
Acesse Configurações para ativar o Windows.



UNIVERSIDADE TECNOLÓGICA FEDERAL DO PARANÁ

Ativar o Windows
Acesse Configurações para ativar o Windows.





UNIVER

```
Mini-Vitor [Executando] - Oracle VM VirtualBox
Arquivo  Máquina  Visualizar  Entrada  Dispositivos  Ajuda

http://wiki.minix3.org.
# pkgin
Usage: pkgin [-cdfhPaBy] command [package ...]

Commands and shortcuts:
list (ls) - Lists installed packages.
avail (av) - Lists available packages.
install (in) - Perform packages installation or upgrade.
update (up) - Creates and populates the initial database.
remove (rm) - Remove packages and depending packages.
upgrade (ug) - Upgrade main packages to their newer versions.
full-upgrade (fug) - Upgrade all packages to their newer versions.
show-deps (sd) - Display direct dependencies.
show-full-deps (sfd) - Display dependencies recursively.
show-rev-deps (srd) - Display reverse dependencies recursively.
keep (ke) - Marks package as "non auto-removable".
nokeep (nk) - Marks package as "auto-removable".
show-keep (sk) - Display "non auto-removable" packages.
search (se) - Search for a package.
clean (cl) - Clean packages cache.
autoremove (ar) - Autoremove orphan dependencies.
#
E tty: ignoring unrecognized escaped scancode 0x5b
```

Ativar o Windows
Acesse Configurações para ativar o Windows.



UNIVERSIDADE TECNOLÓGICA FEDERAL DO PARANÁ

```
Mini-Vitor [Executando] - Oracle VM VirtualBox
Arquivo  Máquina  Visualizar  Entrada  Dispositivos  Ajuda

For more information on how to use MINIX 3, see the wiki:
http://wiki.minix3.org.

# pkgin
Usage: pkgin [-cdfhPaBy] command [package ...]

Commands and shortcuts:
list (ls) - Lists installed packages.
avail (av) - Lists available packages.
install (in) - Perform packages installation or upgrade.
update (up) - Creates and populates the initial database.
remove (rm) - Remove packages and depending packages.
upgrade (ug) - Upgrade main packages to their newer versions.
full-upgrade (fug) - Upgrade all packages to their newer versions.
show-deps (sd) - Display direct dependencies.
show-full-deps (sfd) - Display dependencies recursively.
show-rev-deps (srd) - Display reverse dependencies recursively.
keep (ke) - Marks package as "non auto-removable".
nokeep (nk) - Marks package as "auto-removable".
show-keep (sk) - Display "non auto-removable" packages.
search (se) - Search for a package.
clean (cl) - Clean packages cache.
autoremove (ar) - Autoremove orphan dependencies.
#
Auto-capturar o teclado...
```

Ativar o Windows
Acesse Configurações para ativar o Windows.



