## 13.2) Three-Stage Least Squares (3SLS)

Vitor Kamada

August 2019



## Reference

## Wooldridge (2010). **Econometric Analysis of Cross Section and Panel Data.** Ch 9

https://ebookcentral.proquest.com/lib/wayne/detail.action?docID=33391968

## Mroz (1987)

```
import pandas as pd
from linearmodels import IV2SLS, IV3SLS, IVSystemGMM
file="https://github.com/VitorKamada/EC07110/raw/master/Data/mroz.dta"
df = pd.read_stata(file)
df.head()
```

|   | inlf | hours | kidslt6 | kidsge6 | age | educ | wage   |
|---|------|-------|---------|---------|-----|------|--------|
| 0 | 1    | 1610  | 1       | 0       | 32  | 12   | 3.3540 |
| 1 | 1    | 1656  | 0       | 2       | 30  | 12   | 1.3889 |
| 2 | 1    | 1980  | 1       | 3       | 35  | 12   | 4.5455 |
| 3 | 1    | 456   | 0       | 3       | 34  | 12   | 1.0965 |

Eq1 = 'hours ~ educ + age + kidslt6 + nwifeinc + [lwage ~ exper + expersq]'
Hours = IV2SLS.from\_formula(Eq1, df).fit()

|          | Parameter | Std. Err. | T-stat  | P-value |
|----------|-----------|-----------|---------|---------|
| educ     | -99.304   | 53.620    | -1.8520 | 0.0640  |
| age      | 19.429    | 5.9719    | 3.2534  | 0.0011  |
| kidslt6  | -51.608   | 209.01    | -0.2469 | 0.8050  |
| nwifeinc | -11.444   | 5.2296    | -2.1882 | 0.0287  |
| lwage    | 1626.4    | 588.44    | 2.7638  | 0.0057  |

Eq2 = 'lwage ~ educ + exper + expersq + [hours ~ age + kidslt6 + nwifeinc]'
Lwage = IV2SLS.from\_formula(Eq2, df).fit()

|         | Parameter | Std. Err. | T-stat  | P-value |
|---------|-----------|-----------|---------|---------|
|         |           |           |         |         |
| educ    | 0.0875    | 0.0181    | 4.8376  | 0.0000  |
| exper   | 0.0524    | 0.0338    | 1.5479  | 0.1216  |
| expersq | -0.0009   | 0.0007    | -1.3496 | 0.1772  |
| hours   | -0.0003   | 0.0004    | -0.7751 | 0.4383  |

Vitor Kamada ECO 7110 Econometrics II August 2019

Eq = dict(hours= Eq1, lwage = Eq2)

IV3SLS = IV3SLS.from\_formula(Eq, df).fit(method='gls')

|          | Parameter | Std. Err. | T-stat  | P-value |
|----------|-----------|-----------|---------|---------|
| educ     | -109.90   | 11.982    | -9.1722 | 0.0000  |
| age      | 13.651    | 4.2605    | 3.2041  | 0.0014  |
| kidslt6  | -196.61   | 101.76    | -1.9320 | 0.0534  |
| nwifeinc | -6.4128   | 4.7852    | -1.3401 | 0.1802  |
| lwage    | 1872.7    | 144.99    | 12.916  | 0.0000  |
|          | Parameter | Std. Err. | T-stat  | P-value |
| educ     | 0.0859    | 0.0250    | 3.4288  | 0.0006  |
| exper    | 0.0550    | 0.0484    | 1.1368  | 0.2556  |
| expersq  | -0.0010   | 0.0010    | -1.0477 | 0.2948  |
| hours    | -0.0003   | 0.0005    | -0.5235 | 0.6006  |
|          |           |           | 4014914 | =       |

Vitor Kamada ECO 7110 Econometrics II August 2019 5/6

GMM = IVSystemGMM.from\_formula(Eq, df,
 weight\_type='robust').fit(cov\_type='robust')

|          | Parameter | Std. Err. | T-stat  | P-value |
|----------|-----------|-----------|---------|---------|
| educ     | -122.62   | 58.608    | -2.0922 | 0.0364  |
| age      | 14.728    | 6.0138    | 2.4491  | 0.0143  |
| kidslt6  | -227.73   | 218.43    | -1.0426 | 0.2971  |
| nwifeinc | -8.2514   | 5.3129    | -1.5531 | 0.1204  |
| lwage    | 1989.5    | 600.74    | 3.3117  | 0.0009  |
|          | Parameter | Std. Err. | T-stat  | P-value |
| educ     | 0.0954    | 0.0185    | 5.1535  | 0.0000  |
| exper    | 0.0676    | 0.0355    | 1.9034  | 0.0570  |
| expersq  | -0.0013   | 0.0007    | -1.7878 | 0.0738  |
| hours    | -0.0005   | 0.0004    | -1.1472 | 0.2513  |

Vitor Kamada ECO 7110 Econometrics II August 2019 6/6