

# 1) Probability

Vitor Kamada

January 2018

Tables, Graphics, and Figures from


**Introductory Statistics with**

**Randomization and Simulation**

Diez et al. (2014): APPENDIX A - Probability


# Law of Large Numbers (LLN)

$$p = \frac{1}{6} \cong 0.167$$



# Disjoint or Mutually Exclusive Outcomes


$$A = \{1, 2\}; B = \{4, 6\}; D = \{2, 3\}$$



$$P(A \cup B) = P(A) + P(B) = \frac{1}{3} + \frac{1}{3}$$

## Probabilities when Events are not Disjoint

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$




$$P(\text{face.card} \cup \spadesuit)$$

$$P(\text{face.card}) + P(\spadesuit) - P(\text{face.card} \cap \spadesuit)$$

$$\frac{12}{52} + \frac{13}{52} + \frac{3}{52} = 0.423$$

# Probability Distribution



Dice sum	2	3	4	5	6	7	8	9	10	11	12
Probability	$\frac{1}{36}$	$\frac{2}{36}$	$\frac{3}{36}$	$\frac{4}{36}$	$\frac{5}{36}$	$\frac{6}{36}$	$\frac{5}{36}$	$\frac{4}{36}$	$\frac{3}{36}$	$\frac{2}{36}$	$\frac{1}{36}$

$$P(A \cap B) = P(A) \times P(B)$$

$$P(\heartsuit \cap ace) = P(A\heartsuit) = \frac{1}{52}$$

$$P(\heartsuit) \times P(ace)$$

$$\frac{1}{4} \times \frac{1}{13} = \frac{1}{52}$$

# Marginal and Joint Probabilities

		inoculated		Total
		yes	no	
result	lived	238	5136	5374
	died	6	844	850
Total		244	5980	6224

$$P(\text{result} = \text{died}) = \frac{850}{6224} = 13.7\%$$

$$P(\text{result} = \text{died} \cap \text{inoculated} = \text{yes})$$

$$= \frac{6}{6224} = 0.1\%$$



# Conditional Probability

		inoculated		Total
		yes	no	
result	lived	0.0382	0.8252	0.8634
	died	0.0010	0.1356	0.1366
Total		0.0392	0.9608	1.0000


$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

$$P(\text{result} = \text{died} | \text{inoculated} = \text{no})$$

$$\frac{P(\text{result}=\text{died} \cap \text{inoculated}=\text{no})}{P(\text{inoculated}=\text{no})}$$

$$\frac{0.1356}{0.9608} = 14.1\%$$

# Tree Diagrams



$$P(\text{inoculated} = \text{yes} \cap \text{result} = \text{lived})$$

$$\begin{aligned} &P(\text{inoculated} = \text{yes}) \times P(\text{result} = \text{lived} | \text{inoculated} = \text{yes}) \\ &= 0.0392 \times 0.9754 = 0.0382 \end{aligned}$$

# Independence and Conditional Probability

$$P(A|B) = \frac{P(A \cap B)}{P(B)} = \frac{P(A) \times P(B)}{P(B)} = P(A)$$

Let  $X$  and  $Y$  represent the outcomes of rolling two dice

$$P(Y = 1 | X = 1)$$

$$\frac{P(Y=1) \times P(X=1)}{P(X=1)} = P(Y = 1)$$