# Sets → a = set ()
a = {1, 2, 3}

→ unique elements
→ unordered

basic operations

① set.add () → adds the argument to the set.
↳ argument

② set.remove() → removes the given element from the set, if available

③ set.discard() → removes the given element, but doesn't throw an error if the element is not found

④ set.pop() → removes and returns the first element of the set.

FIFO

⑤ set.clear() → clears the set

Membership test

my-set = {1, 2, 3}

print (3 in my-set)

⇒ True

returns True

Mathematical operations on set.

① Union ()

~~union()~~

union_set =
set 1 . union (set 2)

~~combines set 1 & set 2~~
→ gives union set of set 1 & set 2.

② Intersection ()

→ gives the common elements of the given sets.

it_set = set 1 . intersection (set 2)

③ Intersection_update ()

only update function will update the first set with the returning values

→ set 1 . intersection_update (set 2)

~~set 1 is given all the com~~

→ set 1 is updated to have only the common values between set 1 & set 2

④ Difference ()

d = set 1 . difference (set 2)

↳ gives the elements of set 1 that are not in set 2.

OR
set 1 element − set 2 elements.

(5) Symmetric difference

set1.symmetric_difference(set2)

→ will give the unique elements in both the sets.

(*) Set Methods

① ~~issu~~ issubset() → checks if set1 is a subset of ~~se~~ set2.

→ set1.issubset(set2)

② issuperset() → checks if set1 has all the elements of set2.

→ set1.issuperset(set2)

Task → To find all unique words in a sentence, use split(), then make a set() of these words.

eg

(*) Set comprehension → similar to list comprehension