



STEEL ROOFING
SUPPLY CENTRE


INNOVATIVE ROOFING SPECIALIST

INTRODUCTION



True innovation starts with materials that spark imagination and support precise, reliable building outcomes. It grows from the perfect blend of technical strength, long-lasting performance, and visual impact.

Steel Roofing Supply Centre in Sydney delivers roofing and walling solutions built for modern demands. Each product is crafted to offer durability, flexibility, and strong visual appeal, whether the goal is a warm residential project or a large commercial build. Our team provides guidance and support so every project moves forward with confidence.

With a focus on responsible building, our steel systems are designed to last, reduce waste, and support better construction practices. Builders, architects, and trades can rely on our materials to bring their ideas to life with strength, style, and long-term value.



TRADITIONAL ROOFING PROFILES





Available in a range of finishes including COLORBOND®, ZINCALUME®, Galvanised, COLORBOND® Matt and COLORBOND® Ultra

CORRUGATED

SRSC Corrugated delivers strength, flexibility, and value for a wide range of home and commercial projects.

Features & Benefits

- Cost-effective roofing and wall cladding solution available in long lengths
- Easy fixing using conventional screw methods for fast and efficient installation
- 762mm cover width for quick handling and reduced install time
- Manufactured from high-tensile steel, offering a lightweight yet durable profile
- Custom cut-to-length available up to 17 metres to minimise waste and joins
- Suitable for roof pitches as low as 5°, ideal for most traditional applications
- Anti-capillary side laps with 1½ rib overlap for improved weather protection
- Fully tested with comprehensive load span tables to suit a wide range of projects
- **Available in 0.42 BMT and 0.48 BMT thickness options.**





Available in a range of finishes including COLORBOND®, ZINCALUME®, Galvanised, COLORBOND® Matt and COLORBOND® Ultra

MONOCLAD/ TRIM5

Stramit Monoclad® delivers strength, durability, and performance for a wide range of commercial and industrial roofing and walling applications.

Features & Benefits

- Economical – unique blend of characteristics provides a low installed cost
- Simple Installation – through fixing and easy notching of flashings
- 762mm Cover – quick installation and easy handling
- Hi-tensile Steel – lightweight and high strength
- Deep Ribs – provide excellent spanning capability with good water carrying capacity
- Domed Crest – provides greater foot traffic performance
- Anti-capillary Side Laps – gives improved weather structure
- 2° Minimum Pitch – reduces support structure
- Fully Tested – a full range of load performance tables to suit almost any application
- Available in Colorbond, Zincalume, Galvanise & Ultra
- Cut to length up to 30 metres
- **Available in 0.42 BMT and 0.48 BMT thickness options.**



Available in a range of finishes including COLORBOND®, ZINCALUME®, Galvanised, COLORBOND® Matt and COLORBOND® Ultra

SPEED DECK ULTRA

Stramit Speed Deck Ultra® decking delivers visual appeal, strength, wide cover, light weight and weather resistance, making it perfect for all commercial roofing applications. Its excellent strength and ease of assembly allow for long, economical spans, while the large water-carrying capacity and weather-tightness permit very low roof pitches, leading to economies in the building structure. Stramit Speed Deck Ultra® decking may also be used for domestic applications.


Features & Benefits

- Wide Cover – fewer sheets and quicker installation
- Deep Ribs – stronger with better water carrying capacity; roof slopes as low as 1°
- Full Length Clips – to locate ribs and compress insulation
- Four Fixing Points Per Clip – with centralised fastening for unsurpassed strength
- Hexagon Head Screws – bigger, stronger and easier to install, with less wastage
- Outstanding Wind Load Resistance – improved security with lower purlin costs
- Spring Curving – data for arched and curved roofs
- Automatic Bird Proofing – built in accessory with no need for extra components
- Cut to length up to 30 metres
- **Available in 0.42 BMT and 0.48 BMT thickness options.**

TRADITIONAL FLAT PAN PROFILES



Standing Seam 25mm



Standing Seam 38mm

Materials

- Copper 0.55 BMT
- Copper 0.7 BMT

Profile Options

- Standing Seam 25mm
- Standing Seam 38mm

STANDING SEAM

SRSC Corrugated delivers strength, flexibility, and value for a wide range of home and commercial projects.


Roof Sheeting Details

- Installed on 19mm plywood substrate
- Ensure plywood joints are flush
- Include a separation barrier between profile and plywood to prevent condensation
- Use double locked seam for roofing
- Can be single locked if roof pitch is greater than 15°

Wall Cladding Details


- Installed on 12mm plywood substrate
- Ensure plywood joints are flush
- Include a separation barrier between profile and plywood to prevent condensation
- Requires single locked seam only for wall applications

CURVING



Convex Curve

Eyelash Curve



Bullnose Curve


OG Curve

Curving has been widely used in traditional architecture to soften building lines and create distinctive design features. From early settlement through to WWII, curved elements like verandahs, domes, and barrel roofs became key features. Today, modern methods allow these forms to be recreated with precision while maintaining their original look.

Features & Benefits

- Supports traditional and heritage designs
- Creates smooth, continuous curves
- Suitable for bullnose, eyelash, convex, and OG curves
- Maintains true profile shape during curving
- Delivers clean, seamless finishes
- Allows flexibility for custom designs
- Helps restore original building character
- Ensures consistent and accurate results

DOWNPIPES PROFILES



- 300mm
- 225mm
- 150mm
- 125mm
- 120mm
- 100mm
- 90mm
- 75mm
- 60mm

ROUND

SRSC round downpipes are suitable for both residential and commercial applications. Designed for efficient water flow and easy installation, they are a reliable and widely used solution.

Features & Benefits


- Features & Benefits
- Lengths up to 6m available
- Minimal joins required
- Crimping and expanding options
- Range of accessories for easy installation
- Suitable for high water flow capacity

SQUARE

Square and rectangular downpipes are a popular choice for modern designs, offering a clean finish that fits neatly against walls while maintaining strong performance.


Features & Benefits

- Clean modern profile
- Fits flush against walls
- Available in standard and custom sizes
- Compatible with multiple accessories
- Designed for easy installation



- 150x100
- 125x100
- 100x75
- 75x75
- 100x50
- 75x50
- 50x50

COMMERCIAL HALF ROUND GUTTERS



SRSC half round gutters are designed for commercial and architectural projects, offering a bold, clean finish while maintaining reliable water flow performance.

Features and Benefits

- Custom lengths up to 6m
- Unslotted design
- Multiple bracket options (A1, A2, A4)
- Suitable for 150mm–200mm (A1/A2/A4) and larger sizes with A4
- Made from 0.55 BMT material
- Low maintenance and easy to clean

Sizes Available

- | | |
|---------|---------|
| • 150mm | • 300mm |
| • 200mm | • 350mm |
| • 250mm | • 400mm |
| | • 450mm |

RAINHEADS



TWO STYLES


SQUARE – 340W × 240D × 300H
CONICAL – 340W × 240D × 300H

Kirin Rainwater Heads offer a neat, modern look and dependable water control. Each aluminium head is custom-made to suit the project with a choice of finishes and sizes.

Features and Benefits

- Custom lengths up to 6m
- Unslotted design
- Multiple bracket options (A1, A2, A4)
- Suitable for 150mm–200mm (A1/A2/A4) and larger sizes with A4
- Made from 0.55 BMT material
- Powdercoated finish
 - High corrosion resistance
 - Wide Colorbond® colour range
- Integrated overflow vents
 - Prevents water spill
 - Protects building from damage
- 10-year replacement warranty
- Reliable drainage performance
- Long-lasting material (aluminium)
- Low maintenance and easy to clean
- Architectural flexibility (2 styles + colours)

FLASHINGS



CUSTOM FLASHINGS

SRSC custom flashings deliver precision, durability, and flexibility for a wide range of roofing and walling applications.

Features & Benefits

- Precision made to specified dimensions for exact fit
- Consistent folds using advanced machinery
- Suitable for standard and complex designs
- Tapered flashings available for custom applications
- Lengths up to 8 metres
- Widths up to 1.2 metres
- Manufactured from 0.55 BMT flashing feed
- Designed for clean finish and easy installation

Available in a range of finishes including **COLORBOND®**, **ZINCALUME®**, **Galvanised**, **COLORBOND® Matt** and **COLORBOND® Ultra**

BRANCHES

BOTANY

3/9–15 Byrnes Street
Botany NSW 2019

T: 02 9666 5577
E: salesbotany@srsc.net.au

Hours:
Mon–Thu: 6:30am – 4:30pm
Fri: 6:30am – 4:00pm

PENRITH

6–8 Abel Street
Penrith NSW 2750

T: 02 4732 4444
E: salespenrith@srsc.net.au

Hours:
Mon–Thu: 7:00am – 4:30pm
Fri: 7:00am – 4:00pm

GREGORY HILLS

Unit 1/37 Rodeo Road
Gregory Hills NSW 2557

T: 02 4601 1921
E: salesgregoryhills@srsc.net.au

Hours:
Mon–Fri: 8:00am – 4:00pm

SILVERWATER

156 Silverwater Road
Silverwater NSW 2128

T: 02 9807 3322
E: sales@srsc.net.au

Hours:
Mon–Thu: 7:00am – 5:00pm
Fri: 7:00am – 4:00pm

NARELLAN

2a Grahams Hill Road
Narellan NSW 2567

T: 02 4647 7755
E: salesnarellan@srsc.net.au

Hours:
Mon–Thu: 7:00am – 5:00pm
Fri: 7:00am – 4:00pm

TUGGERAH

Unit 2/5 Morton Close
Tuggerah NSW 2259

T: 02 7205 3733
E: salestuggerah@srsc.net.au

Hours:
Mon–Fri: 8:00am – 4:00pm

