Parcela 5 - Variable ndre1\_mean Grado 1 Grado 2 0.5 F Real R<sup>2</sup>: 0.292 AIC: -30.617 R<sup>2</sup>: 0.965 AIC: -103.960 MSE: 0.250 Predicción MSE: 0.151 0.4 0.4 0.3 0.3 0.2 0.2 0.1 0.1 Real 0.0 0.0 Predicción 50 100 150 200 250 300 350 400 50 100 150 200 250 300 350 400 Grado 3 Grado 4 0.5 F 0.5 R<sup>2</sup>: 0.975 AIC: -109.968 MSE: 0.168 R<sup>2</sup>: 0.993 AIC: -139.674 MSE: 0.128 Real ---- Real Predicción Predicción 0.4 0.4 0.3 0.3 0.2 0.2 0.1 0.1 0.0 0.0 200 400 50 100 150 250 300 350 400 50 100 150 200 250 300 350 Grado 5 Grado 6 0.5 Real R<sup>2</sup>: 0.994 AIC: -141.802 R<sup>2</sup>: 0.994 AIC: -141.758 Real Predicción Predicción MSE: 0.103 MSE: 0.103 0.4 0.4 0.3 0.3 0.2 0.2 0.1 0.1 0.0 0.0 50 200 250 350 100 250 100 150 300 50 150 200 300 350 400