DEBITLENS | PARTNER TRACK IMPLEMENTATION

How Sarvam + Neo4j strengthen our "Auto Debits Nobody Can Find" solution

OUR DECISION: OPT INTO BOTH PARTNER TRACKS

DebitLens will use Neo4j to connect hidden relationships between transactions, merchants, services and payment mandates; Sarvam will explain the verified findings and cancellation steps in the user's preferred Indian language. These are two connected parts of one product—not two unrelated add-ons.

1. What each partner technology will do

NEO4J | RELATIONSHIP INTELLIGENCE

Build the actual Commitment Graph. It links descriptors, transactions, processors, merchants, services, commitments, mandates and cancellation evidence. Graph queries help gather connected payment history that a flat list can split across different descriptions.

SARVAM | INDIAN-LANGUAGE INTELLIGENCE

Add "DebitLens Bhasha". It explains cryptic transaction descriptions, price/renewal alerts and trusted cancellation instructions in the selected language (for example, Hindi or Tamil), so users understand what happened and what to do.

2. Neo4j: how the graph will work

Why a graph? One service can appear under several statement descriptors, and one payment processor can serve many unrelated merchants. A transaction list alone may not show those connections. Neo4j stores the entities as nodes and their evidence-backed links as relationships.

TRANSACTION raw debit	DESCRIPTOR statement text	PROCESSOR if known	MERCHANT if verified	SERVICE + COMMITMENT	MANDATE / PAYMENT RAIL

The graph will also connect cancellation playbooks, cancellation sessions, alerts and evidence to the relevant commitment. A mandate node is created only when the synthetic input or user-provided evidence supports it; it must never be guessed from a debit alone. Start with AuraDB + Cypher; add GraphRAG or Aura Agents only if they genuinely improve connected-evidence retrieval.

What Neo4j does — and what it does not do

- Neo4j stores and retrieves relationships: for example, several differently named transactions connected to the same verified merchant and commitment.
- Cypher queries retrieve connected histories, supporting transactions, unresolved processor-only records and transactions that appear after a reported cancellation.
- Our Java detection engine evaluates dates, intervals, amount changes and recurrence confidence. The graph connects the evidence; Java decides whether the pattern looks monthly, annual, irregular or resumed.

What judges should see in the Neo4j demo

Import synthetic transactions → open the live Commitment Map → select a merchant → show different descriptors connected through supported aliases → run a real Cypher query to retrieve the linked history → show an irregular/resumed pattern → show a processor-only descriptor remaining unresolved. The graph must be backed by Neo4j AuraDB, not a hardcoded drawing.

WORKED EXAMPLE "RZP*STREAMBOX" + "STREAMBOX*BILL" are linked to StreamBox only because the synthetic alias catalogue supports both. Neo4j retrieves their shared history; Java checks the dates and amounts; Sarvam explains the result. A separate "RAZORPAY" record links only to the processor and stays unresolved.

3. Sarvam: how language intelligence will work

We will add a language selector to DebitLens and a “Explain this” action on transaction, commitment and alert screens. Sarvam will make the verified information understandable; it will not decide whether a merchant match is true or invent cancellation instructions.

A. EXPLAIN A CRYPTIC DEBIT

Example: “RAZORPAY*STREAMBOX”. DebitLens first resolves the descriptor using its reference data and graph evidence. Sarvam then explains what is known, why the descriptor looks unfamiliar and what remains unverified.

B. EXPLAIN HOW TO CANCEL

DebitLens selects a curated, source-checked cancellation playbook. Sarvam explains/translates those steps in simple language while preserving official links, action order and warnings.

C. EXPLAIN FINANCIAL ALERTS

Translate/explain a detected price increase, annual renewal, trial conversion or possible post-cancellation debit, including the amount and reason, in the user’s chosen language.

How we will use Sarvam

Use Sarvam-105B chat for context-aware explanations based on structured facts from DebitLens, and Sarvam Translate (model ID: sarvam-translate:v1) to translate approved explanations and cancellation text. Sarvam Translate currently documents English plus all 22 scheduled Indian languages. Start the demo with English and Hindi; add another language only after testing it.

All Sarvam calls go through the Spring Boot backend. The API key stays server-side. Send only the minimum synthetic, masked facts needed. Preserve merchant names, amounts, dates and official URLs accurately. If the merchant is unknown, Sarvam must say so—not guess.

4. One connected end-to-end workflow

1 IMPORT	2 CONNECT	3 DETECT	4 EXPLAIN	5 GUIDE	6 TRACK
synthetic CSV / alerts	Neo4j graph + evidence	Java temporal rules	Sarvam + language	service + mandate steps	confirmation + later debits

Example: a supported alias connects “RZP*STREAMBOX” and “STREAMBOX*BILL” to one merchant. Java detects the monthly history and amount change. Sarvam explains the result in Hindi. DebitLens then shows two separate actions: cancel the StreamBox service and revoke the relevant payment authorisation through the authorised provider. The user records confirmations; a later imported debit is flagged for review, not automatically called fraud.

5. What we must build and demonstrate

NEO4J TRACK CHECKLIST

- AuraDB is the real graph store; backend connection works.
- Nodes and relationships model transactions → descriptors → merchants → commitments → mandates/playbooks/evidence.
- At least two real Cypher queries power the UI.
- Commitment Map displays live graph data and explains why links exist.

SARVAM TRACK CHECKLIST

- Live Sarvam API call works from the backend.
- English and Hindi merchant explanations work; test another language if time permits.
- Cancellation steps are explained/translated from verified playbooks.
- Unknown merchants remain unknown; warnings and amounts are preserved.

6. Suggested team split and practical setup

Backend/Graph owner: AuraDB setup, graph model, Cypher queries and Java detection integration. Sarvam owner: backend API client, language selector, grounded explanations and translation. Frontend owner: Commitment Map, language experience and end-to-end screens. Integration/QA owner: synthetic test cases, API health, live demo rehearsal and evidence that both partner technologies are genuinely used.

NON-NEGOTIABLE SAFETY RULES Use synthetic data only. Never ask for bank passwords or UPI PINs. DebitLens does not cancel a real service or mandate. Show service cancellation and payment-authorisation revocation separately. Loan/insurance obligations require institution-specific guidance; stopping an auto-debit does not erase the contract.

Why opt in?

The notice shared by the team says partner-track awards are additional to general prizes: Sarvam offers 500 credits to every qualifying build, with 10,000 / 7,500 / 5,000 credits for the top three; Neo4j lists ₹25,000 / ₹15,000 / ₹10,000 plus $400 / $250 / $150 in Neo4j credits. Eligibility depends on demonstrating genuine use of each partner technology; confirm final rules and submission requirements with the organisers.

OFFICIAL REFERENCES HackFront partner tracks | Sarvam Chat API | Sarvam Translate | Neo4j Java Driver