

Operation contracts for Administrator and System

Contract:	StartMakeNewOffering
Operation:	StartMakeNewOffering()
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	Administrator is logged in
Postconditions:	Begins the offering creation process

Contract:	makeTitle
Operation:	makeTitle(title)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	StartMakeNewOffering() has been called
Postconditions:	Title of the offering is saved

Contract:	makeLocation
Operation:	makeLocation(address)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	Title has been entered
Postconditions:	Location is saved for the offering

Contract:	makeSchedule
Operation:	makeSchedule(startTime, endTime)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	Location has been entered
Postconditions:	Schedule is saved for offering

Contract:	makeGroupLesson
Operation:	makeGroupLesson(type)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Lesson type is "group" - Schedule has been entered
Postconditions:	Group lesson is saved for offering

Contract:	makePrivateLesson
Operation:	makePrivateLesson(type)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Lesson type is “private” - Schedule has been entered
Postconditions:	Private lesson is saved for offering

Contract:	makePrivateLesson
Operation:	makePrivateLesson(type)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Lesson type is “private” - Schedule has been entered
Postconditions:	Private lesson is saved for offering

Contract:	checkConflict
Operation:	checkConflict(location, startTime, endTime)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Location has been entered - Schedule has been entered - Lesson is saved for offering
Postconditions:	Private lesson is saved for offering

Contract:	checkConflict
Operation:	checkConflict(location, startTime, endTime)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Location has been entered - Schedule has been entered - Lesson is saved for offering
Postconditions:	Private lesson is saved for offering

Contract:	addNewOffering
Operation:	addNewOffering(title, location, startTime, endTime, type, lessonType)
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	- Location has been entered - Schedule has been entered - Lesson is saved for offering - Title has been entered - No conflict detected
Postconditions:	New offering is saved and made available for public to see

Contract:	endMakeNewOffering
Operation:	endMakeNewOffering()
Cross reference(s):	Use case: Process Offerings Administrator Sequence Diagram
Preconditions:	New offering has been added
Postconditions:	Ends the offering creation process

Operation Contracts for Instructor and System

Contract:	startTakeNewOffering()
Operation:	startTakeNewOffering()
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	Instructor is logged in
Postconditions:	Starts the process for taking a new offering

Contract:	viewOfferings()
Operation:	viewOfferings()
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	takeNewOffering() has been called
Postconditions:	Displays a list of all available offerings that match the instructor's qualifications

Contract:	selectOffering()
Operation:	selectOffering(offeringTitle)
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	Available offerings have been displayed
Postconditions:	Selected offering is ready for qualification verification

Contract:	verifyQualitifications()
Operation:	verifyQualifications(specialization, lessonType)
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	Offering has been selected
Postconditions:	Confirms whether the instructor is qualified for the selected offering

Contract:	assignOffering()
Operation:	assignOffering(offeringTitle, instructorName)
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	Instructor meets qualifications for the offering
Postconditions:	Offering is assigned to the instructor and marked as unavailable to others

Contract:	endTakeNewOffering()
Operation:	endTakeNewOffering()
Cross reference(s):	Use case: Process Offerings Instructor Sequence Diagram
Preconditions:	Offering has been assigned to instructor
Postconditions:	Ends the process for taking a new offering