

Prac 3.

```
package prac3;
```

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.firefox.FirefoxOptions;
```

```
public class prac3 {
```

```
    // Set Geckodriver Path
```

```
    static String driverPath = "C:\\Drivers\\geckodriver.exe";
```

```
    public static void main(String[] args) {
```

```
        int a = 10, b = 20;
```

```
        System.out.println("HI");
```

```
        System.out.println(a + b);
```

```
        System.out.println("Selenium demo.....");
```

```
        // Set Geckodriver Path
```

```
        System.setProperty("webdriver.gecko.driver", driverPath);
```

```
        // Firefox Options
```

```
        FirefoxOptions options = new FirefoxOptions();
```

```
        // Launch Firefox
```

```
        WebDriver driver = new FirefoxDriver(options);
```

```
        // Open Website
```

```
        driver.get("https://www.amazon.in/");
```

```
        driver.manage().window().maximize();
```

```
        try {
```

```
            Thread.sleep(5000);
```

```
        } catch (InterruptedException e) {
```

```
            e.printStackTrace();
```

```
        }
```

```
        driver.quit();
```

```
    }
}
```

Prac 4a.

```
package prac4a;
```

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
```

```
public class prac4a {
```

```
    public static void main(String[] args) throws InterruptedException {
```

```
        System.setProperty("webdriver.gecko.driver",
            "C:\\Drivers\\geckodriver.exe");
```

```
        WebDriver driver = new FirefoxDriver();
```

```
        // Open Website
```

```
        driver.get("https://practicetestautomation.com/practice-test-login/");
```

```
        driver.manage().window().maximize();
```

```
        // Enter Username
```

```
        driver.findElement(By.id("username")).sendKeys("student");
```

```
        // Enter Password
```

```
        driver.findElement(By.id("password")).sendKeys("Password123");
```

```
        // Click Login Button
```

```
        driver.findElement(By.id("submit")).click();
```

```
        Thread.sleep(3000);
```

```
        // Verify Login by URL
```

```
        String currentURL = driver.getCurrentUrl();
```

```
        System.out.println("Current URL: " + currentURL);
```

```
        if (currentURL.contains("logged-in-successfully")) {
```

```
            System.out.println("LOGIN SUCCESSFUL...");
```

```
        } else {
```

```
            System.out.println("LOGIN FAILED");
```

```
        }
```

```
        driver.quit();
```

```
}  
}
```

Prac 4b.

```
package prac4b;
```

```
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.firefox.FirefoxDriver;
```

```
public class prac4b {
```

```
    public static void main(String[] args) throws InterruptedException {
```

```
        System.setProperty("webdriver.gecko.driver",  
            "C:\\Drivers\\geckodriver.exe");
```

```
        WebDriver driver = new FirefoxDriver();
```

```
        driver.get("file:///C:/Users/DIKSHA/OneDrive/Desktop/login.html");
```

```
        driver.manage().window().maximize();
```

```
        driver.findElement(By.id("username")).sendKeys("student");  
        driver.findElement(By.id("password")).sendKeys("Password123");  
        driver.findElement(By.id("loginBtn")).click();
```

```
        Thread.sleep(2000);
```

```
        String result = driver.findElement(By.id("msg")).getText();
```

```
        if (result.equals("Login Successful!")) {  
            System.out.println("LOGIN SUCCESSFUL...");  
        } else {  
            System.out.println("LOGIN FAILED...");  
        }  
    }
```

```
        driver.quit();
```

```
    }  
}
```

```
<!DOCTYPE html>
```

```

<html>
<head>
  <title>Simple Login Page</title>

  <script>
    function validateLogin() {
      var user = document.getElementById("username").value;
      var pass = document.getElementById("password").value;
      var message = document.getElementById("msg");

      if (user === "student" && pass === "Password123") {
        message.innerHTML = "Login Successful!";
        message.style.color = "green";
      } else {
        message.innerHTML = "Login Failed!";
        message.style.color = "red";
      }
    }
  </script>
</head>

<body>

  <h2>Login Form</h2>

  <label>Username:</label>
  <input type="text" id="username"><br><br>

  <label>Password:</label>
  <input type="password" id="password"><br><br>

  <button id="loginBtn" onclick="validateLogin()">Login</button>

  <h3 id="msg"></h3>

</body>
</html>

```

Prac 5

```

package prac5 ;
import java.io.FileInputStream;
import java.io.FileOutputStream;

```

```

import jxl.Workbook;
import jxl.Sheet;

import jxl.write.Label;
import jxl.write.WritableSheet;
import jxl.write.WritableWorkbook;

import org.testng.annotations.Test;

public class Student_Record {

    @Test
    public void testImportExport() throws Exception {

        // Read input file
        FileInputStream fi = new
FileInputStream("C:\\Users\\DIKSHA\\OneDrive\\Desktop\\Students1.xls");
        Workbook w = Workbook.getWorkbook(fi);
        Sheet s = w.getSheet(0);

        // Create output file
        FileOutputStream fo = new
FileOutputStream("C:\\Users\\DIKSHA\\OneDrive\\Desktop\\Students1.xlsResult1.xls");
        WritableWorkbook ww = Workbook.createWorkbook(fo);
        WritableSheet ws = ww.createSheet("Result1", 0);

        // Copy header row
        for (int j = 0; j < s.getColumns(); j++) {
            ws.addCell(new Label(j, 0, s.getCell(j, 0).getContents()));
        }

        // Add Result column heading
        ws.addCell(new Label(s.getColumns(), 0, "Result"));

        // Check marks and write result
        for (int i = 1; i < s.getRows(); i++) {

            boolean pass = true;

            // Copy original data
            for (int j = 0; j < s.getColumns(); j++) {
                ws.addCell(new Label(j, i, s.getCell(j, i).getContents()));
            }
        }
    }
}

```

```

        // Check all subjects (from column 2 onwards)
        for (int j = 2; j < s.getColumns(); j++) {
            int marks = Integer.parseInt(s.getCell(j, i).getContents());
            if (marks <= 35) {
                pass = false;
                break;
            }
        }

        if (pass)
            ws.addCell(new Label(s.getColumns(), i, "PASS"));
        else
            ws.addCell(new Label(s.getColumns(), i, "FAIL"));
    }

    ww.write();
    ww.close();
    w.close();
    fi.close();
    fo.close();

    System.out.println("Practical 5 executed successfully!");
}
}

```

## Prac 6

```

import java.io.FileInputStream;
import java.io.FileOutputStream;
import jxl.Workbook;
import jxl.Sheet;
import jxl.write.Label;
import jxl.write.WritableSheet;
import jxl.write.WritableWorkbook;
import org.testng.annotations.Test;
public class Student_Record {
    @Test
    public void testImportExport() throws Exception {
        // Reading input Excel file
        FileInputStream fi = new FileInputStream("C:\\Users\\DIKSHA\\OneDrive\\Desktop\\Students1.xls");
        Workbook w = Workbook.getWorkbook(fi);
        Sheet s = w.getSheet(0);
        // Creating output Excel file
        FileOutputStream fo = new FileOutputStream("C:\\Users\\DIKSHA\\OneDrive\\Desktop\\Result1.xls");
        WritableWorkbook ww = Workbook.createWorkbook(fo);
        WritableSheet ws = ww.createSheet("Result1", 0);
        int newRow = 0;
        // Copy header row
    }
}

```

```

    for (int j = 0; j < s.getColums(); j++) {
        String header = s.getCell(j, 0).getContents();
        Label label = new Label(j, newRow, header);
        ws.addCell(label);
    }
    newRow++;
    // Loop through rows (skip header)
    for (int i = 1; i < s.getRows(); i++) {
        int sub1 = Integer.parseInt(s.getCell(2, i).getContents());
        int sub2 = Integer.parseInt(s.getCell(3, i).getContents());
        int sub3 = Integer.parseInt(s.getCell(4, i).getContents());
        // Condition: ANY subject >= 60
        if (sub1 >= 60 || sub2 >= 60 || sub3 >= 60) {
            for (int j = 0; j < s.getColums(); j++) {
                String value = s.getCell(j, i).getContents();
                Label label = new Label(j, newRow, value);
                ws.addCell(label);
            }
            newRow++;
        }
    }
    ww.write();
    ww.close();
    w.close();
    fi.close();
    fo.close();
    System.out.println("Program executed successfully!");
}
}

```

Prac 7

package demo7;

```

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.By;
import org.openqa.selenium.WebElement;
import java.util.List;

```

```

public class demo7 {

```

```

    public static void main(String[] args) {

```

```

        System.setProperty("webdriver.gecko.driver",
            "C:\\Drivers\\geckodriver.exe"); // same as your previous practical
    }
}

```

```

WebDriver driver = new FirefoxDriver();

driver.get("https://www.google.com/");

List<WebElement> links = driver.findElements(By.tagName("a"));
List<WebElement> buttons = driver.findElements(By.tagName("button"));
List<WebElement> inputs = driver.findElements(By.tagName("input"));

System.out.println("Number of Links = " + links.size());
System.out.println("Number of Buttons = " + buttons.size());
System.out.println("Number of Input fields = " + inputs.size());

    driver.quit();
}
}

```

Prac 8

```
package practical8;
```

```
import java.time.Duration;
import java.util.List;
```

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.support.ui.Select;
import org.testng.annotations.AfterClass;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.Test;
```

```
public class ComboTest {
```

```
    WebDriver driver;
```

```
    @BeforeClass
```

```
    public void setUp() {
```

```
        System.setProperty("webdriver.gecko.driver",
            "C:\\Drivers\\geckodriver.exe"); // change path if needed
```

```
        driver = new FirefoxDriver();
```



```

        driver.manage().window().maximize();
        driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(10));

        driver.get("https://www.facebook.com/r.php");
    }

    @Test
    public void countDropdownItems() {

        Select dropdown = new Select(driver.findElement(
            By.xpath("//select[@name='birthday_month']")));

        List<WebElement> options = dropdown.getOptions();

        System.out.println("Number of items in dropdown = " + options.size());
    }

    @AfterClass
    public void tearDown() {
        driver.quit();
    }
}

```

## Prac 9

```

import java.util.List;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.testng.annotations.AfterTest;
import org.testng.annotations.BeforeTest;
import org.testng.annotations.Test;

public class CheckBoxTest{

    WebDriver driver;

    @BeforeTest
    public void setup() {

        System.setProperty("webdriver.gecko.driver",
            "C:\\Drivers\\geckodriver.exe");
    }
}

```

```

        driver = new FirefoxDriver();
        driver.get("file:///C:/Users/DIKSHA/eclipse-workspace/Practical9/register.html");
    }

```

```

@Test
public void countCheckboxes() {

    int checked = 0;
    int unchecked = 0;

    List<WebElement> checkboxes =
        driver.findElements(By.xpath("//input[@type='checkbox']"));

    for(WebElement checkbox : checkboxes) {

        if(checkbox.isSelected()) {
            checked++;
        } else {
            unchecked++;
        }
    }

    System.out.println("Total Checked: " + checked);
    System.out.println("Total Unchecked: " + unchecked);
}

```

```

@AfterTest
public void closeBrowser() {
    driver.quit();
}
}

```

```

<!DOCTYPE html>
<html>
<body>
<form>
<h2>Select Languages Known</h2>
<input type="checkbox" name="lang" value="Java"> Java<br>
<input type="checkbox" name="lang" value="PHP" checked> PHP<br>
<input type="checkbox" name="lang" value="C#"> C#<br>
<input type="checkbox" name="lang" value="Python" checked> Python<br>
<input type="checkbox" name="lang" value="Ruby"> Ruby<br>
</form>
</body>
</html>

```

