


PRACTICAL 3

Install Selenium server (Selenium RC) and demonstrate it using a script in Java/PHP.

Steps :

Download Selenium for Java Version. Make sure Eclipse is installed and geckodriver too.



.NET/C#

Stable: [4.38.0](#)
(October 25, 2025)

[Changelog](#)

[API Docs](#)



Ruby

Stable: [4.38.0](#)
(October 25, 2025)

[Changelog](#)

[API Docs](#)



Java

Stable: [4.38.0](#)
(October 25, 2025)

[Changelog](#)


[API Docs](#)

	IEDriverServer_x64_3.141.5.zip	2019-01-14 18:00:05	1.14MB	
	IEDriverServer_x64_3.141.59.zip	2019-04-10 18:12:30	1.17MB	f0df9fa124bdf9650b32e25387529931
	selenium-dotnet-3.141.0.zip	2018-10-31 20:54:30	5.21MB	4fffd3da4bb4cd7854571a7949835cd2d
	selenium-dotnet-strongnamed-3.141.0.zip	2018-10-31 20:54:32	5.21MB	1789a8e45dbb97415631f87a5dd742b0
	selenium-html-runner-3.141.0.jar	2018-10-31 20:23:48	12.94MB	3eeae3c319b64bf201dafd92ae41354f
	selenium-html-runner-3.141.5.jar	2018-11-06 11:59:39	12.94MB	16436d5ad035909cdf067826bc8dcf1e
	selenium-html-runner-3.141.59.jar	2018-11-14 08:27:09	12.94MB	1d825010548595a2f1ec18405d9475da
	selenium-java-3.141.0.zip	2018-10-31 20:23:38	7.20MB	237cfa338f827e3882e4b75e1b9eb53a
	selenium-java-3.141.5.zip	2018-11-06 11:59:30	7.19MB	5700bf4c5a156217523a4a0e208fd247
	selenium-java-3.141.59.zip	2018-11-14 08:26:59	7.19MB	c32219ff3b2a995bbe131696b9baca12

Download the selenium server standalone and add it in the selenium java file :


	selenium-server-standalone-3.141.5.jar	2018-11-06 11:59:16	10.15MB	af67f1e9edd8b7e66f586380660d0fcf
	selenium-server-standalone-3.141.59.jar	2018-11-14 08:26:46	10.16MB	947e57925b4185ae04d03ceec175a34a

Place geckodriver, selenium java and code all in one folder.




In eclipse :


File → new → Java project → Name it → Java SE 1.8 → Next → Finish.



Right click the project → build path → configure build path → libraries → java build path → add external JARs → choose selenium java zip file → extract it & select all the files in the folder. → Apply



Right click project → create class → click on public static in which methods you want → add code → save it.



Open the geckodriver → click on rename and copy the address → paste it in the code written in the class file.

Code:


```
package tycsB;
import org.openqa.selenium.firefox.FirefoxOptions;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
public class demo1 {
    static String driverPath = "C:\\Users\\student\\Desktop\\TYCS B\\geckodriver-v0.34.0-win32";
    public static void main(String[] args) {
```

```

int a = 10, b = 20;
System.out.println("HI");
// Corrected method name
System.out.println(a + b);
System.out.println("Selenium demo.....");
// Set Geckodriver Path
System.setProperty("webdriver.gecko.driver", driverPath);
// Firefox Options (modern way)
FirefoxOptions options = new FirefoxOptions();
options.setCapability("marionette", true);
// Launch Firefox
WebDriver driver = new FirefoxDriver(options);
// Corrected method calls
driver.get("https://www.facebook.com/");
driver.manage().window().maximize();
driver.quit();
// TODO Auto-generated method stub
}
}

```

Right click class file → run as Java application.



```

<terminated> DEMO1 (1) [Java Application] C:\jdk1.8.0_251\jdk1.8.0_251\bin\javaw.exe (Nov 26, 2025, 10:42:32 AM – 10:43:48 AM) [pid: 18056]
HI
30
Selenium demo.....
1764133953407 geckodriver INFO Listening on 127.0.0.1:15466
1764133954154 mozrunner::runner INFO Running command: "C:\Program Files\Mozilla Firefox\firefox.exe" "--marionette" "-no-remot
console.warn: services.settings: Ignoring preference override of remote settings server
console.warn: services.settings: Allow by setting MOZ_REMOTE_SETTINGS_DEVTOOLS=1 in the environment
1764133954692 Marionette INFO Marionette enabled
Dynamically enable window occlusion 0
1764133954829 Marionette INFO Listening on port 56503
Read port: 56503
1764133955066 RemoteAgent WARN TLS certificate errors will be ignored for this session
Nov 26, 2025 10:42:37 AM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
JavaScript warning: https://static.xx.fbcdn.net/rsrsrc.php/v4ihVQ4/yw/1/en_GB-j/vw1h9pbSv6z.js, line 36: WEBGL_debug_renderer_info is deprecate
1764134026179 Marionette INFO Stopped listening on port 56503
Dynamically enable window occlusion 1
console.error: (new TypeError("NetworkError when attempting to fetch resource.", ""))
console.error: (new Error("OHTTP was configured for https://ads.mozilla.org/v1/delete_user but we couldn't fetch a valid config", "moz-src:/
console.error: "Failed to fetch https://spocs.getpocket.com/user: " NetworkError when attempting to fetch resource."
console.warn: TopSitesFeed: Failed to fetch data from MARS server: NetworkError when attempting to fetch resource.
JavaScript error: resource://gre/modules/ObliviousHTTP.sys.mjs, line 117: NS_ERROR_XPC_CANT_CONVERT_PRIMITIVE_TO_ARRAY: Cannot convert primi
JavaScript error: resource://modules/AboutNewTab.sys.mjs, line 242: NS_ERROR_ILLEGAL_VALUE: Component returned failure code: 0x80070057 (NS
JavaScript error: resource://services-settings/RemoteSettingsClient.sys.mjs, line 85: Error: Unknown callback
JavaScript error: resource://gre/modules/JSONFile.sys.mjs, line 432: TypeError: can't access property "toJSONSafe", this._data is null

```

Name : Meenakshi

Class : TYCS B

Roll No. : 9065

Output:

