

# Solving Sudoku with MATLAB

Raluca Marinescu      Andrea Garcia      Ivan Castro  
Eduard Paul Enoiu

Mälardalen University, Västerås, Sweden  
{rmu09001, aga09001, ico09002, eeu09001}@student.mdh.se

March 22, 2011

## Abstract

Sudoku puzzles appear in magazines, newspapers, web pages and even books on a daily basis. In fact, millions of people around the world know how to play Sudoku. However, the science behind this game is much more complex than it looks. That is why many researchers have put a notable amount of effort to generate efficient algorithms to solve these puzzles. Some researchers might even suggest that an algorithm to solve Sudoku games without trying a large amount of permutations does not exist.

This paper describes the development and implementation of a Sudoku solver using MATLAB. Furthermore, this document includes detailed directions about the creation of a graphical user interface and the implementation of a constraint-propagation algorithm to complete Sudoku puzzles interactively.

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Related Work</b>	<b>3</b>
<b>3</b>	<b>Implementation</b>	<b>4</b>
3.1	Graphical User Interface . . . . .	4
3.1.1	Sudoku GUI . . . . .	5
3.1.2	Game Database . . . . .	8
3.2	An Algorithm for Solving Sudoku Puzzles . . . . .	8
<b>4</b>	<b>Experimental Results</b>	<b>9</b>
4.1	User Interface Testing . . . . .	9
4.2	Algorithm . . . . .	11
<b>5</b>	<b>Conclusions</b>	<b>11</b>

# 1 Introduction

Games and puzzles have been a platform for application of mathematics, artificial intelligence and other fields techniques. The past years have brought into attention a very popular puzzle called Sudoku. The typical Sudoku puzzle grid is a 9-by-9 cells into nine 3-by-3 squares. The rules of the game are: Every row, column, and square (of 3-by-3) must be filled with each of the numbers 1 till 9 and that number cannot appear more than once in any of the row, column, or square. For more general information on Sudoku the reader can access this website<sup>1</sup>.

Sudoku has led other researchers to some advances in algorithm design and implementation. This work was largely motivated by the interesting mathematical concepts behind it.

This paper describes the development and implementation of a Sudoku solver using MATLAB. The remainder of this paper will cover some research work concerning different solutions for solving Sudoku puzzles, the algorithm and GUI implementation will be covered in Section 3, before concluding the paper in Section 4.

# 2 Related Work

Sudoku puzzles can be viewed as a interesting problem for different fields of mathematics, computer science, artificial intelligence, physics, and others. There are many researchers from these fields who have proposed algorithms for solving Sudoku puzzles.

In [5] the authors are proposing a search based solution by using some heuristic factors in a modified steepest hill ascent. Some researchers, as found in [6], are suggesting the design of a genetic algorithm by representing the puzzle as a block of chromosomes, more precise as an array of 81 integers. Any crossover appears between the 3x3 grids and any mutations occur only inside the 3x3 grids. From the experiments done in [6] the algorithm based on genetic algorithms performs well though it does not solve all cases. Geem in [3] is proposing a Sudoku solver model based on harmony search that mimics the characteristics of a musician. As mentioned in [4] the performance of the algorithm is not that good and it solves puzzles in less than 40 seconds and 300 iterations. Santos-Garcia and Palomino are suggesting in [9] a method

---

<sup>1</sup><http://goo.gl/IIIf0r>

for solving Sudoku puzzles using simple logic with rewriting rules to mimic human intelligence. This method works but, as the author admits, it is not performing well when compared with other techniques. Others like in [10] are suggesting neural networks by modelling an energy driven quantum (Q'tron) neural network to solve the Sudoku puzzles.

In [1], Barlett and Langville proposes a solution based on binary integer linear programming (BILP). To formulate in a simple way the method, we can say that it uses binary variables to pick a digit for any cell in a Sudoku puzzle. The model in [1] is implemented in MATLAB.

In [8], Russell Norvig is suggesting a solution based on backtracking. The algorithm is a combination of constraint propagation and direct search by assigning a value to a square on the grid and then propagating these constraints to other squares.

We have decided to solve the puzzles using a constraint-propagation algorithm as in [8] because of the simplicity and algorithm performance as demonstrated by Norvig in his paper. We will present in the next section our own version of the algorithm implemented in Matlab using constraint propagation.

## 3 Implementation

### 3.1 Graphical User Interface

A graphical user interface (GUI) is a collection of visual components that allows the user to interact with a computer program. The usage of buttons or similar components, facilitate the interaction with an application without knowing the underlying program. In contrast, in a command-line based application the user needs to type instructions to perform a task [7]

The implementation of the GUI for this project was done using MATLAB's Graphical User Interface Environment (GUIDE). This environment allows the creation of different layouts by means of drag and drop components. Each component has one or more *callback functions* whose purpose is to execute a set of instructions based on the user's input. An example of this type of functions can be a key press or a mouse click.

Additionally, each component comprises a list of properties that can be edited

in order to modify its appearance. For example, one can edit a component's color, size and position on the layout. In fact, one of the main purposes of the callback functions is to update the component's properties.

### 3.1.1 Sudoku GUI

There are various components that can be used, such as textboxes, push buttons and menus among others. However, for the development of this project only a few different components were used in order to create the GUI of the Sudoku solver.




Figure 1: Sudoku GUI at initial state

The Sudoku board is represented by 81 textboxes, where each 3 by 3 sub square uses a different background color in order to be distinguished from each other. Moreover, four push buttons are used to achieve the program's functionality. These buttons are called random, solve, verify and clear. Figure 1 illustrates the Sudoku's GUI at its initial state.

The random button creates and displays a random game on the board. This is done by selecting a game from a database of several games. This button is the only one enabled when the application is started. Once a game has been displayed, the remaining buttons get enabled and only the empty cells can

be edited. This means, that the hint cells cannot be modified by the user. An example of a random game is depicted at Figure 2, where its hint cells are displayed in black.



Figure 2: A random game and its hint cells

The solve button solves the current game and displays the solution on the board. This is achieved in three main steps:

1. Read the current game from the board and generate a numerical matrix of 81 elements, where the empty cells are substituted by zeros. A validation of the input data is performed in order to avoid sending invalid values to the algorithm. Only integer values from one to nine can be inserted in the cells.
2. Execute the Sudoku solver function, *iSudokuALG*, using the numerical matrix as an input.
3. Retrieve the solution provided by the Sudoku solver function and populate the board. The hint cells remain in black while the solution cells are highlighted in red. Figure 3 depicts a solution of a game.



Figure 3: A solved game

The verify button examines the correctness of either a partial game or a complete game. If a partial or a complete game is detected to be incorrect, the program will display a pop-up window with an error message. Otherwise, a different pop-up window will display a message stating that the game is correct and in case of a partial game, the message will also state the number of remaining empty cells. An example of these type of messages is illustrated at Figure 4(a) and Figure 4(b)





Figure 4: GUI Message Boxes

Finally, the clear button implements the simplest functionality as it only clears the board and disables all the buttons except the random one, returning the program to its initial state.

### 3.1.2 Game Database

In order to have different games to be solved by the program an Excel database was created. This database includes games of different levels of difficulty, which means that the number of hints varies from game to game. All the games are contained within an Excel worksheet that is read when the GUI is initialized. An extract of the game database can be seen at Figure 5.



	A	B	C	D	E	F	G	H	I
34									
35	S4								
36	6	9		2			1	4	
37		3	2	1	5				
38		4				9	3	2	5
39		2		8	7	1		5	3
40	4	5				2			6
41	3			6		5			1
42	2	1			9	7		6	8
43			9	3	2			1	
44	8	7		5	1	6	9		2
45									

Figure 5: Extract of the Excel game database

The reading process is performed by means of MATLAB's built-in function *xlsread*. This function receives as input the name of the Excel file and the worksheet to be read. The output of this function is stored into a cell matrix that later on is used by the random button to select a game. This function is represented by the following:

```
% Read predefined games from the input spreadsheet
[num, cellMat]= xlsread('sudoku.xls', 'Games');
```

## 3.2 An Algorithm for Solving Sudoku Puzzles

The algorithm was implemented in MATLAB using direct search and constraint propagation. This constraint propagation was implemented in such a



manner that:

- When a value is assigned to a square that same value cannot be used as a possible assignment in all related squares
- If a square has only one single value for possible assignment, that value is immediately assigned.

Our MATLAB program has only 5 steps:

- Find all the possible values for all empty cells
- Assign a value to a square on the grid
- Propagate constraints to other square
- If all the cells have more than one possible value we fill in a tentative value for one cell

This algorithm, though it is simplistic, it should by the nature of the algorithm class perform in a fairly way. This algorithm performs in up left to right and up to down fashion.

To see how our program works, we will use a simpler 4-by-4 grid with 2-by-2 blocks. As mentioned in [2] these kinds of puzzles are called Shidoku ("Shi" means "four" in Japanese). Figure 6(a) shows a Shidoku puzzle. Figure 6(b) through Figure 6(f) shows how we get to a solution by using our algorithm. In Figure 6(b), the possible assignment, are represented as smaller digits. Also for example in Figure 6(b) line 1, row 1, we show that we have two possible values to choose from. If a cell contains only one candidate is filled immediately.

In the next section we are presenting some testing results under different puzzles and we will describe how our MATLAB behaves to various situations.

## 4 Experimental Results

### 4.1 User Interface Testing

After developing the user interface, the functionality associated to each GUI component was tested. More specifically, it was verified the absence of runtime errors shown in MATLAB's command window when the user executes

			1
		2	
	3		
4			

(a) A Shidoku puzzle

2 3	2 4	3 4	1
1 3	1 4	2	3 4
1 2	3	1 4	2 4
4	1 2	1 3	2 3

(b) The possible candidates for all squares

2	4	3 4	1
1 3	1 4	2	3 4
1	3	1 4	2 4
4	1 2	1 3	2 3

(c) Inserting value 2 and constraint propagation

2	4	3	1
3	1	2	3 4
1	3	4	2 4
4	2	1 3	2 3

(d) Constraint propagation

2	4	3	1
3	1	2	4
1	3	4	2
4	2	1	3

(e) Insert the remaining values to complete the puzzle

2	4	3	1
3	1	2	4
1	3	4	2
4	2	1	3

(f) The puzzle completed

Figure 6: Algorithm Exemplification by using a simple example

an action. For example, when launching the application or when clicking any

of the available buttons, no errors are displayed. Additionally, the program flow was tested to ensure that multiple Sudoku games can be solved without closing and opening the application when a game is finished.

In order to verify the correct operation of the *random* and *solve* buttons, it was checked that all of the Sudoku games in the database could be randomly selected and solved correctly. Similarly, the *verify* button was tested by manually entering incorrect numbers and characters in the Sudoku board. The purpose of this test was to verify that the pop-up error messages are displayed when the proposed solution is incorrect. Finally, the *clear* button was verified by checking that all of the cells in the board are cleared when the button is pushed.

The only issue found during the verification phase for the GUI was related to MATLAB's `xlsread` function when using Microsoft Excel 2010. Apparently this is a well documented problem <sup>2</sup> regarding how the latest version of Excel handles COM objects and activeX commands which are used by this function. Nevertheless, the `xlsread` function works correctly when using previous versions of Excel, like version 2007.

## 4.2 Algorithm

## 5 Conclusions

Implementing a Sudoku solver in MATLAB allowed us to use many of the tools and built-in functions presented during the Numerical Methods course. For example, the utilization of loops, if-else statements and the manipulation of matrices and vectors. Nonetheless, we also learnt new functions by ourselves in order to enhance the application. For instance, we learnt to design GUIs, use pop-up windows to display messages and also importing data from Excel.

Nowadays, there are extensive studies regarding the mathematics of Sudoku as well as many different algorithms to solve the puzzles. Some algorithms are designed to solve the puzzles as quick as possible while some others are designed to solve them as efficiently in terms of computational power and memory. However, finding a suitable algorithm to solve any particular Sudoku game proved to be difficult.

---

<sup>2</sup>[http://www.mathworks.com/matlabcentral/newsreader/view\\_thread/287717#766161](http://www.mathworks.com/matlabcentral/newsreader/view_thread/287717#766161)

The combination of a simple, yet effective algorithm with a graphical user interface allowed us to generate games, solve them and verify the given solutions in a simple and quick way. Additionally, the good communication and coordination among the team members made possible the completion of the project before the established deadline.

## References

- [1] A.C. Bartlett and A.N. Langville. An integer programming model for the Sudoku problem. *Preprint, available at <http://www.cofc.edu/~langvillea/Sudoku/sudoku2.pdf>*, 2006.
- [2] JF Crook. A pencil-and-paper algorithm for solving Sudoku puzzles. *Notices of the AMS*, 56(4):460–468, 2009.
- [3] Z. Geem. Harmony search applications in industry. *Soft Computing Applications in Industry*, pages 117–134, 2008.
- [4] R.C. Green II. Survey of the Applications of Artificial Intelligence Techniques to the Sudoku Puzzle. 2009.
- [5] SK Jones, PA Roach, and S. Perkins. Construction of heuristics for a search-based approach to solving Sudoku. *Research and Development in Intelligent Systems XXIV*, pages 37–49, 2008.
- [6] T. Mantere and J. Koljonen. Solving, rating and generating Sudoku puzzles with GA. In *Evolutionary Computation, 2007. CEC 2007. IEEE Congress on*, pages 1382–1389. Ieee.
- [7] Mathworks. Creating graphical user interfaces [http://www.mathworks.com/help/techdoc/creating\\_guis/bqz79mu.html](http://www.mathworks.com/help/techdoc/creating_guis/bqz79mu.html), March 2011.
- [8] P. Norvig. Solving every sudoku puzzle. *Preprint*.
- [9] G. Santos-Garcia and M. Palomino. Solving Sudoku puzzles with rewriting rules. *Electronic Notes in Theoretical Computer Science*, 176(4):79–93, 2007.
- [10] T.W. Yue and Z.C. Lee. Sudoku Solver by Q’tron Neural Networks. *Intelligent Computing*, pages 943–952, 2006.