

PhantomNet Sentinel - Incident Response Playbook

PB-RL-0016 | 2026-08-02 10:33:53 UTC

v1 | PB-RL-0016 | APPROVED | HIGH

Playbook ID:	PB-RL-0016	Version:	v1
Status:	APPROVED	Severity:	HIGH
Created At:	2026-07-30 10:00:00 UTC	Template:	ssh_brute_force.j2
Reviewed By:	analyst1	Exported At:	2026-08-02 10:33:53 UTC

2. Threat Context

Source IP:	192.168.1.100	Destination Port:	22
Protocol:	TCP	Attack Type:	SSH_AUTH_FAILURE
Threat Score:	75.0 / 100	Confidence:	0.75

3. MITRE ATT&CK Mapping

Technique ID:	T1110.001	Tactic:	Credential Access
Technique:	Brute Force: Password Guessing		
ATT&CK URL:	https://attack.mitre.org/techniques/T1110/001/		

4. Playbook Content

Incident Response Playbook

Executive Summary

This playbook describes the full incident response workflow for a detected threat campaign.

Phase 1: Identification

- Step 1: Perform analysis task 1 in phase 1. Review all log entries from source 10.0.0.2.
- Step 2: Perform analysis task 2 in phase 1. Review all log entries from source 10.0.0.3.
- Step 3: Perform analysis task 3 in phase 1. Review all log entries from source 10.0.0.4.
- Step 4: Perform analysis task 4 in phase 1. Review all log entries from source 10.0.0.5.
- Step 5: Perform analysis task 5 in phase 1. Review all log entries from source 10.0.0.6.
- Step 6: Perform analysis task 6 in phase 1. Review all log entries from source 10.0.0.7.
- Step 7: Perform analysis task 7 in phase 1. Review all log entries from source 10.0.0.8.
- Step 8: Perform analysis task 8 in phase 1. Review all log entries from source 10.0.0.9.

Phase 2: Detection

- Step 1: Perform analysis task 1 in phase 2. Review all log entries from source 10.0.0.2.
- Step 2: Perform analysis task 2 in phase 2. Review all log entries from source 10.0.0.3.
- Step 3: Perform analysis task 3 in phase 2. Review all log entries from source 10.0.0.4.
- Step 4: Perform analysis task 4 in phase 2. Review all log entries from source 10.0.0.5.
- Step 5: Perform analysis task 5 in phase 2. Review all log entries from source 10.0.0.6.
- Step 6: Perform analysis task 6 in phase 2. Review all log entries from source 10.0.0.7.
- Step 7: Perform analysis task 7 in phase 2. Review all log entries from source 10.0.0.8.
- Step 8: Perform analysis task 8 in phase 2. Review all log entries from source 10.0.0.9.

Phase 3: Containment

- Step 1: Perform analysis task 1 in phase 3. Review all log entries from source 10.0.0.2.
- Step 2: Perform analysis task 2 in phase 3. Review all log entries from source 10.0.0.3.
- Step 3: Perform analysis task 3 in phase 3. Review all log entries from source 10.0.0.4.
- Step 4: Perform analysis task 4 in phase 3. Review all log entries from source 10.0.0.5.
- Step 5: Perform analysis task 5 in phase 3. Review all log entries from source 10.0.0.6.
- Step 6: Perform analysis task 6 in phase 3. Review all log entries from source 10.0.0.7.
- Step 7: Perform analysis task 7 in phase 3. Review all log entries from source 10.0.0.8.
- Step 8: Perform analysis task 8 in phase 3. Review all log entries from source 10.0.0.9.

Phase 4: Eradication

- Step 1: Perform analysis task 1 in phase 4. Review all log entries from source 10.0.0.2.
- Step 2: Perform analysis task 2 in phase 4. Review all log entries from source 10.0.0.3.
- Step 3: Perform analysis task 3 in phase 4. Review all log entries from source 10.0.0.4.
- Step 4: Perform analysis task 4 in phase 4. Review all log entries from source 10.0.0.5.
- Step 5: Perform analysis task 5 in phase 4. Review all log entries from source 10.0.0.6.
- Step 6: Perform analysis task 6 in phase 4. Review all log entries from source 10.0.0.7.

7. Step 7: Perform analysis task 7 in phase 4. Review all log entries from source 10.0.0.8.

8. Step 8: Perform analysis task 8 in phase 4. Review all log entries from source 10.0.0.9.

Phase 5: Recovery

- 1. Step 1: Perform analysis task 1 in phase 5. Review all log entries from source 10.0.0.2.
- 2. Step 2: Perform analysis task 2 in phase 5. Review all log entries from source 10.0.0.3.
- 3. Step 3: Perform analysis task 3 in phase 5. Review all log entries from source 10.0.0.4.
- 4. Step 4: Perform analysis task 4 in phase 5. Review all log entries from source 10.0.0.5.
- 5. Step 5: Perform analysis task 5 in phase 5. Review all log entries from source 10.0.0.6.
- 6. Step 6: Perform analysis task 6 in phase 5. Review all log entries from source 10.0.0.7.
- 7. Step 7: Perform analysis task 7 in phase 5. Review all log entries from source 10.0.0.8.
- 8. Step 8: Perform analysis task 8 in phase 5. Review all log entries from source 10.0.0.9.

IOC Reference Table

Type	Value	Severity	First Seen
IP	10.0.0.1	HIGH	2026-07-01
IP	10.0.0.2	HIGH	2026-07-02
IP	10.0.0.3	HIGH	2026-07-03
IP	10.0.0.4	HIGH	2026-07-04
IP	10.0.0.5	HIGH	2026-07-05
IP	10.0.0.6	HIGH	2026-07-06
IP	10.0.0.7	HIGH	2026-07-07
IP	10.0.0.8	HIGH	2026-07-08
IP	10.0.0.9	HIGH	2026-07-09
IP	10.0.0.10	HIGH	2026-07-10
IP	10.0.0.11	HIGH	2026-07-11

Forensic Notes

- line 1: tcpdump frame analysis result for packet sequence 1000
- line 2: tcpdump frame analysis result for packet sequence 2000
- line 3: tcpdump frame analysis result for packet sequence 3000
- line 4: tcpdump frame analysis result for packet sequence 4000
- line 5: tcpdump frame analysis result for packet sequence 5000
- line 6: tcpdump frame analysis result for packet sequence 6000
- line 7: tcpdump frame analysis result for packet sequence 7000
- line 8: tcpdump frame analysis result for packet sequence 8000
- line 9: tcpdump frame analysis result for packet sequence 9000
- line 10: tcpdump frame analysis result for packet sequence 10000
- line 11: tcpdump frame analysis result for packet sequence 11000
- line 12: tcpdump frame analysis result for packet sequence 12000
- line 13: tcpdump frame analysis result for packet sequence 13000
- line 14: tcpdump frame analysis result for packet sequence 14000
- line 15: tcpdump frame analysis result for packet sequence 15000
- line 16: tcpdump frame analysis result for packet sequence 16000
- line 17: tcpdump frame analysis result for packet sequence 17000
- line 18: tcpdump frame analysis result for packet sequence 18000
- line 19: tcpdump frame analysis result for packet sequence 19000
- line 20: tcpdump frame analysis result for packet sequence 20000
- line 21: tcpdump frame analysis result for packet sequence 21000
- line 22: tcpdump frame analysis result for packet sequence 22000
- line 23: tcpdump frame analysis result for packet sequence 23000
- line 24: tcpdump frame analysis result for packet sequence 24000
- line 25: tcpdump frame analysis result for packet sequence 25000
- line 26: tcpdump frame analysis result for packet sequence 26000
- line 27: tcpdump frame analysis result for packet sequence 27000
- line 28: tcpdump frame analysis result for packet sequence 28000
- line 29: tcpdump frame analysis result for packet sequence 29000

5. AI Threat Narrative

AI note
Test narrative.

6. Snort IDS Rule

```
alert tcp $EXTERNAL_NET any -> $HOME_NET 22 (msg:"ET SCAN Potential SSH Scan OUTBOUND"; flow:established,to_server; content:"SSH-"; depth:4; threshold:type both,track by_src,count 5,seconds 120; classtype:attempted-recon; sid:2001219; rev:20; metadata:affected_product Any,attack_target Server,created_at 2010_07_30,cve CVE-2023-12345,deployment Perimeter,signature_severity Major,tag Scanning,updated_at 2026_07_30;)
alert tcp any any -> any 22 (msg:"SSH Brute Force Login Attempt"; flow:established,to_server; content:"SSH-2.0"; depth:7; threshold:type threshold,track by_src,count 10,seconds 60; classtype:attempted-admin; sid:9001001; rev:3;)
alert tcp $HOME_NET any -> $EXTERNAL_NET any (msg:"Suspicious outbound SSH tunnel established after brute force"; flow:established,from_server; content:"channel open"; pcre:"/^SSH-[12]/"; classtype:trojan-activity; sid:9001002; rev:1;)
```

7. Sigma Detection Rule

```
title: SSH Brute Force Attack Detection
id: 8fef5e0a-a834-4f3c-a9b7-0c4e1f2d3e56
status: experimental
description: Detects multiple failed SSH authentication attempts from the same source IP
references:
  - https://attack.mitre.org/techniques/T1110/001/
  - https://www.elastic.co/guide/en/siem/guide/current/ssh-brute-force.html
author: PhantomNet Sentinel Auto-Generator
date: 2026/07/30
tags:
  - attack.credential_access
  - attack.t1110.001
  - attack.brute_force
logsource:
  category: authentication
  product: linux
detection:
  selection:
    EventID: 4625
    LogonType: 10
    SubjectUserName|contains: '*'
  condition: selection | count() > 10 by SourceAddress within 60s
falsepositives:
  - Legitimate automated login tools with misconfigured credentials
  - Penetration testing activities
level: high
fields:
  - SourceAddress
  - TargetUserName
  - WorkstationName
  - LogonFailureReason
```