

CONFIDENTIAL - FOR AUTHORIZED SECURITY PERSONNEL ONLY

# SQL Injection - Database Exfiltration Response

**HIGH** **APPROVED** Version v1 | PB-SQLI-0004

Generated: 2026-08-15 10:46:10 UTC | Template: ssh\_brute\_force.j2

## [META] Playbook Metadata

|             |                         |               |                             |
|-------------|-------------------------|---------------|-----------------------------|
| Playbook ID | PB-SQLI-0004            | Version       | v1                          |
| Status      | APPROVED                | Severity      | HIGH                        |
| Created At  | 2026-07-30 10:00:00 UTC | Template      | ssh_brute_force.j2          |
| Reviewed By | analyst1                | Reviewed At   | 2026-07-30 12:00:00 UTC     |
| Exported At | 2026-08-15 10:46:10 UTC | Export Format | PDF (xhtml2pdf / reportlab) |

## [THREAT] Threat Context

|                  |               |                  |               |
|------------------|---------------|------------------|---------------|
| Source IP        | 192.168.1.100 | Destination Port | 22            |
| Protocol         | TCP           | Attack Type      | SQL_INJECTION |
| Threat Score     | 82.0 / 100    |                  |               |
| Confidence Score | 0.820         | Severity Tier    | HIGH          |

## [MITRE] MITRE ATT&CK Mapping

|              |       |        |                |
|--------------|-------|--------|----------------|
| Technique ID | T1190 | Tactic | Initial Access |
|--------------|-------|--------|----------------|

|                  |                                                                                                                                                                           |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technique Name   | Exploit Public-Facing Application                                                                                                                                         |
| ATT&CK Reference | <b>T1190</b> — Exploit Public-Facing Application<br>ATT&CK Reference: <a href="https://attack.mitre.org/techniques/T1190/">https://attack.mitre.org/techniques/T1190/</a> |

[PLAYBOOK] Playbook Content

SQL Injection Campaign Response

Executive Summary

Automated SQL injection attack detected against the web application layer.

MITRE ATT&CK Reference Matrix

| Technique ID | Technique Name                    | Tactic            | Severity | Reference                                                                   |
|--------------|-----------------------------------|-------------------|----------|-----------------------------------------------------------------------------|
| T1110        | Brute Force                       | Credential Access | HIGH     | <a href="https://attack.mitre.org/T1110">https://attack.mitre.org/T1110</a> |
| T1046        | Network Service Discovery         | Discovery         | MEDIUM   | <a href="https://attack.mitre.org/T1046">https://attack.mitre.org/T1046</a> |
| T1059        | Command and Scripting Interpreter | Execution         | HIGH     | <a href="https://attack.mitre.org/T1059">https://attack.mitre.org/T1059</a> |
| T1078        | Valid Accounts                    | Persistence       | CRITICAL | <a href="https://attack.mitre.org/T1078">https://attack.mitre.org/T1078</a> |
| T1021        | Remote Services                   | Lateral Movement  | HIGH     | <a href="https://attack.mitre.org/T1021">https://attack.mitre.org/T1021</a> |
| T1041        | Exfiltration Over C2 Channel      | Exfiltration      | HIGH     | <a href="https://attack.mitre.org/T1041">https://attack.mitre.org/T1041</a> |
| T1486        | Data Encrypted for Impact         | Impact            | CRITICAL | <a href="https://attack.mitre.org/T1486">https://attack.mitre.org/T1486</a> |

|       |                                         |                |          |                                                                             |
|-------|-----------------------------------------|----------------|----------|-----------------------------------------------------------------------------|
| T1190 | Exploit<br>Public-Facing<br>Application | Initial Access | CRITICAL | <a href="https://attack.mitre.org/T1190">https://attack.mitre.org/T1190</a> |
| T1203 | Exploitation for<br>Client Execution    | Execution      | HIGH     | <a href="https://attack.mitre.org/T1203">https://attack.mitre.org/T1203</a> |
| T1566 | Phishing                                | Initial Access | HIGH     | <a href="https://attack.mitre.org/T1566">https://attack.mitre.org/T1566</a> |

### Attack Pattern Analysis

The attacker used UNION-based injection to enumerate database schemas.

### Payload Examples



### Affected Endpoints

| Endpoint    | Method | Parameter | Status     |
|-------------|--------|-----------|------------|
| /api/users  | GET    | id        | VULNERABLE |
| /api/search | POST   | query     | VULNERABLE |
| /login      | POST   | username  | PATCHED    |

This document was automatically generated by the PhantomNet Sentinel Platform. It contains sensitive security information and must be handled in accordance with your organisation's information security policy. Playbook ID: **PB-SQLI-0004**. Export timestamp: 2026-08-15 10:46:10 UTC.