

CONFIDENTIAL - FOR AUTHORIZED SECURITY PERSONNEL ONLY

Network Port Scan - Recon Campaign Response

MEDIUM **APPROVED** Version v1 | PB-SCAN-0002

Generated: 2026-08-15 10:46:10 UTC | Template: ssh_brute_force.j2

[META] Playbook Metadata

Playbook ID	PB-SCAN-0002	Version	v1
Status	APPROVED	Severity	MEDIUM
Created At	2026-07-30 10:00:00 UTC	Template	ssh_brute_force.j2
Reviewed By	analyst1	Reviewed At	2026-07-30 12:00:00 UTC
Exported At	2026-08-15 10:46:10 UTC	Export Format	PDF (xhtml2pdf / reportlab)

[THREAT] Threat Context

Source IP	192.168.1.100	Destination Port	22
Protocol	TCP	Attack Type	PORT_SCAN
Threat Score	52.0 / 100		
Confidence Score	0.520	Severity Tier	MEDIUM

[MITRE] MITRE ATT&CK Mapping

Technique ID	T1046	Tactic	Discovery
--------------	-------	--------	-----------

Technique Name	Network Service Scanning
ATT&CK Reference	T1046 — Network Service Scanning ATT&CK Reference: https://attack.mitre.org/techniques/T1110/001/

[PLAYBOOK] Playbook Content

Port Scan Detection Response

Executive Summary

Detected systematic port scanning from 192.168.1.100 across 40 ports.

Recommended Actions

- 1. Block source IP at perimeter firewall
- 2. Enable port scan detection rules on IDS
- 3. Review network topology exposure

[IDS] Snort IDS Rule

```
alert tcp any any -> $HOME_NET 1 (msg:"Port Scan port 1"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002001; rev:1;) alert tcp any any -> $HOME_NET 2 (msg:"Port Scan port 2"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002002; rev:1;) alert tcp any any -> $HOME_NET 3 (msg:"Port Scan port 3"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002003; rev:1;) alert tcp any any -> $HOME_NET 4 (msg:"Port Scan port 4"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002004; rev:1;) alert tcp any any -> $HOME_NET 5 (msg:"Port Scan port 5"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002005; rev:1;) alert tcp any any -> $HOME_NET 6 (msg:"Port Scan port 6"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002006; rev:1;) alert tcp any any -> $HOME_NET 7 (msg:"Port Scan port 7"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002007; rev:1;) alert tcp any any -> $HOME_NET 8 (msg:"Port Scan port 8"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002008; rev:1;) alert tcp any any -> $HOME_NET 9 (msg:"Port Scan port 9"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002009; rev:1;) alert tcp any any -> $HOME_NET 10 (msg:"Port Scan port 10"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002010; rev:1;) alert tcp any any -> $HOME_NET 11 (msg:"Port Scan port 11"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002011; rev:1;) alert tcp any any -> $HOME_NET 12 (msg:"Port Scan port 12"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002012; rev:1;) alert tcp any any -> $HOME_NET 13 (msg:"Port Scan port 13"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002013; rev:1;) alert tcp any any -> $HOME_NET 14 (msg:"Port Scan port 14"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002014; rev:1;) alert tcp any any -> $HOME_NET 15 (msg:"Port Scan port 15"; flags:S; threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002015; rev:1;) alert tcp any any -> $HOME_NET 16 (msg:"Port Scan port 16"; flags:S;
```

```
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002016; rev:1;) alert tcp any
any -> $HOME_NET 17 (msg:"Port Scan port 17"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002017; rev:1;) alert tcp any any -> $HOME_NET 18 (msg:"Port Scan port 18"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002018; rev:1;) alert tcp any
any -> $HOME_NET 19 (msg:"Port Scan port 19"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002019; rev:1;) alert tcp any any -> $HOME_NET 20 (msg:"Port Scan port 20"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002020; rev:1;) alert tcp any
any -> $HOME_NET 21 (msg:"Port Scan port 21"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002021; rev:1;) alert tcp any any -> $HOME_NET 22 (msg:"Port Scan port 22"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002022; rev:1;) alert tcp any
any -> $HOME_NET 23 (msg:"Port Scan port 23"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002023; rev:1;) alert tcp any any -> $HOME_NET 24 (msg:"Port Scan port 24"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002024; rev:1;) alert tcp any
any -> $HOME_NET 25 (msg:"Port Scan port 25"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002025; rev:1;) alert tcp any any -> $HOME_NET 26 (msg:"Port Scan port 26"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002026; rev:1;) alert tcp any
any -> $HOME_NET 27 (msg:"Port Scan port 27"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002027; rev:1;) alert tcp any any -> $HOME_NET 28 (msg:"Port Scan port 28"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002028; rev:1;) alert tcp any
any -> $HOME_NET 29 (msg:"Port Scan port 29"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002029; rev:1;) alert tcp any any -> $HOME_NET 30 (msg:"Port Scan port 30"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002030; rev:1;) alert tcp any
any -> $HOME_NET 31 (msg:"Port Scan port 31"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002031; rev:1;) alert tcp any any -> $HOME_NET 32 (msg:"Port Scan port 32"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002032; rev:1;) alert tcp any
any -> $HOME_NET 33 (msg:"Port Scan port 33"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002033; rev:1;) alert tcp any any -> $HOME_NET 34 (msg:"Port Scan port 34"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002034; rev:1;) alert tcp any
any -> $HOME_NET 35 (msg:"Port Scan port 35"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002035; rev:1;) alert tcp any any -> $HOME_NET 36 (msg:"Port Scan port 36"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002036; rev:1;) alert tcp any
any -> $HOME_NET 37 (msg:"Port Scan port 37"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002037; rev:1;) alert tcp any any -> $HOME_NET 38 (msg:"Port Scan port 38"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002038; rev:1;) alert tcp any
any -> $HOME_NET 39 (msg:"Port Scan port 39"; flags:S; threshold:type both,track by_src,count 5,seconds 10;
classtype:attempted-recon; sid:9002039; rev:1;) alert tcp any any -> $HOME_NET 40 (msg:"Port Scan port 40"; flags:S;
threshold:type both,track by_src,count 5,seconds 10; classtype:attempted-recon; sid:9002040; rev:1;)
```

This document was automatically generated by the PhantomNet Sentinel Platform. It contains sensitive security information and must be handled in accordance with your organisation's information security policy. Playbook ID: **PB-SCAN-0002**. Export timestamp: 2026-08-15 10:46:10 UTC.