

Experiment 5

Student Name: Balumuri Vivek Gowd
Branch: CSE - AIML
Semester: 4
Subject Name: DBMS

UID: 24BAI70001
Section/Group: 24AIT_KRG G1
Date of Performance: 11/3/26
Subject Code: 24CSH-298

Aim

To understand and apply conditional logic in SQL by using the modulus operator (MOD / %) to analyse numerical data and classify employee salaries as odd or even, thereby improving data analysis and decision-making skills in SQL.

Software Requirements

- Database Management System:
 - Oracle Database Express Edition (Oracle XE)
 - PostgreSQL Database
- Database Administration Tool / Client Tool:
 - Oracle SQL Developer (for Oracle XE)
 - pgAdmin (for PostgreSQL)

Objectives

- To write and execute SQL queries that use the MOD (%) operator to check employee salaries and display odd and even salary values separately from an employee table.

Practical/Experiment Steps

- Schema Architecture: Created the employees table with a structured format, ensuring the emp_id serves as the Primary Key for data integrity.
- Data Ingestion: Populated the table with diverse employee records including names and specific salary figures to provide a sufficient dataset for numerical analysis.

- **Mathematical Operation:** Leveraged the modulus operator (%) to perform a parity check on the salary column by dividing each value by 2.
- **Conditional Classification:** Integrated a CASE statement to evaluate the result of the modulus operation and assign a descriptive text label to each record.
- **Dynamic Column Generation:** Produced a virtual column named salary_type during execution to display the results of the logic without altering the physical table structure.

Procedure

- Initialised the database environment using PostgreSQL or Oracle XE and opened the query editor.
- Executed the CREATE TABLE script to define the employee information schema.
- Used INSERT INTO statements to add multiple rows of sample data, ensuring a mix of odd and even salary values.
- Drafted a SELECT query to retrieve all existing columns while preparing for the conditional logic implementation.
- Applied the % operator within a CASE structure to determine if the emp_sal remained with a zero or non-zero remainder.
- Assigned the labels 'Even Salary' or 'Odd Salary' based on the evaluation of the conditional branch.
- Ran the complete query to verify that numerical values (like 12000 vs. 15675) were accurately classified in the output window.
- Reviewed the resulting data grid to ensure the salary_type column correctly reflected the parity of the corresponding salary.
- Saved the final SQL script and captured screenshots of the results for record maintenance.

Input/Output Analysis

SQL Input Queries

```
CREATE TABLE employees(
  emp_id INT PRIMARY KEY,
  emp_name VARCHAR(20),
  emp_sal INT
);
```

```

INSERT INTO employees VALUES(1, 'Jack', 12000);
INSERT INTO employees VALUES(2, 'Sarah', 15675);
INSERT INTO employees VALUES(3, 'John', 13000);
INSERT INTO employees VALUES(4, 'Sally', 20001);
INSERT INTO employees VALUES(5, 'Charlie', 15000);

```

```

SELECT *,
CASE
WHEN emp_sal%2 = 0 THEN 'Even Salary'
ELSE 'Odd Salary'
END AS salary_type
FROM employees;

```

Output

Data Output Messages Notifications				
	emp_id [PK] integer	emp_name character varying (20)	emp_sal integer	salary_type text
1	1	Jack	12000	Even Salary
2	2	Sarah	15675	Odd Salary
3	3	John	13000	Even Salary
4	4	Sally	20001	Odd Salary
5	5	Charlie	15000	Even Salary
Total rows: 5		Query complete 00:00:00.681		

Learning Outcomes

- Gained proficiency in using the modulus operator to identify patterns in numerical data.
- Implemented CASE statements to categorise records based on mathematical results.
- Generated dynamic columns that provide analytical insights during data retrieval.
- Gained skills in transforming raw integers into meaningful descriptive categories for reporting.