

IT 236 Project Report Form

Report Prepared By:	Vivian J. Goshashy
Date:	10/22/2025
Project Phase	Optimizing Directory Services: Transferring FSMO Roles and Enabling the GC

Section 1: Executive Summary

This phase of the NewVue Health Infrastructure Modernization Project focused on optimizing Active Directory operations by redistributing FSMO roles and enabling the Global Catalog on NV-DC2. The domain-wide FSMO roles — RID Master, PDC Emulator, and Infrastructure Master — were initially transferred from NV-DC1 to NV-DC2 using the Active Directory Users and Computers console.


After successful transfer verification, the RID Master and PDC Emulator roles were moved back to NV-DC1 using PowerShell, leaving only the Infrastructure Master role on NV-DC2 for proper role balancing. Finally, the Global Catalog was enabled on NV-DC2 to improve authentication efficiency and support forest-wide searches. These changes resulted in a more balanced and fault-tolerant directory environment, aligning with best practices for multi-Domain Controller deployments.

Section 2: Verifying Current FSMO Role Holders (10 points)

The initial verification process involved identifying which Domain Controller owned each FSMO role before any role transfer activity was initiated.

Evidence

- Evidence 1:** Screenshot of netdom query fsmo output showing NV-DC1 as the holder of all FSMO roles.



```
C:\Users\Administrator.NEWWVB>netdom query fsmo
Schema master          NV-DC1.newvve.local
Domain naming master   NV-DC1.newvve.local
PDC                   NV-DC1.newvve.local
RID pool manager       NV-DC1.newvve.local
Infrastructure master  NV-DC1.newvve.local
The command completed successfully.


C:\Users\Administrator.NEWWVB>
```

Section 3: Task — Transferring FSMO Roles and Rebalancing Placement (35 points)


The three domain-wide FSMO roles (RID Master, PDC Emulator, and Infrastructure Master) were transferred to NV-DC2 using the GUI while connected to NV-DC2. After the transfer, PowerShell was used to move the RID Master and PDC Emulator roles back to NV-DC1, ensuring that only the Infrastructure Master remained on NV-DC2 for optimal role placement and stability.

Evidence


- Evidence 2a:** Screenshot of the **RID** tab in the Operations Masters window showing **NV-DC2** as the current **RID Master**.




- **Evidence 2b:** Screenshot of the **PDC** tab in the Operations Masters window showing **NV-DC2** as the current **PDC Emulator**.




- **Evidence 2c:** Screenshot of the **Infrastructure** tab in the Operations Masters window showing **NV-DC2** as the current **Infrastructure Master**.



- **Evidence 3:** Screenshot of the PowerShell console confirming successful transfer of the **RID** and **PDC Emulator** roles back to **NV-DC1**.



- **Evidence 4:** Screenshot of the netdom query fsmo output showing **NV-DC1** as the holder of **RID** and **PDC**, and **NV-DC2** as the holder of **Infrastructure Master**.




Section 4: Task — Enabling the Global Catalog on NV-DC2 (10 pts)

The **Global Catalog** was enabled on **NV-DC2** using **Active Directory Sites and Services** to enhance directory search performance and authentication resilience.

Under **NTDS Settings**, the Global Catalog option was activated and verified to ensure successful registration and replication.

Evidence

- **Evidence 5:** Screenshot of **NTDS Settings → Properties** showing the **Global Catalog** option checked.



- **Evidence 6:** Screenshot of **Active Directory Sites and Services** displaying **NV-DC2** listed as a **Global Catalog** under NTDS Settings.

WELCOME TO SERVER MANAGER


Name	Domain	Bridgehead	DC Type
NV-DC1	newvue.local		GC
NV-DC2	newvue.local		GC

Section 5 :Task - Verifying Global Catalog Functionality (10 points)

The configuration was validated by confirming that **NV-DC2** was recognized as a Global Catalog server using the **nttest** command. Successful output confirmed that **NV-DC2** was functioning as an active GC and was discoverable within the domain.

Evidence

- Evidence 7:** Screenshot of the **nttest /dclist:newvue.local** output showing **NV-DC2** designated as a **Global Catalog (GC)** server.



```
C:\Users\Administrator.NEWVUE>repadmin /syncall
CALLBACK MESSAGE: The following server could not be reached (topology incomplete):
 3b07f450-b7df-4ed8-8889-46f32e19a8fa__msdcs.newvue.local
CALLBACK MESSAGE: Syncall Finished.

SyncAll reported the following errors:
The following server could not be reached (topology incomplete):
 3b07f450-b7df-4ed8-8889-46f32e19a8fa__msdcs.newvue.local

C:\Users\Administrator.NEWVUE>netdom query fsm
Active Directory master      NV-DC1.newvue.local
Domain naming master        NV-DC1.newvue.local
PDC                         NV-DC1.newvue.local
RID pool manager            NV-DC1.newvue.local
Infrastructure master       NV-DC1.newvue.local
The command completed successfully.

C:\Users\Administrator.NEWVUE>nttest /dclist:newvue.local
Get list of DCs in domain 'newvue.local' from 'VM-NV-DC2.newvue.local'.
  NV-DC1.newvue.local [PDC] [DS] Site: Default-First-Site-Name
  NV-DC2.newvue.local [DS] Site: Default-First-Site-Name
The command completed successfully.

C:\Users\Administrator.NEWVUE>nttest /dclist:newvue.local
Get list of DCs in domain 'newvue.local' from 'VM-NV-DC2.newvue.local'.
  NV-DC1.newvue.local [PDC] [DS] Site: Default-First-Site-Name
  NV-DC2.newvue.local [DS] Site: Default-First-Site-Name
The command completed successfully.

C:\Users\Administrator.NEWVUE>
```