```
Command Prompt
                      X
Microsoft Windows [Version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.
C:\Users\user>cd C:\\myprojectfiles
C:\myprojectfiles>javac -d C:\\myclassfiles bird.java
C:\myprojectfiles>javac -d C:\\myclassfiles Bird.java
C:\myprojectfiles>javac -cp C:\\myclassfiles -d C:\\myclassfiles Parrot.java
C:\myprojectfiles>javac -cp C:\\myclassfiles -d C:\\myclassfiles TestRunner.java
C:\myprojectfiles>java -cp C:\\myclassfiles test.TestRunner
Am flying
Am flying so high
Am flying
Am flying so high
Am speaking
C:\myprojectfiles>
```

```
Command Prompt X
Microsoft Windows [Version 10.0.22631.4037]
(c) Microsoft Corporation. All rights reserved.
C:\Users\user>cd C:\\test
C:\test>javac C:\\myprojectfiles\Bird.java
C:\test>javac C:\\myprojectfiles\Bird.java -d C:\\myclasses
C:\test>javac C:\\myprojectfiles\Parrot.java -cp C:\\myclasses -d C:\\myclasses
C:\test>javac C:\\myprojectfiles\TestRunner.java -cp C:\\myclasses -d C:\\myclasses
C:\test>java -cp C:\\myclasses test.TestRunner
Am flying
Am flying
Am speaking
C:\test>
```

```
Command Prompt × + v
Microsoft Windows [Version 10.0.22631.4037]
(c) Microsoft Corporation. All rights reserved.
C:\Users\user>cd C:\\myprojectfiles
C:\myprojectfiles>javac -cp C:\\myprojectfiles -d C:\\file1 Bird.java
C:\myprojectfiles>javac -cp C:\\file1 -d C:\\file2 Bird.java
C:\myprojectfiles>javac -cp C:\\file1 -d C:\\file2 Parrot.java
C:\myprojectfiles>javac -cp C:\\file1;C:\\file2 -d C:\\runfile TestRunner.java
C:\myprojectfiles>java -cp C:\\file1;C:\\file2;C:\\runfile test.TestRunner
Am flying
Am flying
Am speaking
C:\myprojectfiles>
```

```
Command Prompt
Microsoft Windows [Version 10.0.22631.4037]
(c) Microsoft Corporation. All rights reserved.
C:\Users\user>cd C:\\myprojectfiles
C:\myprojectfiles>jar cvf myclasses.jar -C C:\\myclasses .
added manifest
adding: birds/(in = 0) (out= 0)(stored 0%)
adding: birds/Bird.class(in = 391) (out= 276)(deflated 29%)
adding: child/(in = 0) (out= 0)(stored 0%)
adding: child/Parrot.class(in = 393) (out= 285)(deflated 27%)
adding: test/(in = 0) (out= 0)(stored 0%)
adding: test/TestRunner.class(in = 401) (out= 299)(deflated 25%)
C:\myprojectfiles>java -cp myclasses.jar test.TestRunner
Am flying
Am flying
Am speaking
C:\myprojectfiles>
```

```
Command Prompt
C:\Users\user>cd C:\myprojectfiles
C:\myprojectfiles>javac -cp C:\myprojectfiles -d C:\myclasses Bird.java
C:\myprojectfiles>java -cp C:\myclasses.jar;C:\myclasses test.TestRunner
Error: Could not find or load main class test. TestRunner
C:\myprojectfiles>java -cp myclasses.jar;C:\myclasses test.TestRunner
Am flying
Am flying
Am speaking
C:\myprojectfiles>java -cp myclasses.jar;myclasses test.TestRunner
Am flying
Am flying
Am speaking
C:\myprojectfiles>java -cp myclasses.jar;C:\\myclasses test.TestRunner
Am flying
Am flying
Am speaking
C:\myprojectfiles>java -cp C:\\myclasses;myclasses.jar test.TestRunner
Am flying
Am flying so high
Am flying
Am flying so high
Am speaking
```