

Day 5 - Git Advanced Assignment

```
Last login: Tue May 20 11:36:09 on ttys000
vivswsyvora@MacBook-Air-de-VivswSyvora ~ % ls
Desktop      Library      Pictures     hello
Documents    Movies       Public       sample
Downloads    Music        bashrc
vivswsyvora@MacBook-Air-de-VivswSyvora ~ % cd Documents
vivswsyvora@MacBook-Air-de-VivswSyvora Documents % ls
api_doc      i-am-a-git-noob  test-repo
cloned-local-repo  jsAssin2
cloned-noob    test-folder
vivswsyvora@MacBook-Air-de-VivswSyvora Documents % mkdir basic_training
vivswsyvora@MacBook-Air-de-VivswSyvora Documents % ls
api_doc      cloned-noob      test-folder
basic_training  i-am-a-git-noob  test-repo
cloned-local-repo  jsAssin2
vivswsyvora@MacBook-Air-de-VivswSyvora Documents % cd basic_training
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git init
Initialized empty Git repository in /Users/vivswsyvora/Documents/basic_training/.git/
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls -a
.  ..  .git
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git config user.email "vivswaan.singh@syvora.com"
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git config user.name "Vivswaan Singh"
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % echo "Basic Training Solution Submissions" > README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cat README.md
Basic Training Solution Submissions
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  README.md

nothing added to commit but untracked files present (use "git add" to track)
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
  new file:   README.md

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "Initial Commit"
[main (root-commit) b388724] Initial Commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log --oneline
b388724 (HEAD -> main) Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training %
```

```

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log --oneline
b388724 (HEAD -> main) Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git remote add origin git@github.com:Vivswaan-Singh/basic_training.git
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch main
nothing to commit, working tree clean
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* main
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch -m master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log
commit b3887241886af62579cf25c532565c67dfd14116 (HEAD -> master)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 15:58:21 2025 +0530

Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin master
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 256 bytes | 256.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Vivswaan-Singh/basic_training.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-1
Switched to a new branch 'assignment-1'
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % pwd
/Users/vivswsyvora/Documents/basic_training
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day1-Shell.pdf .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day1-Shell.pdf  README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch assignment-1
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Day1-Shell.pdf

nothing added to commit but untracked files present (use "git add" to track)
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 1 assignment files"
[assignment-1 dce3d16] feat: add Day 1 assignment files
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Day1-Shell.pdf
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* assignment-1
  master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log
commit dce3d16318f6c9bbf55e4a7d1b76c0238f169427 (HEAD -> assignment-1)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 17:27:19 2025 +0530

    feat: add Day 1 assignment files

commit b3887241886af62579cf25c532565c67dfd14116 (origin/master, master)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 15:58:21 2025 +0530

Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-1
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.

```

```

[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-2
Switched to a new branch 'assignment-2'
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day2-JS.js .
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day2-JS.js      README.md
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -a -m "feat: add Day 2 assignment files"
On branch assignment-2
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Day2-JS.js

nothing added to commit but untracked files present (use "git add" to track)
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -a -m "feat: add Day 2 assignment files"
[assignment-2 482c7e3] feat: add Day 2 assignment files
 1 file changed, 78 insertions(+)
   create mode 100644 Day2-JS.js
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch assignment-2
nothing to commit, working tree clean
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-2
[Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.03 KiB | 1.03 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-2' on GitHub by visiting:
remote:   https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-2
remote:
To github.com:Vivswaan-Singh/basic_training.git
 * [new branch]      assignment-2 -> assignment-2
branch 'assignment-2' set up to track 'origin/assignment-2'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout assignment-1
Switched to branch 'assignment-1'
Your branch is up to date with 'origin/assignment-1'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day1-Shell.pdf  README.md
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-3
Switched to a new branch 'assignment-3'
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day3-Git.pdf .
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 3 assignment files"
[assignment-3 6ba2683] feat: add Day 3 assignment files
 1 file changed, 0 insertions(+), 0 deletions(-)
   create mode 100644 Day3-Git.pdf
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-3
[Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.29 MiB | 1.35 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

```



```

[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-4
Switched to a new branch 'assignment-4'
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day4-Web.md .
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day4-Web.md      README.md
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 4 assignment files"
[assignment-4 8ec373f] feat: add Day 4 assignment files
1 file changed, 411 insertions(+)
 create mode 100644 Day4-Web.md
[vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-4
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.39 KiB | 2.39 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-4' on GitHub by visiting:
remote:      https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-4
remote:
To github.com:Vivswaan-Singh/basic_training.git
 * [new branch]      assignment-4 -> assignment-4
branch 'assignment-4' set up to track 'origin/assignment-4'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training %

```

Last login: Tue May 20 11:36:09 on ttys000

vivswsyvora@MacBook-Air-de-VivswSyvora ~ % ls

```

Desktop      Library      Pictures  hello
Documents    Movies       Public    sample
Downloads    Music        bashrc

```

vivswsyvora@MacBook-Air-de-VivswSyvora ~ % cd Documents

vivswsyvora@MacBook-Air-de-VivswSyvora Documents % ls

```

api_doc      i-am-a-git-noob      test-repo
cloned-local-repo  jsAssin2
cloned-noob      test-folder

```

vivswsyvora@MacBook-Air-de-VivswSyvora Documents % mkdir basic_training

vivswsyvora@MacBook-Air-de-VivswSyvora Documents % ls

```

api_doc      cloned-noob      test-folder
basic_training  i-am-a-git-noob  test-repo
cloned-local-repo  jsAssin2

```

vivswsyvora@MacBook-Air-de-VivswSyvora Documents % cd basic_training

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git init

Initialized empty Git repository in /Users/vivswsyvora/Documents/basic_training/.git/

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls -a

```

.      ..      .git

```

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git config user.email "vivswaan.singh@syvora.com"

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git config user.name "Vivswaan Singh"

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % echo "Basic Training Solution Submissions" >

README.md

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls

README.md

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cat README.md

Basic Training Solution Submissions

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status

On branch main

No commits yet

Untracked files:

(use "git add <file>..." to include in what will be committed)

README.md

nothing added to commit but untracked files present (use "git add" to track)

```

vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch main
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "Initial Commit"
[main (root-commit) b388724] Initial Commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log --online
b388724 (HEAD -> main) Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git remote add origin
git@github.com:Vivswaan-Singh/basic_training.git
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch main
nothing to commit, working tree clean
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* main
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch -m master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log
commit b3887241886af62579cf25c532565c67dfd14116 (HEAD -> master)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 15:58:21 2025 +0530
    Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin master
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 256 bytes | 256.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Vivswaan-Singh/basic_training.git
 * [new branch]   master -> master
branch 'master' set up to track 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-1
Switched to a new branch 'assignment-1'
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % pwd
/Users/vivswsyvora/Documents/basic_training
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day1-Shell.pdf .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day1-Shell.pdf  README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch assignment-1
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Day1-Shell.pdf
nothing added to commit but untracked files present (use "git add" to track)
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 1 assignment files"
[assignment-1 dce3d16] feat: add Day 1 assignment files
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Day1-Shell.pdf
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git branch --list
* assignment-1
  master
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git log
commit dce3d16318f6c9bbf55e4a7d1b76c0238f169427 (HEAD -> assignment-1)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 17:27:19 2025 +0530

```

```

feat: add Day 1 assignment files
commit b3887241886af62579cf25c532565c67dfd14116 (origin/master, master)
Author: Vivswaan Singh <vivswaan.singh@syvora.com>
Date: Tue May 20 15:58:21 2025 +0530
Initial Commit
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-1
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.13 MiB | 1.50 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-1' on GitHub by visiting:
remote:   https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-1
remote:
To github.com:Vivswaan-Singh/basic_training.git
* [new branch]   assignment-1 -> assignment-1
branch 'assignment-1' set up to track 'origin/assignment-1'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-2
Switched to a new branch 'assignment-2'
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day2-JS.js .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day2-JS.js      README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -a -m "feat: add Day 2 assignment files"
On branch assignment-2
Untracked files:
  (use "git add <file>..." to include in what will be committed)
      Day2-JS.js

nothing added to commit but untracked files present (use "git add" to track)
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -a -m "feat: add Day 2 assignment files"
[assignment-2 482c7e3] feat: add Day 2 assignment files
1 file changed, 78 insertions(+)
create mode 100644 Day2-JS.js
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git status
On branch assignment-2
nothing to commit, working tree clean
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-2
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.03 KiB | 1.03 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-2' on GitHub by visiting:
remote:   https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-2
remote:
To github.com:Vivswaan-Singh/basic_training.git
* [new branch]   assignment-2 -> assignment-2
branch 'assignment-2' set up to track 'origin/assignment-2'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout assignment-1
Switched to branch 'assignment-1'

```

```

Your branch is up to date with 'origin/assignment-1'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day1-Shell.pdf    README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-3
Switched to a new branch 'assignment-3'
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day3-Git.pdf .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 3 assignment files"
[assignment-3 6ba2683] feat: add Day 3 assignment files
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Day3-Git.pdf
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-3
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.29 MiB | 1.35 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-3' on GitHub by visiting:
remote:   https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-3
remote:
To github.com:Vivswaan-Singh/basic_training.git
* [new branch]    assignment-3 -> assignment-3
branch 'assignment-3' set up to track 'origin/assignment-3'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git checkout -b assignment-4
Switched to a new branch 'assignment-4'
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % cp /Users/vivswsyvora/Downloads/Day4-Web.md .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % ls
Day4-Web.md    README.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git add .
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git commit -m "feat: add Day 4 assignment files"
[assignment-4 8ec373f] feat: add Day 4 assignment files
1 file changed, 411 insertions(+)
create mode 100644 Day4-Web.md
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training % git push -u origin assignment-4
Enter passphrase for key '/Users/vivswsyvora/.ssh/id_ed25519':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 2.39 KiB | 2.39 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'assignment-4' on GitHub by visiting:
remote:   https://github.com/Vivswaan-Singh/basic_training/pull/new/assignment-4
remote:
To github.com:Vivswaan-Singh/basic_training.git
* [new branch]    assignment-4 -> assignment-4
branch 'assignment-4' set up to track 'origin/assignment-4'.
vivswsyvora@MacBook-Air-de-VivswSyvora basic_training %

```

By: Vivswaan Singh