# **Project Report**

### **Personal Portfolio Website**

#### **Introduction:**

The Natso Portfolio is a personal website project aimed at showcasing the skills, projects, and contact information of Vizosul Natso. It serves as a digital resume and a platform to display the creator's programming proficiency and web development capabilities.

### **Project Structure:**

The project is structured as a single-page web application built using HTML, CSS, and JavaScript. It consists of different sections such as Home, About, Projects, and Contact.

#### **Features:**

Navigation: The website includes a navigation bar allowing users to navigate smoothly between different sections of the website.

<u>Dark Mode Toggle:</u> A toggle switch is provided to enable users to switch between light and dark themes based on their preference. This feature enhances user experience and accessibility.

<u>Home Section</u>: The home section introduces the user to Vizosul Natso and encourages exploration of projects and skills.

<u>About Section:</u> Provides a brief description of Vizosul Natso's background, skills, and expertise. It also includes links to view and download the CV.

<u>Projects Section:</u> Displays a collection of projects undertaken by Vizosul Natso. Each project card includes a title, description, and a button to view the project.

<u>Contact Section:</u> Provides links to various social media profiles and an email address for contacting Vizosul Natso.

## **Technologies Used:**

<u>HTML:</u> Used for structuring the web pages and content.

<u>CSS</u>: Used for styling and designing the website, including layout, colors, fonts, and animations.

<u>JavaScript:</u> Used for implementing interactivity, such as dark mode toggle and smooth scrolling.

Font Awesome: Used for including icons for social media links and other visual elements.

<u>Google Fonts</u>: Used for importing custom fonts for the website.

#### **Source Code:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Natso Portfolio</title>
  </l></l></l></l></l></l
  <!-- css -->
  <style>
   @import url('https://fonts.googleapis.com/css2?family=Kaushan+Script&family=Poppins&display=swap');
@import url('https://fonts.googleapis.com/css2?family=Comfortaa:wght@300..700&display=swap');
/* Define custom CSS variables in the :root selector */
:root {
--primary-color: rgb(6, 212, 34);
--button-color: rgb(18, 167, 38);
--on-primary: rgba(197, 196, 196, 0.5);
--on-background: rgb(27, 26, 26);
--on-background-alt: rgba(0, 0, 0, 0.979);
--background: rgb(255, 255, 255);
--o-background :rgba(202, 201, 201, 0.8);
--shadow: 0px 3px 10px 8px rgba(0,0,0,0.75);
/* Define alternate values for dark theme */
[data-theme="dark"] {
--primary-color: rgb(150, 65, 255);
--button-color: rgb(109, 25, 211);
--on-primary:rgb( 0 0 0 / 50%);
```

```
--on-background: rgba(255, 255, 255, 0.9);
--on-background-alt: rgba(255, 255, 255, 0.966);
--background: #121212;
--o-background :rgb(10 10 10 / 80%);
--shadow: 0px 4px 10px 6px rgba(29, 7, 65, 0.75);
}
html {
  min-width:100vw;
  margin: 0;
  box-sizing: border-box;
  scroll-behavior: smooth;
  font-family: "Poppins", sans-serif;
  font-weight: 400;
  font-style: normal;
}
body {
margin: 0;
 color: var(--on-background);
 background-color: var(--background);
 background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='15' height='15' viewBox='0 0 152
152'%3E%3Cg fill-rule='evenodd'%3E%3Cg id='temple' fill='%236c26dd' fill-opacity='0.3'%3E%3Cpath d='M152 150v2H0v-2h28v-
8H8v-20H0v-2h8V80h42v20h20v42H30v8h90v-8H80v-42h20V80h42v40h8V30h-8v40h-42V50H80V8h40V0h2v8h20v20h8V0h2v150zm-
2 0v-28h-8v20h-20v8h28zM82 30v18h18V30H82zm20 18h20v20h18V30h-20V10H82v18h20v20zm0 2v18h18V50h-18zm20-22h18V10h-
18v18zm-54 92v-18H50v18h18zm-20-18H28V82H10v38h20v20h38v-18H48v-20zm0-2V82H30v18h18zm-20 22H10v18h18v-18zm54
0v18h38v-20h20V82h-18v20h-20v20H82zm18-20H82v18h18v-18zm2-2h18V82h-18v18zm20 40v-18h18v18h-18zM30 0h-
2v8H8v20H0v2h8v40h42V50h20V8H30V0zm20 48h18V30H50v18zm18-20H48v20H28v20H10V30h20V10h38v18zM30
50h18v18H30V50zm-2-40H10v18h18V10z'/%3E%3C/g%3E%3C/g%3E%3C/svg%3E");
section {
 min-height: 100vh;
 font-family: "Comfortaa", sans-serif;
```

```
display: flex;
justify-content: center;
 align-items: center;
 flex-direction: column;
.heading{
 text-shadow: var(--shadow);
}
h1 {
font-size: 4rem;
 color: var(--primary-color);
font-family: sans-serif;
}
h2 {
 color: var(--on-background-alt);
 font-size: 2rem;
font-weight: normal;
}
.backup{
visibility: hidden;
 display: flex;
justify-content: center;
 flex-direction: column;
 position: fixed;
z-index: 100;
top: 10%;
left: 0%;
}
/* Navigation */
```

```
nav {
 font-family: "Poppins", sans-serif;
 font-weight: 400;
 font-style: normal;
 z-index: 10;
 position: fixed;
 font-size: 1.5rem;
 letter-spacing: 3px;
 padding: 25px;
 width: 100vw;
 background-color: var(--on-primary);
}
nav a{
 margin-right: 25px;
 color: var(--primary-color);
 text-decoration: none;
 border-bottom: 3px solid transparent;
 font-weight: bold;
nav a:hover,
nav a:focus {
color: var(--on-background);
border-bottom: 3px solid;
}
/* Home Section */
.animated-text{
 display: flex;
 align-items: center;
 justify-content: center;
```

```
flex-wrap: wrap;
/* .....*/
span{
 color: var(--primary-color);
.title-group {
text-align: center;
}
/* About Section */
#about{
display: flex;
align-items: center;
}
#about h1{
margin-top: 12vh;
#my-desc{
width: 80%;
text-align: justify;
 background: var(--o-background);
 box-shadow: var(--shadow);
 color: var(--on-primary);
 border-radius: 10px;
 padding: 30px;
 animation-name: slide;
 animation-duration: 8s;
 animation-iteration-count: 1;
}
```

```
h3 {
color: var(--on-background-alt);
font-size: 1.62rem;
}
@keyframes slide {
 0%{
  filter: brightness(0%);
}
 50%{
  filter: brightness(50%);
 100%{
  filter: brightness(100%);
}
}
/* Projects Section */
#projects h1{
margin-top: 12vh;
.project-container{
padding: 10vh 3vh;
 display: inline-flex;
 flex-wrap: wrap;
justify-content:space-around;
 gap: 2vh;
background: var(--o-background);
}
.project-cards{
 display: flex;
```

```
/* justify-content: center; */
 padding: 0 2vh;
 text-align: start;
 flex-direction: column;
 scale: 0.9;
 border-radius: 2vh;
 background-color: var(--primary-color);
 box-shadow: var(--shadow);
 max-height: 400px;
 max-width: 300px;
 height: 400px;
width: 280px;
}
.project-cards:hover{
 scale: 1;
filter: brightness(112%);
.p-title{
 text-align: center;
 margin-bottom: 0;
}
.r-container{
 width: 80%;
 display: flex;
 gap: 6rem;
 background: transparent;
 padding: 3rem;
}
.R-btn{
 padding: 2vh;
```

```
border-radius: 3vh;
 border: none;
 min-width: auto;
 width: 18rem;
 color: var(--on-background-alt);
 font-size: 1.37rem;
 font-family: "Poppins", sans-serif;
 background-color: var(--button-color);
 scale: 0.8;
}
.R-btn:hover{
 filter: brightness(110%);
 box-shadow: var(--shadow);
}
.btn{
 padding: 2vh;
 border-radius: 3vh;
 border: none;
 width: 90%;
 left: 5%;
 bottom: 7%;
 color: var(--on-background-alt);
 font-size: 1.37rem;
 font-family: "Poppins", sans-serif;
 background-color: var(--button-color);
 scale: 0.8;
 position: absolute;
.btn:hover{
 box-shadow: var(--shadow);
 filter: brightness(130%);
 scale: 0.9;
```

```
button:active{
transform: translateY(3px);
scale: 0.85;
}
h4{
 color: var(--on-background-alt);
font-size: 1.25rem;
/* Contact Section */
#contact h1{
 margin-top: 12vh;
.socail-icons{
margin-top: 4rem;
margin-left: 2.4rem;
}
.fa-brands {
font-size: 6.25rem;
margin-right: 3.125rem;
cursor: pointer;
color: var(--primary-color);
.fa-brands:hover {
color: var(--on-background);
.email{
 margin-left: 2.4rem;
 letter-spacing: 0.06rem;
 margin-top: 8rem;
```

```
font-size: 2.4rem;
 font-family: cursive;
 color:var(--primary-color)
}
/* Dark Mode Toggle */
.theme-switch-wrapper {
 display: flex;
 align-items: center;
 z-index: 100;
 position: fixed;
 right: 1.56rem;
 top: 1.87rem;
}
.theme-switch-wrapper span {
 margin-right: 0.6rem;
 font-size: 1rem;
.toggle-text {
 position: relative;
 top: -4px;
 right: 5px;
 color: var(--on-background);
}
.theme-switch {
 display: inline-block;
 height: 34px;
 position: relative;
 width: 60px;
}
```

```
.theme-switch input {
display: none;
}
.slider {
 background: #ccc;
 bottom: 0;
 cursor: pointer;
 left: 0;
 position: absolute;
 right: 0;
top: 0;
transition: 0.4s;
.slider::before {
 background: #fff;
 bottom: 4px;
 content: "";
 height: 26px;
 left: 4px;
position: absolute;
transition: 0.4s;
width: 26px;
}
input:checked + .slider {
background: var(--primary-color);
}
input:checked + .slider::before {
transform: translateX(26px);
```

```
.slider.round {
border-radius: 34px;
}
.slider.round::before {
border-radius: 50%;
}
.fas {
font-size: 1.87rem;
margin-right: 5px;
/* animations */
.animated-text{
 animation-name: load;
 animation-duration: 1s;
animation-timing-function: ease-in-out;
@keyframes load {
0% { opacity: 0;
  color: black;
100% { opacity: 1; }
}
#a1{
 animation-name: subtext;
```

```
animation-duration: 1.2s;
 animation-timing-function: ease-in-out;
}
#a2{
 animation-name: subtext;
 animation-duration: 2s;
 animation-timing-function: ease-in-out;
#a3{
 animation-name: subtext;
 animation-duration: 3s;
 animation-timing-function: ease-in-out;
}
#a4{
 animation-name: subtext;
 animation-duration: 4s;
 animation-timing-function: ease-in-out;
}
#a5{
 animation-name: subtext;
 animation-duration: 5s;
 animation-timing-function: ease-in-out;
#a6{
 animation-name: subtext;
 animation-duration: 5.7s;
 animation-timing-function: ease-in-out;
}
#a7{
 animation-name: subtext;
 animation-duration: 6.2s;
 animation-timing-function: ease-in-out;
```

```
@keyframes subtext {
 0% { opacity: 0;
100% { opacity: 1; }
}
@media (min-width:700px) and (max-width:920px){
  h1{
    /* color: red; */
  :root {
    margin: 0;
  #my-desc, #my-desc h3, #my-desc h2 {
    font-size: 1.2rem;
.theme-switch-wrapper {
 display: none;
 margin-top: 5.3rem;
 margin-left: 2rem;
 align-items: normal;
z-index: 100;
position: static;
.r-container{
width: 80%;
 display: flex;
 gap: 0.8rem;
 background: transparent;
 padding: 1rem;
```

```
.R-btn{
 padding: 2rem;
 border-radius: 2.3rem;
 border: none;
 min-width: auto;
 width: auto;
color: var(--on-background-alt);
 font-size: 1.37rem;
 font-family: "Poppins", sans-serif;
 background-color: var(--button-color);
 scale: 0.8;
}
  section {
    min-height: 100vh;
    min-width:100vw;
  .backup{
 visibility: visible;
 display: flex;
 font-size: 2.4rem;
justify-content: center;
 flex-direction: column;
 position: absolute;
 z-index: 100;
 top: 10%;
 left: 8%;
  nav {
  position: fixed;
  z-index: 4px;
  padding: 22px;
```

```
.animated-text{
  visibility: hidden;
  .sub-text{
   visibility: hidden;
  .email{
 font-size: 1.5rem;
}
.title-group {
 text-align: center;
}
@media (min-width:200px) and (max-width:700px){
  h1{
    /* color: red; */
  .title-group {
  display: none;
  #my-desc, #my-desc h3,#my-desc h2 {
    font-size: 0.95rem;
  }
  .r-container{
 width: 80%;
 display: flex;
 gap: 0.8rem;
 background: transparent;
```

```
padding: 1rem;
.R-btn{
 padding: 2rem;
 border-radius: 2.3rem;
 border: none;
 min-width: auto;
 width: auto;
 color: var(--on-background-alt);
 font-size: 1.37rem;
font-family: "Poppins", sans-serif;
 background-color: var(--button-color);
 scale: 0.8;
}
.email{
font-size: 1.2rem;
}
.socail-icons{
 margin-top: -15px;
 display: flex;
 flex-direction: column;
 gap:6px;
width: auto;
}
  .animated-text{
  visibility: hidden;
  .sub-text{
   visibility: hidden;
  :root {
    margin: 0;
```

```
.backup{
 visibility: visible;
 display: flex;
 font-size: 2.4rem;
justify-content: center;
 flex-direction: column;
 position: absolute;
 z-index: 100;
 top: 10%;
 left: 8%;
}
   .theme-switch-wrapper {
 display: none;
 margin-top: 5.3rem;
margin-left: 2rem;
 align-items: normal;
z-index: 100;
 position: static;
  section {
    min-height: 100vh;
    min-width:100vw;
  nav {
  position: fixed;
  z-index: 4px;
  padding: 22px;
 .animated-text{
  display: flex;
```

```
flex-wrap: wrap;
  flex-shrink: inherit;
  font-size: 3rem;
  .sub-text{
   display: flex;
  scale: 2.2rem;
/* end of css */
  </style>
</head>
<body>
  <!-- navigation -->
  <nav id="nav">
    <a href="#home">HOME</a>
    <a href="#about">ABOUT</a>
    <a href="#projects">PROJECTS</a>
    <a href="#contact">CONTACT</a>
  </nav>
    <!-- Dark mode switch -->
    <div class="theme-switch-wrapper">
     <span id="toogle-icon">
        <span class="toogle-text" id="toogle-text">Light mode</span>
     </span>
     <label class="theme-switch">
```

```
<input type="checkbox" checked="true">
       <div class="slider round"></div>
     </label>
   </div>
  <!-- Home Screen -->
  <section id="home">
    <div class="title-group">
      <h1 class="animated-text" style="text-align: left; color:var(--on-background-alt);"><span id="span1" style="
color:var(--on-background-alt);">Hello!</span> I am Vizosul Natso</h1>
      <h2 class="sub-text" >
        <span id="a1" style="color: var(--primary-color);">Explore </span>
        <Span id="a2" style="color: var(--primary-color);">my </Span>
        <Span id="a4" style="color: var(--primary-color);">projects </Span>
        <Span id="a5" style="color: var(--primary-color);">and 
        <Span id="a6" style="color: var(--primary-color);">skills </Span>
        <span id="a7" style="color: var(--primary-color);">below</span>
      </h2>
    </div>
    <div class="backup">
     <h1 style="text-align: left; color:var(--on-background-alt);">Hello! <br/>br>l am Vizosul Natso</h1>
     <h2 style="color: var(--primary-color);">Explore my Projects <br>and skills below</h2>
    </div>
  </section>
  <!-- about section -->
  <section id="about">
    <h1 class="heading">About Me</h1>
    <div id="my-desc">
      <h3 id="desc">I am an enthusiastic and passionate programmer, who enjoy programming to the core.
        Leadership roles and participation in community service have taught me the importance of vision, hard work, and the
```

impact of giving back. These experiences have shaped me into a well-rounded individual who values innovation, accountability,

```
and community. I'm on the lookout for opportunities that challenge me, allow for growth, and contribute positively to the
organization and community at large</h3>
      <h3><h2>Key skills</h2>
        Programming Languages: C, C++, Java, JavaScript
        Database: SQL, MySQL
        Veb Technologies: HTML, CSS, BootStrap
        Version Control: Git, Github
        Tools and Frameworks: JDBC, Hibernate, Servlets, Spring, Spring Boot
        Soft Skills: Leadership, Teamwork, Management, Communication
      <br>
    </div>
    <div class="r-container">
     <a href="https://drive.google.com/file/d/1VJEpfL9yo -AGhBRz2YyOUmi7btKHLc6/view?usp=drive link" target=" blank"
><button class="R-btn">View CV</button></a>
     <a href=" https://drive.usercontent.google.com/u/1/uc?id=1VJEpfL9yo_-AGhBRz2YyOUmi7btKHLc6&export=download"
download="" ><button class="R-btn">Download CV</button></a>
    </div>
  </section>
  <!-- projects section -->
  <section id="projects">
    <h1 class="heading">Projects</h1>
    <div class="project-container">
      <div class="project-cards" id="1">
        <h3 class="p-title">Math Game</h3>
        <h4 class="p-item">A mathematical base game to test user knowledge on mathematics. Consist of timer and three
difficulty levels. Utilize DOM for great UI experience.</h4>
        <a href="https://vizosul-natso.github.io/SimpleMathGame/" title="click here to view project" target="_blank"
class="btns"><button class="btn">Check Out</button></a>
      </div>
      <div class="project-cards" id="2">
        <h3 class="p-title">Calculator</h3>
        <h4 class="p-item">A calculator web application with basic arithmetic operations. It includes HTML for structure, CSS for
styling and responsiveness, and JavaScript for functionality.</h4>
```

```
<a href="https://vizosul-natso.github.io/basic calculator/" title="click here to view project" target=" blank"</p>
class="btns"><button class="btn">Check Out</button></a>
       </div>
       <div class="project-cards" id="3">
        <h3 class="p-title">Joke Teller</h3>
         <h4 class="p-item">A bot joke teller designed with html,css and Js. Fetching jokes from an API, converts them to speech
using the VoiceRSS API, and displays them on the webpage.</h4>
         <a href="https://vizosul-natso.github.io/Joke-Teller/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
       <div class="project-cards" id="4">
        <h3 class="p-title">Picture-in-Picture</h3>
         <h4 class="p-item">A picture in picture web application that retrieves the user's display media, plays it in the video
element, and enables picture-in-picture mode upon button click.</h4>
         <a href="https://vizosul-natso.github.io/PictureInPicture/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
       <div class="project-cards" id="5">
        <h3 class="p-title">Quote Generator</h3>
         <h4 class="p-item">A responsive quote generator. Designed with web Technologies, the JS contains an array of quotes
and JavaScript logic to display a random quote. Also facitity for sharing the quote on WhatsApp.</hd>
         <a href="https://vizosul-natso.github.io/QuoteGenerator/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
       <div class="project-cards" id="6">
        <h3 class="p-title">Dice Game</h3>
         <h4 class="p-item">A simple dice game web application using HTML, CSS, and JavaScript. JavaScript functions handle
the random generation of dice values, updating the dice images, and determining the winner based on the rolled values.</hd>
         <a href="https://vizosul-natso.github.io/Dice-Game/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
       <div class="project-cards" id="7">
        <h3 class="p-title">Employee Management System</h3>
         <h4 class="p-item"> A web interface for an Employee Management System. It includes sections for inserting, updating,
deleting, finding, and finding all employee details.</h4>
         <a href="https://vizosul-natso.github.io/Employee Management Sytem/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
```

```
<div class="project-cards" id="8">
        <h3 class="p-title">Interactive Resume</h3>
         <h4 class="p-item">An interactive online resume using HTML, CSS, and
           JavaScript. It includes animations, interactive elements, and engaging visuals.</h4>
         <a href="https://vizosul-natso.github.io/InteractiveResume/" title="click here to view project" target=" blank"
class="btns"><button class="btn">Check Out</button></a>
       </div>
    </div>
  </section>
  <!-- contact section -->
  <section id="contact">
    <h1 class="heading">Contact</h1>
    <div class="socail-icons">
       <a href="https://github.com/Vizosul-Natso" target="_blank"><i class="fa-brands fa-github"></i></i></a>
       <a href="https://www.linkedin.com/in/vizosulnatso/" target="_blank"><i class="fa-brands fa-linkedin"></i></a>
       <i class="fa-brands fa-facebook"></i>
       <i class="fa-brands fa-instagram"></i>
       <i class="fa-brands fa-discord"></i>
    </div>
    <h1 id="mail" class="email" style="margin-bottom: 20vh;"><i class="fa-solid fa-envelope"></i> vizonatso0@gmail.com</h1>
  </section>
  <!-- Script -->
  <script>
const toggleswitch = document.querySelector('input[type="checkbox"]');
const toggleText = document.getElementByld('toogle-text');
const image1 = document.getElementByld('image1');
const image2 = document.getElementById('image2');
const image3 = document.getElementById('image3');
const span1 = document.getElementByld('span1');
function darkMode (){
  toggleText.innerHTML = 'Dark mode';
```

```
span1.style.color = "white";
function lightMode (){
  toggleText.innerHTML = 'Light mode';
  span1.style.color = "black";
function switchTheme(event) {
  if (event.target.checked){
    document.documentElement.setAttribute('data-theme','light');
    lightMode();
    localStorage.setItem('theme', 'light');
  }else{
    document.documentElement.setAttribute('data-theme','dark');
    darkMode();
    localStorage.setItem('theme', 'dark');
//event listener
toggles witch. add Event Listener ('change', switch Theme);\\
const currentTheme = localStorage.getItem('theme');
if(currentTheme){
  document.documentElement.setAttribute('data-theme',currentTheme);
  if(currentTheme==='dark'){
    toggleswitch.checked = false;
    darkMode();
```

_	
	Conclusion:
	The Natso Portfolio project demonstrates Vizosul Natso's proficiency in web-development and programming. It provides a visually appealing and user-friendly platform for showcasing skills, projects, and contact information. The project effectively utilizes modern web technologies and design principles to create a professional and engaging portfolio website.