Chapter 11

User Interface Design

Slide Set to accompany

Software Engineering: A Practitioner's Approach, 7/e

by Roger S. Pressman

Interface Design

Easy to learn?

Easy to use?

Easy to understand?

Interface Design

Typical Design Errors

lack of consistency
too much memorization
no guidance / help
no context sensitivity
poor response
Arcane/unfriendly



Golden Rules

- Place the user in control
- Reduce the user's memory load
- Make the interface consistent

Place the User in Control

- Define interaction modes in a way that does not force a user into unnecessary or undesired actions.
- Provide for flexible interaction.
- Allow user interaction to be interruptible and undoable.
- Streamline interaction as skill levels advance and allow the interaction to be customized.
- Hide technical internals from the casual user.
- Design for direct interaction with objects that appear on the screen.

Reduce the User's Memory Load

- Reduce demand on short-term memory.
- Establish meaningful defaults.
- Define shortcuts that are intuitive.
- The visual layout of the interface should be based on a real world metaphor.
- Disclose information in a progressive fashion.

Make the Interface Consistent

- Allow the user to put the current task into a meaningful context.
- Maintain consistency across a family of applications.
- If past interactive models have created user expectations, do not make changes unless there is a compelling reason to do so.

User Interface Design Models

- User model — a profile of all end users of the system
- Design model — a design realization of the user model
- Mental model (system perception) — the user's mental image of what the interface is
- Implementation model — the interface "look and feel" coupled with supporting information that describe interface syntax and semantics

User Interface Design Process



Interface Analysis

- Interface analysis means understanding
  - (1) the people (end-users) who will interact with the system through the interface;
  - (2) the tasks that end-users must perform to do their work,
  - (3) the content that is presented as part of the interface
  - (4) the environment in which these tasks will be conducted.